PENGARUH PEMBERIAN OBAT HALOPERIDOL TERHADAP EKSPRESI RESEPTOR-1 NEUROTENSIN (NTSR-1) PADA MUKOSA
JEJUNOILEUM TIKUS WISTAR JANTAN
GATOT SUPARMANTO, dr. Andreanyta Meliala, Ph.D., AIFM; dr. Totok Utoro, D.Med.Sc, Sp.PA(K)
Universitas Gadjah Mada, 2015 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Al-Saffar, A,.(1984). Analysis of the control of intestinal motility in fasted rats, with special reference to neurotensin. *Scand J Gastroenterol* 19:422–428.

Asselin, M.L., Dubuc, I., Coquerel, A., Costentin J.,(2001). Localization of neurotensin NTS2 receptors in rat brain, using. *Neuroreport* 12:1087–1091.

Bean, A.J., A,T.E., Modlin, I.M and Roth, R.H., (1989). Dopamine and neurotensin storage in colocalized and noncolocalized neural population, *J Pharmacol Exp Ther* 249:681-687.

Becky, kinkead., Shanna shahid, Michel J.Owens and Charles B.Numeroff. (2000). Effects of acute and subchronic administration of typical and atypical antipsychotic drugs on the neurotensin system of the rat brain. *J Pharmacol Exp Ther* 295: 67-73.

Burnet, P.W.J.,Chen.,McGowan.,Franklin.,Harrison.(1996). The Effects of clozapine and haloperidol on serotonin-1A, 2A and -2C receptor gene expressioon and serotonin metabolism in the rat forebrain. *J Neuroscience* 73:531-540.

Boudin, H., Pelaprat D., Rostene W., et al. Cellular distribution of neurotensinreceptors in rat brain: immunohistochemical study usingan antipeptide antibody against the cloned high affinity receptor. *J Comp Neurol* 1996;373:76-89.

Buhler, AV., Choi J., Proudfit HK., et al.,(2005). Neurotensin activation of theNTR1 on spinally-projecting serotonergic neurons in the rostral ventromedialmedulla is antinociceptive. *Pain* 114:285-94.

Blaha, CD., Phillips, AG.,(1992).Pharmacological evidence for commonmechanisms underlying the effects of neurotensin and neurolepticson in vivo dopamine efflux in the rat nucleus accumbens. *Neuroscience* 49:867-77.

Carraway, RE., Leeman, SE., (1973). The Isolation of a new hypotensive peptide, neurotensin, from bovine hypothalami. *J Biol Cheml* 24: 6854-6861.

Carlsson, A., (1988). The current status of the dopamine hypothesis of schizofrenia. *Nueropsychopharmachology* 1:179-186.

Elvar, Teodorsson-Norheim., Sune Rosell. (1983). Characterization of human plasma neurotensin-like immunoreactivity after fat ingestion. *Peptides* 6: 207-208.

Elisabeth, B.,Binder,(2001). Neurotensin and dopamine interactions. *Pharmacol Rev* 53: 453-486.

Fannie St-Gelais., Claudia Jomphe., Louis-Éric Trudeau. (2005). The role of neurotensin in central nervous system pathophysiology: What is the evidence? *J Psych Neurosc* 31:229-245.

Frency, (2014). Ihc Profiler:an open source plugin for Quantitative evaluation and automated scoring of immunohistochemistry images of human tissue samples. *Plos one* 9:11-14.

PENGARUH PEMBERIAN OBAT HALOPERIDOL TERHADAP EKSPRESI RESEPTOR-1 NEUROTENSIN (NTSR-1) PADA MUKOSA
JEJUNOILEUM TIKUS WISTAR JANTAN
GATOT SUPARMANTO, dr. Andreanyta Meliala, Ph.D., AIFM; dr. Totok Utoro, D.Med.Sc, Sp.PA(K)
Universitas Gadjah Mada, 2015 | Diunduh dari http://etd.repository.ugm.ac.id/

Fuel, G.E. Hofman, G.,Carraway, R., Baca, I., (1986). Reproduction of postprandial neurotensin plasma level by intravenous neurotensin and the effect of neurotensin on exorcrine oancreatic secretion. *Ital J Gastroenterol* 105:733-739.

Guyton, A.C.,dan Hall, J.E. (2008). *Buku Ajar Fisiologi Kedokteran*. Edisi 11.Jakarta: EGC.

Irvan, R.L. (2014). Neurotensin receptor -1 (NTSR-1) expression in rat to gut related high fat diet compared to control diet. Skripsi.Yogyakarta: Fakultas Kedokteran, Universitas Gadjah Mada.

Jun Lee, (2012).Neurotensin modulate pacemaker activity in interstitial cell of cajal from the mouse small intestine. *Molecul Cell* 33:509-516.

Kaskow, J., Nemeroff C.B. (1991). The neurobiology of neurotensin: focus on on neurotensin-dopamine interactions. *Peptides* 36:153-164.

Kalpana M.M, (1992). Differential effect of haloperidol and clozapine on neurotensin gene transcription in rat neostriatum. *J Neuroscience* 12:652-663.

Kalivas, P.W, Duffy, P.,(1990). Effect of acute and daily neurotensin andenkephalin treatments on extracellular dopamine in the nucleus accumbens. *J Neurosci* 10:2940-9.

Li, X., (2005).Risperidone and haloperidol augmentation of serotonin reuptake inhibitors in refractory obsessive-compulsive disorder: a cross over study. *J Clin Psych* 66: 736-43.

Reginald, V.A.R.,(2014).neurotensin receptor 1 (NTSR1) expressionin the rat's gut related toimmobilization stress compared to control. Skripsi.Yogyakarta: Fakultas Kedokteran, Universitas Gadjah Mada.

Martin, S., Navarro, V., Vincent, J.P., Mazella, J., (2002). Neurotensin receptor-1 and -3 complex modulates the cellularsignaling of neurotensin in the HT29 cell line. *Gastroenterology*, 123:1135–1143.

Myer, B.,(1992). Pharmacological spesifity of the increase in neurotensin concentrations after antipsychotic drug treatment. Brain Res 575:325-328.

Nancy , Breslin., Richrad, L., Suddath., Garth Bissete, Charles, B., Nemeroff., Patricia Lowrimore., (1991). CSF concentrations of neurotensin in schizofrenia: an investigations of clinical and biochemical correlates. *Schizofrenia Research* 12:35-41.

Nemeroff, C.B., Neurotensin.(1980). Perchance an endogenous neuroleptic? *Biol Psychiatry* 15:283-302.

Pollock, J.D,.Rowland (1981). Peripherally administered serotonin decrease food intake in rats.*Pharmacol Biochem Behav*.15:178-83.

Prasad, R., Venkatasubramanian, J., Amde.M., Rao, M.C., (2004). Phospholipase C and src tyrosine kinases mediate neurotensin-stimulated Cl-secretion in rabbit proximalcolon. *Dig Dis Science*, 49:1318–1326.

PENGARUH PEMBERIAN OBAT HALOPERIDOL TERHADAP EKSPRESI RESEPTOR-1 NEUROTENSIN (NTSR-1) PADA MUKOSA
JEJUNOILEUM TIKUS WISTAR JANTAN
GATOT SUPARMANTO, dr. Andreanyta Meliala, Ph.D., AIFM; dr. Totok Utoro, D.Med.Sc., Sp.PA(K)
Universitas Gadjah Mada, 2015 | Diunduh dari http://etd.repository.ugm.ac.id/

Prins A., (2011). The brain-gut interaction: the conversation and the implications. *J Clin nutris* 24: 8-14.

Pettibone, D.J, Hess J.F., Hey, P.J., et al.(2002). The effects of deleting the mouseneurotensin receptor NTR1 on central and peripheral responses toneurotensin. *J Pharmacol Exp Ther* 300:305-13

Rosell, S., Rokaes, A., (1979). The effect of ingestion of amino acids glucose and fat on circulating neurotensin-likeimmunoreactivity (NTLI) in man. *Acta Physiol Scan*, 107:263–267.

Rosell, S.,(1982). The role of neurotensin in the uptake and distribution of fat. *Ann NY Academic Scien* 400: 183–97.

Sussane, H.M. Gruber.,George G.Nomikos., Aleksander A.Mathe. (2001). Effects of haloperidol and risperidone on neurotensin levels in brain regions and neurotensin efflux in the ventral striatum of the rat. *Nueropsychopharmachology* 26:595-604.

Seeman, V., Mary.,(2004). Gender differences in the prescribing of antipsyicotic drugs. *Am J Psych* 161:1324-1333.

Sarret, P., Perron, A., Stroh T., (2003). Immunohistochemical distributionof NTS2 neurotensin receptors in the rat central nervous system. *J Comp Neurol* 461:520-38.

St-Gelais F, Legault M., Bourque M.J,.(2004). Role of calcium in neurotensin-evoked enhancement in firing in mesencephalic dopamineneurons. *J Neurosci* 24:2566-74.

Stelios, Fassimakopoulos., Chrissoula., D., Scopa., Vassiliki N Nikopoulou,. Constantine E., Vagianos. (2008). Pleiotropic effects of bombesin and neurotensin on intestinal mucosa. *World J Gastroenterol* 14: 3602-3603.

Tanaka, K., Masu, M., Nakanishi, S.,(1990). Structure and functional expressionof the cloned rat neurotensin receptor. *Neuron* 4:847-54.

Zhao, Dezheng., Pothoulakis, Charalabos., (2005). Effects of neurotensin on gastrointestinal motility and secretion, and role in intestinal inflamation. *Peptides*, 27:2434-2444.

Zupanc, G.K. , Peptidergic transmission.(1996).from morphological correlatesto functional implications. *Micron* :27:35-91.

Zahm DS, Grosu S., Williams EA., *et al* (2001). Neurons of origin of the neurotensinergicplexus enmeshing the ventral tegmental area in rat:retrograde labeling and in situ hybridization combined. *Neuroscience* 104:841-51.