

## DAFTAR PUSTAKA

- Aguilar, C.M., De Almeida, W.B., and Rocha, W.R., 2008, Solvation and Electronic spectrum of Ni<sup>2+</sup> Ion in aqueous and Ammonia solutions: A sequential Monte Carlo/TD-DFT Study, J., *Chem. Phys.* 353, 66–72.
- Ahlich R.,; M. Bär; M. Häser; H. Horn; C. and Kölmel.,1989. Electronic structure calculations on workstation computers: The program system Turbomole. *Chem. Phys. Lett.*, 162(3), 165–169.
- Allen, M.P., 2004, *Introduction to Molecular Dynamic Simulation*. John von Neumann Institute for Computing.
- Armunanto, R., Schwenk, C.F., Bambang Setiaji, A.H., and Rode, B.M., 2003. Classical and QM/MM Molecular Dynamics Simulations of Co<sup>2+</sup> in water, J. *Chem. Phys.* 295, 63–70.
- Armunanto, R., Schwenk, C.F., Randolph, B.R., and Rode, B.M, 2004, *Ab initio* QM/MM Molecular Dynamics Simulations of Co<sup>2+</sup> in Liquid Ammonia, J. *Chem. Phys.*, 305, 135.
- Armunanto, R., Schwenk, C.F., Randolph, B.R., and Rode, B.M., 2004b, Ag (I) Ion in Liquid Ammonia, *Chem. Phys. Let.*, 388, 395–399.
- Armunanto, R., Schwenk, C.F., and Rode, B.M., 2004, Gold(I) in Liquid Ammonia: Ab initio QM/MM Molecular Dynamics Simulations, *J. Am. Chem. Soc.*, 126, 9934.
- Aileen E. Alvarado-Swaigood and James F. Harrison, 1998, Electronic and Geometric Structure of Scandium Cations ScH<sup>+</sup>, ScCH<sub>3</sub><sup>+</sup>, ScCH<sub>2</sub><sup>+</sup>, and ScCH<sup>+</sup>, *J. Phys. Chem*, 92.2757-2762.
- Ana-Merela Neculai, Christopher C. Cummins, Dante Neculai, Herbert W. Roesky, Gabor Bunkoczi, Bernhardt Walfort, and Dietmar Stalke., 2003, Elucidation of a Sc(I) Complex by DFT Calculations and Reactivity Studies, *Inorg. Chem.*, 2003, 42, 8803-8810.
- Bencheikh, M, 1997, Semiempirical calculation on scandium monohalide, *J. Phys. B: Atomic, Mol., and Opt. Phys.*, volume 30, no 5, 137.
- Bos, N. A., H. Kimura, C. G. Meeuwsen, H. De Visser, M. P. Hazenberg, B. S. Wostmann, J. R. Pleasants, R. Benner, and D. M. Marcus. 1989. Serum immunoglobulin levels and naturally occurring antibodies against carbohydrate antigens in germ-free BALB/c mice fed chemically defined ultrafiltered diet. *Eur. J. Immunol.* 192335-2339.

- Boys, S., and Bernadi, F., 1970, The Calculation of Small Molecular Interactions by the Differences Separate Total Energies; Some Procedures with Reduced Errors, *J. Mol. Phys.*, 19, 553-566.
- Bushnell, J.E., Kemper, P.R., Bowers, M.T., and Maitre, P., The First Example of Cluster-Mediated  $\sigma$ -Bond Activation by a Transition Metal Center, *J. Am. Chem. Soc.*, 1994, 116, 9710-9718.
- Cramer, C.J., 2004. *Essentials of Computational Chemistry: Theories and Models*. Wiley.
- Côté, A. S., Smith, B. and Lindan, P. J. D., 2007. A Molecular Dynamics Tutorial of Democritus Software. <http://www.cse.scitech.ac.uk/ccg/software/Democritus/Theory/moldyn2.html>. Diakses 8 Mei 2007.
- Effantin, C., Shenyavskaya, E.A., Bernard, A., Topouzkhaniyan, A., and Wannous, G., 1997. Electronic States of Scandium Monoiodide. *J. mol. spect*, 185, 249–255.
- Fatmi, M.Q., Hofer, T.S., Randolph, B.R., and Rode, B.M., 2007, Quantum Mechanical Charge Field Molecular Dynamics Simulation of the TiO<sup>2+</sup> Ion in Aqueous Solution, *J. Comp. Chem.* 28, 1704–1710.
- Friedman, H. L., Raineri, F. O. and Xu, H., 1991, Structure and Reactivity of Ion Hydration Complexes in Solution, *Pure & Appl. Chem.*, 63, 1347-1356.
- Fujihisa, H., Akahama, Y., Kawamura, H., Gotoh, Y., Yamawaki, H., Sakashita, M., Takeya, S., and Honda, K., 2005. Incommensurate Composite Crystal Structure of Scandium-II. *Phys., Rev. B* 72, 132103.
- Hirata, F., 2003, *Molecular Theory of Solvation*, Kluwer Academic Publishers, New York.
- Hofer, T.S., Rode, B.M., Randolph, B.R., 2005, Structure and Dynamics of Solvated Ba(II) in Dilute Aqueous Solution – An *Ab initio* QM/MM MD Approach, *J. Chem. Phys.*, 312(1-3), 81-88.
- Horovitz, Chaim T., 2012, *Biochemistry of Scandium and Yttrium, Part 2: Biochemistry and Applications*, New York: Springer Science & Business Media.
- Huheey, J.E., 1978, *Inorganic Chemistry, Principles of Structure and Reactivity 2<sup>nd</sup> Ed*, New York: Harper and Row.
- Humphrey W.F., Dalke, A., and Schulten, K., 1996, VMD—visual molecular dynamics, *J. Mol. Graphics.*, 14 (1996), pp. 33–38.

- Jensen, F, 1999, *Introduction to Computational Chemistry*. John Wiley & Sons, Canada.
- Johansson, G., 1988, Determination of Structures of Complexes in Solution from X-ray Diffraction Data, *Pure Appl. Chem.*, 60, 1773-1784.
- Knottnerus, J.A., Van Weel, C., and Muris, J.W.M., 2002. Evaluation of diagnostic procedures, *BMJ.*, 324, 477–480.
- Kolsky, K.L., Joshi, V., Mausner, L.F., Srivastava, S.C., 1998. Radiochemical Purification of No-Carrier-added scandium-47 for Radioimmunotherapy., *Appl. Radiat. Isot.*, 49, 1541–1549.
- Kritayakornpong, C., Plankensteiner, K., and Rode, B.M., 2003. Dynamics in the hydration shell of Hg<sup>2+</sup> Ion: Classical and *Ab initio* QM/MM Molecular Dynamics Simulations. *Chem. phys. lett.*, 371, 438–444.
- Kritayakornpong, C., Plankensteiner, K., and Rode, B.M., 2003a, Structure and Dynamics of the Cr(III) Ion in Aqueous Solution: *Ab initio* QM/MM Molecular Dynamics Simulation, *J. Phys. Chem. A*, 107, 10330-10334.
- Lindqvist-Reis, P., 2000, Structure of Solvated Metal Ion, *Doctoral Thesis*, Royal Institute of Technology (KTH), Institute of Technology S-100 44, Stockholm , Sweden.
- Lippard, S.J., and Berg, J.M., 1994, *Principles of Bioinorganic Chemistry*, University Science Books.
- Loeffler, H.H, Yague, J.I., and Rode, B.M., 2002, QM/MM-MD Simulation of Hydrated Vanadium(II) Ion, *Chem. Phys. Lett.*, 363, 367-371.
- Marini, G.W., Texler, N.R., and Rode, B.M., 1996, Monte Carlo Simulations of Zn(II) in Water Including Three Body Effects, *J. Phys. Chem*, 100, 6808-6813.
- Markham, G.D., Glusker, J.P., Bock, C.L., Trachtman, M., and Bock, C.W., 1996. Hydration Energies of Divalent Beryllium and Magnesium Ions: an *Ab initio* Molecular Orbital Study, *J., Phys., Chem.*, 100, 3488–3497.
- Miliordos, E., Hunt, K.L., 2011. First-Principles Calculations of the Electronic and Geometrical Structures of Neutral [Sc, O, H] Molecules and the Monocations, ScOH(0,+), and HScO(0,+). *J., Phys., Chem., A* 115, 4436–4447.
- More, J., 1978. The Levenberg-Marquardt algorithm: Implementation and Theory. *Numerical analysis* 105–116.

- N Botassetta, A R Allouche and M Aubert-Frecon, 1995, Theoretical Study of Some Low-Lying States of Scandium Monochloride, *J. Phys. B: At. Mol. Opt. Phys.* 29(1996) 1637-1639.
- Nino Russo and Emilia Sicilia, 2005, Reaction of Sc<sup>+</sup>(<sup>1</sup>D,<sup>3</sup>D) with H<sub>2</sub>O, NH<sub>3</sub>, and CH<sub>4</sub>: A Density Functional Study, *J., Am., Chem., Soc.*, 2001, 123, 2588-2596.
- Poulikakos, D., Arcidiacono, S., and Maruyama, S., 2003, Molecular Dynamics Simulation in Nanoscale Heat Transfer: A Review, *Microscale Thermophysical Engineering*, 7, 181–206.
- Pranowo, H.D., 2011, *Pengantar Kimia Komputasi*, Austrian-Indonesian Centre for Computational Chemistry (AIC), Jurusan Kimia Fakultas MIPA Universitas Gajah Mada, Yogyakarta.
- Pranowo, H.D., and Rode, B.M., 1999. Solvation of Cu<sup>2+</sup> in Liquid Ammonia: Monte Carlo Simulation Including Three-Body Corrections, *J., Phys., Chem.*, A103, 4298–4302.
- Pranowo, H.D., and Rode, B.M., 2001. Preferential Cu<sup>2+</sup> Solvation in Aqueous Ammonia Solution of Various Concentrations, *J. Chem., Phys.* 263, 1–6.
- Rode, B.M., Schwenk, C.F., Hofer, T.S., and Randolph, B.R., 2005, Coordination and Ligand Exchange Dynamics of Solvated Metal Ions, *Coord. Chem. Rev.*, 249, 2993-3006.
- Rode, B.M., and Hofer, T.S., 2006, How to Access Structure and Dynamics of Solutions: the Capabilities of Computational Methods, *Pure Applied Chem.*, 78, 525–539.
- Roger, H.J., Synge, C., and Woods, V.E., 1980, Antibacterial Effect of Scandium and Indium Complexes of Enterochelin on Klebsiella Pneumoniae, *Antimicrob Agents Chemother*, 18(1), 63-68.
- Rudolph, W.W., and Cory C. Pye, 2000, Raman Spectroscopic Measurement of Scandium (III) Hydration in Aqueous Perchlorate Solution and *Ab initio* Molecular Orbital Studies of Scandium (III) Water Clusters: Does Sc(III) Occur as a Hexaaqua Complex, *J. Phys. Chem. A*, 104 (8), 1627-1639.
- Schwenk, C.F., Loeffler, H.H., and Rode, B.M., 2001, Dynamics of the Solvation Process of Ca(II) in Water, *Chem. Phys., Lett.*, 349, 99-103.
- Shaw, A., Noble, A., Salisbury, C., Sharp, D., Thompson, E., and Peters, T.J., 2008, Predictors of complementary therapy use among asthma patients: results of a Primary Care Survey. *Health & Social Care in the Community* 16, 155–164.

- Siu, C.K., Liu, Z.F., and Tse, J.S., 2002, Ab initio Studies on Al<sup>+</sup>(H<sub>2</sub>O)<sub>n</sub>, HAlOH<sup>+</sup>(H<sub>2</sub>O)<sub>n-1</sub> and the Size-Dependent H<sub>2</sub> Elimination Reaction, *J. Am. Chem. Soc.*, 124, 108, 46-10860.
- Song YE, and Wang, C., 2005, *Ab initio* Study of the Insertion Reactions of Sc<sup>+</sup>(<sup>1</sup>D) With HF, HCl, H<sub>2</sub>O, H<sub>2</sub>S, NH<sub>3</sub>, PH<sub>3</sub>, CH<sub>4</sub>, and SiH<sub>4</sub>, *Int. J., Quantum Chem.*, 102, 1080-1086.
- Stote, R., 2006, *Tutorial of Molecular Dynamics Simulations and Practical Examples Using The CHARMM Program*. [http://www.ch.embnet.org/MD\\_tutorial/](http://www.ch.embnet.org/MD_tutorial/), Diakses 12 Januari 2009.
- Texler, N.R. and Rode, B.M., 1995, Monte Carlo Simulation of Cu(II) in Water with 3-Body Potential, *J. Phys. Chem.*, 99, 15714-15717.
- Thomas S. Hofer, Hung T. Tran, Christian F. Schwenk and Bernd M. Rode, 2004, Characterization of dynamics and reactivities of solvated ions by *Ab initio* simulations, *J. Comp. Chem.* 25, 211-217
- Tilson, J.L., and Harrison, J.F., 1992. Electronic and Geometric Structures of Various Products of The Scandium (1+) + hydrogen sulfide reaction. *J., Phys., Chem.*, 96, 1667-1674.
- Tongraar A. and Rode B.M, 2008, The Role of Second Shell Quantum Effects on The Preferential Solvation of Li<sup>+</sup> in Aqueous Ammonia: An extended *Ab initio* QM/MM MD Simulation with Enlarged QM Region, *Chem., Phys., Lett.*, 466,61-64.
- Yin, P., Qu, R., Chen, H., Tian, Y., Yin, G., and Bao, C., 2008. Thermodynamic and Kinetic Properties of Scandium (I) Ion Reacting with SCO in Gas Phase, *Cen. European J., Chem.*, 6, 438-442.
- Whitten, K.W., Davis, R.E., Peck, L., and Stanley, G.G., 2003, *General Chemistry*, 7<sup>th</sup> ed, Brooks Cole, UK.
- Wolfram W. Rudolph and C.C Pye, 2000, Aqueous Solution Chemistry of Scandium(III) Studied by Raman Spectroscopy and ab initio Molecular Orbital Calculations, *J. Sol. Chem.*, 29 (10). 995-986.