

DAFTAR PUSTAKA

- Acharya, K. 2007. The Perspective of Orthodontic Treatment. *J India Ortod.* 33 (1) : 111-9
- Agustini, T.F, Sutadi, H., Soenawan, H., 2003, Hubungan antara tinggi palatum dengan lebar intermolar dan panjang lengkung gigi posterior pada anak usia 12-14 tahun. *Jurnal PDGI*; 53(2):16-24
- Al Khateeb, JN., Alhaija, ESJA. 2006. Tooth Size Discrepancies and Arch Parameters among Different Malocclusion in Jordanian Sample, *Angled Orthod*, 76(3) : 459-65.
- Ardhana, W. 2008. Buku Ajar Orthodonsia: Pertumbuhan dan Perkembangan Dentokranial. Yogyakarta: FKG UGM
- Arslan, S.G., Kama, J.D., Sahin, Ş., Hamamci, O., 2007, Longitudinal changes in dental from mixed to permanent dentition in a Turkish population, *Am J Orthod Dentofacial Orthop*, 132(5) : 576.e15-21.
- Aznar, T., Galán, A.F., Marín, I., Domínguez, A., 2006, Dental Arch Diameters and Relationship to Oral Habits, *Angle orthod*, 76(3) : 441-45.
- Barrow, CG., White, JR., 1952, Developmental Changes of the Maxillary and Mandibullary Dental Arches, *Angle Orthod*, 22: 41-6
- BeGole, T., Anna, G., Totti, M. 1998. Modification of Dental Arch Using Orthodontic Archwire. *J Am Orthod*, 13 : 21-30
- Bishara, S.E., Treder, J.E., Damon, P., and Olsen, M., 1996, Changes in The Dental Arches and Dentition Between 25 and 45 Years of Age, *The Angle Orthodontist*, 66(6) : 417-22.
- Bishara, S.E., Jakobsen, JR., Treder, J., Nowak, A. 1997, Arch width changes from 6 weeks to 45 years of age, *Am J Orthod Dentofacial Orthop*, 111 : 401-409.
- Bishara, S.E., Treder, J.E., Nowak, A., 1998, Arch Length Changes From 6 Weeks to 45 Years, *Angle Orthodontist*, 68(1) : 69-74.
- Bishara, S.E., 2001, Textbook of Orthodontics, W.B. Saunders Co., Philadelphia
- Budiarjo, S.B., 2003, Perubahan dan karakteristik lengkung gigi selama periode tumbuh- kembang serta faktor yang mempengaruhi. *JITEKGI*. 1(2): 73-7.

- Budiman, J.A., Hayati, R., Sutrisna, B., Soemantri, E.S. 2009. Identifikasi Bentuk Lengkung Gigi Secara Kuantitatif, *dentika Dental Journal*, 14 (2): 120-124.
- Burris, B.G dan Harris, F.E, 2000, Maxillary Arch Size and Shape in American Blacks and Whites, *Angle Orthodontist*, 70(4): 297-302.
- Burstone, F and Marcote, H. 2000. Dental Arch Form. *J Am Orthod*, 14 : 111-9
- Cacciafesta, V., Sfondrini, M.F., Ricciardi, A., Scribante, A., Klersy, C. dan Auricchio, F., 2003, Evaluation of Friction of Stainless Steel and Esthetic Self-Ligating Brackets in Various Bracket-Archwire Combinations, *Am. J. Orthod. Dentofac. Orthop.*, 124(4) : 395-402.
- Carter, GA., McNamara, Jr JA., 1998, Longitudinal dental arch changes in adults, *Am J Orthodont Dentofac Orthop*, 114 : 88-99.
- Cassidy KM, Harris EF, Tolley EA, Keim RG. 1998. Genetic influence on dental arch form in orthodontic patients. *Angle Orthod*; 68:445-54.
- Chimenti, C., Franchi, L., Di Giuseppe, M.G., dan Lucci, M., 2004, Friction of Orthodontic Elastomeric Ligatures with Different Dimension, *Angle Orthod.*, 75(3) : 377-381.
- Daldjoeni, N., 1991, Ras-ras Umat Manusia, Edisi 1, PT. Citra Aditya Bhakti, Bandung, h. 23-6.
- Doris, J.M., Bernand, B.W., Kuftinec, M.M., 1981, A Biometric Study of Tooth Size and Dental Crowding, *Am J Orthod*, 79 (3) : 326-36.
- Enlow, DH., 1996, Essentials of facial Growth, Philadelphia: W.B. Saunders, p. 1-120.
- Febrina, R.S., Eky, S.S.S., Endah, M., 1997, Ukuran dan bentuk lengkung gigi rahang bawah pada mahasiswa FKG Unpad. *JKG*; 9(1): 22-7.
- Ferguson, D., Bishara, S.E., 1998, Facial and dental changes in Adolescence, Mosby, h.61-80.
- Foster, T.D., 1997, *Buku ajar ortodonsi*. Alih bahasa. Lilian Yuwono. Jakarta : EGC, h.7-15, 45-9, 60-63, 108-127.
- Franchi, L., Bacetti, T., Camporesi, M., Lupoli, M. 2006. Maxillary Arch Changes During Levelling and Aligning with Fixed Appliances and Low Friction Ligatures. *Am J Orthod Dentofac Orthop*, 130 (1): 88-91.

Gianelly, AA. 2003. Arch width after extraction and nonextraction treatment. *Am J Orthod*, 123 (1) : 25-8.

Glinka, J. 1990, *Antropometri dan Antroskopi*, Edisi 3, W.B. Saunders Company, Philadelphia, h.4.

Gunawan S. 2002. *Perbandingan ukuran dan bentuk lengkung gigi rahang bawah antara suku Jawa dan suku Papua*. Skripsi. Fakultas Kedokteran Gigi Universitas Gadjah Mada.

Hain, M., Dhopatkar, A. dan Rock, P., 2003, The Effect of Ligation Method on Friction in Sliding Mechanics, *Am. J. Orthod. Dentofac. Orthop.*, 123(4) : 416-422.

Hartati, R., 1999, Kajian Tumbuh Kembang Dentokraniofasial Untuk Kedokteran Gigi, *JKGUI*, 10: 454-461.

Hasibuan, MK., 2009, *Ukuran dan Bentuk Lengkung Gigi Rahang Bawah pada Mahasiswa FKG-USU Ras Deutro Melayu*, Skripsi, Medan: Fakultas Kedokteran Gigi Universitas Sumatera Utara

Hong, Q., Koirala, R., Jun, T., Li-na, Y., Takagi, S., et al., 2008., Review: A study about tooth size and Arch width measurement, *J Hard Tissue Biology*, 17(3) : 91-98.

Howe, RP., McNamara, JA., O'Connor, KA. 1983. An Examination of Dental Crowding and Its Relationship to Tooth Size And Arch Dimension. *Am J Orthod*. 5(83) : 363-73.

Hussein, K.H., 2008, Variation in Tooth Size, Dental Arch Dimensions and Shape among Malay School Children, Thesis, School of Dental Sciences Health Campus, Universiti Sains Malaysia, h.2.

Irawati, A., 2007., Pengaruh Durasi Kebiasaan Menghisap Ibu Jari terhadap Lengkung Gigi pada Anak Suku Jawa Usia 5-6 Tahun: Kajian di Desa Catur Tunggal Kecamatan Depok Sleman Yogyakarta. Skripsi. Yogyakarta: FKG UGM

Isik, F., Narbantgil, D., 2006, A comparative study of cephalometric and arch width characteristics of Class II division I and division 2 malocclusions. *Euro J Orthod*, 28 : 179-83.

Itjingsingih, WH., 1981, *Anatomi Gigi*, Jakarta : EGC, h.211

Kahl-Nieke, B., Fischbach, H., Schwarze, C.W., 1996, Treatment and postretention changes in dental arch width dimensions : a long-term

evaluation of influencing cofactors, *American Journal of Orthodontics and Dentofacial orthopedics*, 109(4): 368-78.

Knott, VB., 1972, Longitudinal Study of Dental Arch Width at Four Stages of Dentition, *Angle Orthodont*, 42(4): 387-394.

Koesoemohardja HD, Indrawati A, Jenie I. Tumbuh kembang dentofasial manusia. Edisi ke-2. Jakarta: Universitas Trisakti; 2008, p. 38-59

Kuhlberg, A.J., 2001, Steps in Orthodontic Treatment; in *Textbook of Orthodontics* (Bishara, S.E.), W.B. Saunders Company, Philadelphia, pp. 232-245

Kuswahyuning S. 1985, Perubahan ukuran lengkung gigi sebagai pertimbangan dalam observasi pada periode gigi geligi bercampur. *Kongres Nasional XVI Persatuan Dokter Gigi Indonesia*, : 2-6.

Lavelle CLB. 1976, A study of dental arch and body growth. *J Angle Orthod*, 46(4) : 361-4.

Lee, R.T., 1999, Arch width and form : a Review. *Am J Orthod Dentofacial Orthop*, 115:305-13.

Liang-Yeh, C., dan Yi-Lin, JC., 2007. Low Friction Bracket in Perspective. *J. Taiwan Assoc. Orthod*. 19(4): 5-17

Lindsten, R., Ögaard, B., Larsson, E. 2002. Dental Arch space and permanent tooth size in the mixed dentition of a skeletal sample from the 14th to the 19th centuries and 3 contemporary samples. *Am J Orthod*, 122 (1) : 48-58.

Ling, J.Y.K., Wong, R.W.K., 2007, Dental arch widths of Southern Chinese. *J Angle orthod*; 79 : 54-63.

Loh, P., 1999, Basic Guide in Orthodontic Diagnosis, Manila, Philiphine copyright, h.108-125.

Lux, C.J., 2003, Dental arch width and mandibular-maxillary base width in Class II malocclusion between early mixed and permanent dentition. *Angle Orthod J*, 73(6) : 674-85.

Mclaughun RP, Bennet JC. Arch form considerations for stability and esthetics. *Rev Esp Ortod* 1999; 29 (suppl 2) : 46-63.

Michalska MK, Bacceti T., 2010, Duration of the pubertal peak in skeletal class 1 and III subjects. *Angle Orthod*, 80(1): 111-115.

- Mieke, S.M., 1993, Variasi Normal Ukran Gigi dan Wajah Penduduk Flores dan Timor NTT: Makalah Ilmiah Kedokteran Gigi Usakti, Ed. Khusus Foril IV, 2: 460-7
- Mokhtar, M. 2002, *Dasar-dasar ortodonti, pertumbuhan dan perkembangan kraniodentofasial*. Medan: Bina Pustaka, 132 : h.1685-92.
- Mooress, C.F.A., Gron, A.M., Lebrete, L.M.L., 1969, Growth studies of dentition = a review. *Am J Orthod*. 55 : 600-16.
- Moyers, R.E., 1973. *Handbook of Orthodontics for the student and general practitioner*, Edisi 3, Incorporated, Chicago, h.3, 233.
- Moyers, R.E., 1988. *Handbook of Orthodontics*, Edisi 4, Year Book Medical Publisher, Chicago, h.3, 233.
- Munakhir, 2002, Hubungan Gizi dan Pertumbuhan Dentokranial, *JITEKGI*, 22: 27-33
- Nanda, R., 2005, *Biomechanics and Esthetic Strategies in Clinical Orthodontics*, Philadelphia: Elsevier Saunders, hal: 17-21.
- Nikolai, R.J., 1985, *Bioengineering Analysis of Orthodontics Mechanics*, Philadelphia, Lea & Febiger, 290-302.
- Nojima K, McLaughlin RP, Isshiki Y, Sinclair PM. 2001. A comparative study of Caucasian and Japanese mandibular clinical arch forms. *Angle Orthod*, 71:195-200.
- Novitawati, I., 2010, *Ukuran Lengkung Gigi Maloklusi Angle Kelas I pada Laki-laki dan Perempuan Suku Dayak Desa: Kajian di Kabupaten Sintang, Kalimantan Barat*, Skripsi, Yogyakarta: FKG UGM
- Nugroho, T.S. 2010. Bentuk Lengkung Gigi Rahan Bawah pada Orang Jawa Dewasa Dengan Bentuk Kepala Brakisefali. Skripsi. Yogyakarta: FKG UGM. P.9
- Othman, S.A., Xinwei, E.S., Lim, S.H., Jamaludin, M., Mohamed, N.H., Yuzof, M.Z.Y., Shoaib, L.A., et al. 2012, Comparison of arch form between ethnic Malays and Malaysian Aborigines in Peninsular Malaysia. *Korean J Orthod*, 42 (1) : 47-54.

- Othman, W P, Braun S, Chinhara A, Legan HL. 2012, The relationship of arch length to alterations in dental arch width. *Am J Orthod Dentofacial Orthop*; 118; 184-88.
- Pandis, T., Acharya, M., Kumar, S. 2010. Orthodontic Treatment Using Low Friction to Dental Arch Width. *Indian Orthod J*, 12(2): 90-6
- Paramesthi, G.A.M., Farmasyanti, C.A., Karunia, D., 2009, Besar indeks pont dan kerkhaus serta hubungan antara lebar dan panjang lengkung gigi terhadap tinggi palatum pada suku Jawa, FKG UGM, Yogyakarta, h.1-13.
- Paulino, CF, Reed, R, Azka, JR. 2011, Changes in dental arch dimensions expressed on the basis of tooth eruption as a measure of biological age. *J Dent R*, 44:129-141.
- Pepe,SH., 1975, Polynomial and Catenary Curve Fits to Human Dental Arches. *J Dent Res*, 54: 1124-32
- Pinandi, Prihandini, 1990, Buku Ajar Orthodonsia : Tumbuh Kembang Dentokranial, Yogyakarta : FKG UGM, h. 10
- Poesponegoro, M.D., Notosusanto, N., 1984, *Sejarah Nasional Indonesia I*, PN Balai Pustaka, Jakarta, h.54.
- Poosti, M., Jalali, T. 2007. Tooth Size and Arch Dimension in Uncrowded versus Crowded Class I Malocclusion. *Journal of Contemporing Dental Practice*, 8 (3); 1 : 8.
- Raberin M, Laumon B, Martin JL, Brunner F. 1993. Dimension and form of dental arches in with normal occlusion. *Am J Orthod and Dentofac Orthop*, 104 : 67-72.
- Radmer, T.W., 2009, The Correlation of Dental Arch Width and Ethnicity, *Journal of Forensic Identification*, 59(3) : 268-74.
- Raharjo, P., 2009, *Orthodonti Dasar*, Airlangga University Press, Surabaya, h.7-19, 46-47.
- Rahmawati, N.T., Hirai, M., Suryadi, E., Romi, M., Jacob, T., 2003, Kajian Kefalometrik (Studi Perbandingan antara suku Jawa di Yogyakarta dan suku Naulu di Pulau Seram, Maluku Tengah), *Berkala Ilmu Kedokteran*, 35(4) : 203-209.
- Rakosi, T., Jonas, I., Graber, TM. 1993. *Orthodonti Diagnosis*. Thieme Medical Publisher Inc. New York. Pp. 207-228

Ribeiro, J.S., Ambrosio, A.R., Santos-Pinto, A., Shimizu, I.A., Shimizu, R.H., 2012, Evaluation of transverse changes in the dental arches according to growth pattern: a longitudinal study. *Dental Press J Orthod*, 17(1) : 66-73.

Rudge SJ. 1981, Dental arch analysis: arch form. A review of the literature. *Eur J Orthod*, 3:279-84.

Salzmann, J.A., 1966, *Principles of Orthodontics*, Edisi 2, J.B. Lippincott Company, Philadelphia, h.493.

Sangwan, S, Chawla, HS., Goyal, A., Gauba, K., Mohanty, U. 2011. Progressive changes in arch width from primary to early mixed dentition period : A longitudinal study. *J Indian Soc Pedop*, 1 (29) : 14-19.

Sarasti, P.R.L., 2002. Pengaruh Ukuran Mesiodistal Gigi Desidui terhadap Lengkung Gigi Rahang Atas dan Bentuk Wajah Arah Lateral Anak Suku Jawa pada Umur 5 Tahun: Kajian Anak Taman Kanak-kanak di Desa Caturtunggal, Depok, Sleman. Skripsi. Yogyakarta: FKG UGM

Schuur, R., 2003, Factors Influence in Dental Arches Width, *J Am Orthod*, 34: 1140-52

Sillman, JH., 1964, Dimentional Changes of The Dental Arches : Longitudinal study from Birth to 25 years, *Am J Orthod*, 50: 824-42.

Slaj, M., Jezina, MA., Lauc, T., Rajic-Mestrovic, S., Miksic, M., 2003, Longitudinal Dental Arch Changes in the Mixed Dentition, *Angle Orthod J*, 73: 509-514.

Staley, R.N., Sturtz, W.R., 1985, A comparison arch widths in adults with normal occlusion and adults with Class II division I malocclusion. *Am J Orthod*, 88(2) : 163-9.

Suarez, 2007, *Principles of Straight Wire Low friction*, RMO: USA

Sukadana, A.A., 1976, *Dasar-dasar Antropologi Fisik dan Phylogenesi*, Khusus untuk Ilmu Kedokteran Gigi di Indonesia, FKG Universitas Airlangga, Surabaya, h.8-9.

Supriatna, J., 2008, *Melestarikan Alam Indonesia*, Yayasan Obor Indonesia, Jakarta, h.37,39.

Taner, T., Ciğer, S., El, H., Germeç, D., Es, A., 2004, Evaluation of dental arch width and form changes after orthodontic treatment and retention with a new computerized method, *Am J orthod Dentofacial Orthop*, 126(4) : 464-75.

- Thilander, B., 2009, Dentoalveolar development in subjects with normal occlusion: A longitudinal study between the ages of 5 and 31 years, *European J of Orthod*, 31: 109-120.
- Uysal, T., 2005, Dental and alveolar widths in normal occlusion and Class III malocclusion, *Angle Orthod J*, 75(5) : 809-13.
- Varella, J., 1990, Occurrence of malocclusion in attritive environment : a study of a skull sample from southwest Finland. *Scand J Dent Res*, 98 : 242-7.
- Ward, D.E., Workman, J., Brown, R., Richmond, S., 2006, Changes in Arch Width : A 20-year Longitudinal Study of Orthodontic Treatment, *Angle Orthodontist*, 76(1) : 6-13.
- Warren, JJ., Bishara, SE. 2001. Comparison of dental arch measurements in the primary dentition between contemporary and historic samples. *Am J Orthod*, 119 (3) : 211-15.