

DAFTAR PUSTAKA

- Airoldi, C. and Arakaki, L.N.H., Immobilization of Etylenesulfide on Silica Surface through Sol Gel Process and Some Thermodynamic Data of Divalent Cation Interaction, *Polyhedron*, 20: 929–936
- Alcantara, E.F.C., Faria, E.A., Rodrigues, D.V., Evangelista, S.M., De Oliveira, E., Zara, L.F., Robelo, D., and Prado., A.G.S., 2007, Modification of silica gel by Attachment of 2–Mercaptobenzimidazole for Use in Removing Hg(II) from Aqueous Media: A Thremodynamic Approach, *J. Colloid Interface Sci.*, 311: 1–7
- Bhatnagar, A. and Minocha, A.K., 2006, , Conventional and non–conventional adsorbents for removal of pollutant–A reviev, *Indian J. Chem. Technol.*, 13, 203–217
- Bing, N.H., Bogaerts, A., and Broekaert, J.A.C., 2008, Atomic Spectroscopy, *Anal. Chem.*, 80, 4317–4347
- Blank, W.J., He, Z.A., and Picci, M., 2001, *Catalysis of the epoxy–carboxyl reaction*, Presented at the International Waterborne, High–Solids and Powder Coatings Symposium, New Orleans, LA USA
- Boyle, M.A., Martin, C.J., and Neuner, J.D.,–, Epoxy Resins, Hexcel Corporation
- Brinker, C.J. and Scherer, W.J, 1990, *Sol–Gel Science: The Physics and Chemistry of Sol–Gel Processing*, Academic Press, New York
- Dash.S., Mishra S., Patel, S., and Mishra, B.K., 2008, Organically Modified Silica: Synthesis and Applications Due to its Surface Interaction with Organic Molecules, *Adv. Colloid Interface Sci.*, 140, 2, 77–94
- Dawy, M., 2002, Electrical Properties and Infrared Studies of heated Mica Sheets, *Egypt. J. Sol.*, 25, 1, 137–152
- Deng, S., 2006, Sorbent Technology, *Encyclopedia of Chemical Processing*, Taylor Francis, 2825–2847
- Ekinci, C. and Koklu, U., 2000, Determination of Vanadium, Manganese, Silver, and Lead by Graphite Furnace Atomic Absorption Spectrometry after Preconcentration on Silica–Gel Modified with 3–Aminopropyltriethoxysilane, *Spectrochim. Acta, Part B.*, 55, 1491–1495

- Elbihri, Z., Chevalier, Y., Chovelon, J.M., and Jaffrezic–Renault, N., 2000, Grafting of fosfonat groups on the silica surface for the elaboration of ion–sensitive field–effect transistors, *Talanta* 52, 495–507
- Filha, V.L.S.A, Wanderley, A.F., de Sousa, K.S., Espinola, J.G.P., da Fonseca, M.G., Arakaki, T., and Arakaki, L.N.H, 2006, Thermodynamic Properties of Divalent Cations Complexed by Ethylenesulfide Immobilized on Silica Gel, *Colloid Surf. A: Physicochem. Eng. Aspects*, 279: 64–68
- Filho, N.L.D. and do Carmo, D.R, 2004, Adsorption at Silica, Alumina, and Related Surfaces, *Encyclopedia of Surface and Colloidal Science*, Marcel Dekker, Inc.
- Foschiera, J.L., Pizzolato, T.M., and Benvenuti, E.V., 2001, FTIR Thermal Analysis on Organo–Functionalized Silica Gel, *J.Braz. Chem. Soc.*, 12, 2; 159–164
- Garcia–Valls R., Hrdlicka A., Perutka J., Havel J., Deorkar N.V., Tavalides L.L., Munoz M., and Valiente M., 2001, Separation of rare earth elements by high performance liquid chromatography using a covalent modified silica gel column, *Anal. Chim. Acta*, 439, 247–253
- Georgaka, A., and Spanos, N., 2010, Study of the Cu(II) Removal from aqueous solutions by adsorption on titania, *Global NEST Journal*, 12, 3, 239–247
- Gonzales, M.J., Ou, D.L., Sullivan, A.C., and Wilson, J.R.H, 2002, Synthesis, Characterisation and Catalytic Activity of Porous Vanadyl Fosfonat–Modified Silicas, *J. Mater. Chem.*, 12, 3605–3609
- Guo, X., Zhang, S., and Shan, X.G., 2008, Adsorption of metal ions on lignin, *J. Hazard. Mater.*, 151, 1, 134–142
- Hannachi, Y., Shapovalov, N.A., and Hannachi, A., 2010, Adsorption of Nickel from aqueous solution by the use of low–cost adsorbents, *Korean J.Chem.Eng.*, 27, 1, 152–158
- Hayrapetyan, S.S. and Khachakrean, H.G., 2004, *J.Colloid Interface Sci.*, 276: 373–379
- Hongjie, W., Jin, K, Huijuan, L., and Jihui, Q., 2009, Preparation of organocally functionalized silica gel as adsorbent for copper ion adsorption, *J. Environ. Sci.*, 21, 1473–1479
- Jal, P.K., Dutta, R.K., Sudarshan, M., Saha, A., Bhattacharyya, S.N., Chintalapudi, S.N., and Mishra, B.K., 2001, Extraction of Metal Ions using Chemically Modified Silica gel: a PIXE Analysis, *Talanta* 55, 233–240

- Jal, P.K., Patel, S., and Mirsha, B.K., 2003, Chemical Modification of Silica by Immobilization of Functional Groups for Extractive Concentration of Metal Ion, *Talanta* 62, 1005–1028
- Jal, P.K., Sudarshan, M., Saha, A., Patel, S., and Mishra, B.K., 2004, Synthesis and Characterization of Nanosilica Prepared by Precipitation Methode, *J. Colloid and Surface A: Physicochem Eng. Aspect*, 240, 173–378
- Jabbour, J., Calas, S., Gatti, S., Kribich, R.K., Myra, M., Pille, G., Ettiaene, P., and Moreau, Y., 2008, Characterization by IR Spectroscopy of an Hybride Sol Gel Material Used for Photonic Device Fabrication, *J. Non Cryst. Solids.*, 354, 651–658
- Kalapaty, U., Proctor, and A., Shultz, J., 2002, An Improved Method for Production of Silica from Rice Hull Ash, *Bioresour Technol*, 85, 285–289
- Kato, M., Katayama, S., Sakamoto, W., and Yogo, T., 2007, Synthesis of Organosiloxane–Based Inorganik/Organik Hybrid Membranes with Chemically bound Phosphonic Acid for Proton Conductors, *Electrochim. Acta*, 52, 5924–5931
- Madan, R.D., and Prakash, S., 1987, Modern Inorganic Chemistry, S. Chand and Co Ltd., Ramnagar, New Delhi)
- Machado, R.S.A., da Fonseca, M.G., Arakaki, L.N.H., Espinola, J.G.P., and Oliveira, S.F., 2004, Silica Gel Containing Sulfur, Nitrogen, and Oxygen as adsorbent Centers on Surface for Removal Copper Aqueous/Ethanolic Solution, *Talanta*, 63: 317–322
- Matoso, E., Kubota, L.T., and Cadore, S., 2003, Use of Silica Gel Chemically Modified with Zirconium Phosphate for Preconcentration and determination of lead and Copper by Flame Atomic Absorption Spectrometry, *Talanta*, 60, 6 1105–1111
- Merce, A.L.R., Szpoganicz, B., Dutra, R.C., Khan, M.A., Thanh, X.D., and Bouet, G., 1998, Potentiometric study of vitamin D₃ complexes with cobalt (II), nickel (II) and copper (II) in water–ethanol medium, *J. Inor. Biochem.*, Vol 71, 1–2, 87–91
- Mohapatra, M., Mohapatra, B.K., Anand, S., and Rout, K., 2009, Pb(II), Cd(II), and Zn(II) adsorption of low grade manganese ore, *International Journal of Engineering, Science and Technology*, Vol. 1, No. 1, 2009, pp. 106–122
- Mutin, P.H., Guerrero, and G, Vioux, A., 2005, Hybrid Materials from Organophosphorus Coupling Molecules, *J. Mater. Chem.*, The Royal Society of Chemistry 2005, 15, 3761–3768

- Myller, A.T; Karhe. J.J; and Pakkanen, T.T; 2010. Preparation of aminofunctionalized TiO₂ surface by binding of organophosphate, *Appl. Surf. Sci.*, 257, 1616–1622
- Nesterenko, P.N., Zhukova, O.S., Shpigun, O.A., and Jones, P., 1998, Synthesis and Ion Exchange Properties, *J. Chromatogr., A*, 813, 47–53
- Pham, M.P., 201, Theoretical Studies of Mechanisms of Epoxy Curing System, Disertasi, University of Utah
- Prado, A.G.S., Sales, J.A.A., Carvalho, R.M., Rubin., J.C., and Airoidi, C., 2004, Immobilization of 5–Amino–1,3,4–Tiodiazol–Tiol onto Silica Gel Surface by Heterogeneous and Homogeneous Routes, *J. Non–Crystal. Solids*. 333, 61–67
- Plysunova, N.V., Zhang, Y., and Muhammed, M., 1998, Critical evaluation of thermodynamics of complex formation of metal ions in aqueous solution. V. hydrolysis and hydroxocomplexes of Co²⁺ at 298.15 K, *Hydrometallurgy*, Vol 48, 2, 153–189
- Pohl, P., and Prusisz, B., 2004, Preconcentration of Cd, Co, Cu, Ni, and Zn using different off–line ion exchange procedures followed by inductively coupled plasma atomic emission spectrometric detection, *Anal. Chim. Acta*, 502, 82–90
- Quantinalla, D.P., del Hierro, I., Fajardo, M., and Sierra, I., 2006, 2–Mercaptothiozoline Modified Mesoporous Silica for Mercury Removal from Aqueous Media, *J. Hazard. Mater.*, B 134: 245–256
- Qin, Z., RongFu, H., and Liang-Hong, G, 2009, One-step and high-density protein immobilization on epoxy-modified silica nanoparticles, *Chinese Science Bulletin*, 54, 15, 2620–2626
- Radenovic, A., Malina, J., and Strkalj, A., 2011, Removal of Ni(II) from aqueous solution by low–cost adsorbents, *The Holistic Approach to Environment I*, 3, 109–120
- Say, R., Birlic, E., Ersoz, A., Yilmaz, F., and Gedikbey, T., 2003, Preconcentration of Copper on Ion–Selective Imprinted Polymer Microbeads, *Anal. Chim. Acta*, 480: 251–258
- Sawatari, H., Hayashi, T., Fujimori, E., Hirose, A., and Haraguchi, H., 1996, Multielement Determination of Trace Elements in Coastal Seawater by ICP–MS and ICP–AES after Aluminum Coprecipitation Associated with Magnesium, *Bull. Chem. Soc. Jpn*, 69, 1925–1931

- Stum, W. and Morgan, J.J., 1981, *Aquatic Chemistry*, John Wiley and Sons, New York
- Tansupo, P., Charmonkolpradit, W., Chantai, S., and Ruangviriyachai, C., 2009, Removal of heavy metal from artificial metals contaminated water samples based on micelle-templated silica modified with pyoverdin I, *J. Environ. Sci.* 21: 1009–1016
- Terrada, K., Matsumoto, K., and Kimora, H., 1983, Sorption Copper(II) by Some Complexing Agents Loaded on Various Support, *Anal. Chim. Acta*, 153: 237–247
- Townsend, A.T., O’Sullivan, J., Featherstone, A.M., Butler, E.C.V., and Mackey, D.J., 2001, The Application of ICP–MS, GF–AAS, and HG–AFS to the analysis of Water and Sediment Samples from A Temperate Stratified Estuary, *J. Environ. Monit.*, 3, 113–120
- Zuravlev, L.T., 2000, The surface chemistry of amorphous silica. Zhuravlev model, *Colloids Surf. A: Physicochemical and Engineering Aspects* 173: 1–38
- Wijnen, P.W.J.G., Beelen, T.P.M., de Haan, J.W., Rummens, C.P.J., van de Ven, L.J.M, and van Santen R.A., 1989, Silica Gel Dissolution in Aqueous Alkali Metal Hydroxides Studied by ²⁹Si–NMR, *J. Non Cryst Solids* 109, 85–89
- Weng, C.H., 2004, Adsorption characteristics of Zn (II) from dilute aqueous solution by fly ash, *Colloid Surf., A: Physicochemical and Engineering Aspect*, Vol. 247, 1–3, 137 –143
- Wu, Z., Xiang, H., Kim, T., Chun, M., and Lee, K., 2006, Surface properties of submicrometer silica spheres modified with aminopropyltriethoxysilane and phenyltriethoxysilane, *J. Colloid Interface Sci.*, 304, 119–124
- Yang, R.T., 2003, *Adsorbents: Fundamentals and Applications*, John Wiley and Sons