

DAFTAR PUSTAKA

- Abramson, C.I., Aldana, E., and Sulbaran, E., 2007, Exposure to Citral, Cinnamon and Ruda Disrupts the Life Cycle of a Vector of Chagas Disease, *Am. J. Env. Sci.*, 3(1), 7-8.
- Aerts, R.J. and Mordue A.J., 1997, Feeding deterrence and toxicity of neem triterpenoids. *J. Chem. Ecol*, 23(1), 2126-2132.
- Ahluwalia, V.K. and Aggarwal, R., 2001, *Organic Synthesis : special techniques*, Alfa Science International Ltd., Pangbourne.
- Ahmad, R., 1993, Essential oils as insect attractants and repellents, *Hamdard Med.*, 36(1), 99-105.
- Anastas, P. T. and Warner, J. C., 1998, *Green chemistry: theory and practice*, Oxford University Press, New York.
- Anastas, P.T. and Kirchhoff, M.M., 2002, Origins, Current Status, and Future Challenges of Green Chemistry, *Acc. Chem. Res.*, 35 (9), 686-694.
- Anonim, 1993, *The Distillation of Essential Oils : Manufacturing & Plant Construction Handbook*, Dept. Foodstuffs & Agricultural Products of PROTRADE Publisher, BMZ (The Federal Ministry for Economic Cooperation), Eschborn.
- Anonim, 2005, *Test Plan for Estragole CAS No. 140-67-0*, The Terpene Consortium, The Flavors and Fragrances High Production Volume Consortia (FFHPV Consortia), Washington DC.
- Anonim, 2008, *Compliments of North Haven Gardens : The 2008 Herb List*, www.NHG.com, diakses tanggal 30 Oktober 2008.
- Anwar, M., Patra, D.D., Chand, S., Alpesh, K., Naqvi, A.A., and Khanuja, S.P.S., 2005, Effect of Organic Manures and Inorganic Fertilizer on Growth, Herb and Oil Yield, Nutrient Accumulation, and Oil Quality of French Basil, *Comm. in Soil Sci. and Plant Anal.*, 36, 1737-1746.
- Asikin, S. dan Thamrin, M., 2002, Bahan Tumbuhan Sebagai Pengendali Hama Ramah Lingkungan, *Makalah Seminar Nasional Lahan Kering dan Lahan Rawa*, BPTP Kalimantan Selatan dan Balai Penelitian Pertanian Tanaman Rawa (Balittra), Banjarbaru, 18-19 Desember 2002.

- Baby, C., 1997, Microwave Isomerization of Safrole and Eugenol, *Synth. Comm.*, 24(27), 4335-4340.
- Bobbitt, J.M., and Merbouh, N., 2005, Preparation of 4-Acetylamino-2, 2,6,6-Tetramethylpiperidine-1-Oxoammonium Tetrafluoroborate, and The Oxidation of Geraniol to Geranial ((2E)-3,7-dimethyl-2,6-Octadienal), *Org. Synth.*, 82, 80-86.
- Bouvier-Brown, N.C., Holzinger, R., Palitzsch, K., Goldstein, A.H., 2007, Quantifying sesquiterpene and oxygenated terpene emissions from live vegetation using solid-phase microextraction fibers, *J. Chromatogr. A*, 1161, 113–120.
- Bouvier-Brown, N.C., Goldstein, A.H., Worton, D.R., Matross, D.M., Gilman, J.B., Kuster, W. C., Welsh-Bon, D., Warneke, C., de Gouw, J. A., Cahill, T. M., and Holzinger, R., 2009, Methyl chavicol: characterization of its biogenic emission rate, abundance, and oxidation products in the atmosphere, *Atmos. Chem. Phys.*, 9, 2061–2074.
- BSAC, 2011, BSAC Methods for Antimicrobial Susceptibility Testing, *The newsletter of the British Society for Antimicrobial Chemotherapy*; version 10.2, May 2011.
- Carrol, J.F., 1994, Feeding Deterrence of Northern Fowl Mites (Acari: Macronyssidae) by Some Naturally Occurring Plant Substances, *Pestic. Sci.*, 41(1), 203-207.
- Cassel, E., Vargas, R.M.F., Martinez, N., Lorenzo, D., and Dellacassa, E., 2009, Steam Distillation Modelling for Essential Oil Process, *Ind. Crops and Prod.*, 29(1), 171-176.
- Chalchat, J.C. and Ozcan, M.M., 2008, Comparative Essential Oil Composition of Flowers, Leaves and Stem of basil (*Ocimum basilicum* L.) Used as Herb, *Food Chem.*, 110(2), 501-503.
- Chomchalow, N., 2002, Production of Herbs in Asia: An Overview, *Assumption University Journal of Thailand*, 6(2), 95-108.
- D'antuono, L.F., Elementi, S., and Neri, R., 2006, Biodiversity and Selection Of "European" Basil Types (*Ocimum Basilicum* L.), *Book of Abstract of the International Symposium The Labiatae: Advances In Production, Biotechnology And Utilization*, Sanremo, Italy, 22-25 February 2006.

- de Silva, K. T., 1995, A Manual on The Essential Oils Industry, *papers of 3rd UNIDO (United Nations Industrial Development Organization) Workshop On Essential Oil and Aroma Chemical Industries*, Eskisher, Turkey, November 1995.
- Delobel, A., and Malonga, P., 1987, Insecticidal Properties Of Six Plant Materials Against *Caryedon Serra Tus* (Ol.) (Coleoptera: Bruchidae), *J. Stored Prod. Res.*, 23(3), 173-176.
- Driffield, K.L., Mooney, L., and Kerr, K.G., 2006, Temperature-dependent Changes in Susceptibility of *Stenotrophomonas maltophilia* to the Essential Oils of Sweet Basil (*Ocimum basilicum*) and Black Pepper (*Piper nigrum*), *Pharm. Bio.*, 44(2), 113–115.
- Elgendy, E.M. and Khayyat, S.A., 2008a, Oxidation Studies of Some Natural Monoterpenes : Citral, Pulegone and Camphene, *Russ. J. Org. Chem.*, 44(6), 814-822.
- Elgendy, E.M. and Khayyat, S.A., 2008b, Oxidation Studies of Some Volatile Aromatic Compounds : Anethole and Eugenol, *Russ. J. Org. Chem.*, 44(6), 823-829.
- Erdtman, H., 1963, Some Aspect of Chemotaxonomy, *Pure Appl. Chem.*, 6(4), 679-708.
- Falodun, A., Siraj, R., and Choudhary, M.I., 2009, GC-MS Analysis of Insecticidal Leaf Essential Oil of *Pyrenacantha Staudtii* Hutch and Dalz (Icacinaceae), *Trop. J. Pharm. Res.*, 8(2), 139-143.
- Gang, D.R., Wang, J., Dudareva, N., Nam, K.H., Simon, J.E., Lewinsohn, E., and Pichersky, E., 2001, An Investigation of the Storage and Biosynthesis of Phenylpropenes in Sweet Basil, *J. Plant Physiol.*, 125, 539–555.
- Ge, G-B, Zhang, Y-Y, Hao, D-C, Hu, Y., Luan, H-W, Liu, X-B, He, Y-Q, Wang, Z-T, Yang, L., 2008, Chemotaxonomic Study of Medicinal *Taxus* Species with Fingerprint and Multivariate Analysis, *Planta Med*, 74, 773–779
- Guenther, E. , 1950, *The Essential Oils: Individual Essential Oils of The Plant Families Rutaceae and Labiatae*, vol. IV, D. Van Nostrand Company Inc. , New York.

- Guenther, E., 1987, *Minyak Atsiri Jilid I-IV*, terjemahan oleh S.Ketaren, UI Press, Jakarta.
- Guidotti, M., Moretti, G., Psaro, R. And Ravasio, N., 2000, One-Pot Conversion Of Citronellal Into Isopulegol Epoxide On Mesoporous Titanium Silicate, *Chem. Commun.*, 1789-1790.
- Gupta, M., Paul, S. and Gupta, R., 2009, Review : General Characteristics and Applications of Microwaves in Organic Synthesis, *Acta Chim. Slov.*, 56, 749–764.
- Gurbuz, B., Ipek, A., Basalma, D., Sarihan, E.O., Sancak, C., and Ozcan, S., 2006, Effects of Diurnal Variability on Essential Oil Composition of Sweet Basil (*Ocimum Basilicum* L.), *Asian J. Chem.*, 18(1), 285-288.
- Gushko, L.P., Samsonova, V.N., Malinovskii, M.S., and Yanovskaya, L.A., 1980, Citral oxide and Some of its Reactions, *Seriya Khimicheskaya* (terjemahan), 5, 1048-1051.
- Gushko, L.P., Samsonova, V.N., Yanovskaya, L.A., and Dmitrikova, L.V., 1986, Some Reactions of 3,7-dimethyl- 2,3-epoxy octanal and its Derivatives (terjemahan), *Khimiya Geterotsiklicheskikh Soedinenii*, 4, 453-455.
- Hadipoentyanti, E. dan Supriadi, 2000, Potensi *Ocimum* sebagai Sumber Bahan Baku Obat, *Buletin Kehutanan dan Perkebunan*, 1(1), 11-19.
- Hadipoentyanti, E. dan Wahyuni, S., 2008, Keragaman Selasih (*Ocimum*, spp.) Berdasarkan Karakter Morfologi, Produksi dan Mutu Herba, *Jurnal Littri*, 14(4), 141-148.
- Hee, A.K.W. and Tan, K.H., 1998, Attraction of Female and Male *Bactrocera Papayae* to Conspecific Males Fed with Methyl Eugenol and Attraction of Females to Male Sex Pheromone Components, *J. Chem. Ecol.*, 24(4), 753-764.
- Hosseini, S.A., Niaei, A., and Salari, D., 2011, Production of γ -Al₂O₃ from Kaolin, *Open Journal of Physical Chemistry*, (1), 23-27 doi:10.4236/ojpc.2011.12004, SciRes. Publisher
- Hussain, A.I., 2009, Characterization and Biological Activities of Lamiaceae, *Dissertation*, University of Agriculture, Faisal Abad.

- Hussein, A.I., Anwar, F., Sherazi, S.T.H., and Przybylski, R., 2008, Chemical Composition, Antioxidant and Antimicrobial Activities of Basil (*O. basilicum*): Essential Oil Depends on Seasonal Variations, *Food Chem.*, 108(3), 986-995.
- Ibrahim, A.G., Singh, G. and King, S.H., 1979, Trapping of Fruit-flies, *Dacus* spp. (Diptera: Tephritidae) with Methyl Eugenol in Orchards, *Pertanika*, 2(1), 58-61.
- Iijima, Y., Wang, G., Fridman, E. and Pichersky, E., 2006, Analysis of the Enzymatic Formation of Citral in The glands of Sweet Basil, *Arch. Biochem. Biophys.*, 448, 141-149.
- Ioannidis, D., Bonner, L., and Johnson, C.B., 2002, UV-B is Required for Normal Development of Oil Glands in *Ocimum basilicum* L. (Sweet Basil), *Ann. Bot.*, 90, 453-460.
- Ismail, M., 2006, Central Properties and Chemical Composition of *Ocimum basilicum* Essential Oil, *Pharm. Biol.*, 44(8), 619-626.
- Jain, A.K. and Singla, R.K., 2011, *An Overview of Microwave Assisted Technique: Green Synthesis*, Article ID: WMC002251 ISSN 2046-1690, Downloaded from <http://www.webmedcentral.com> on 28-Sep-2011, 05:55:13 AM
- Juliani, H.R. and Simon, J.E., 2002, *Trends in new crops and new uses: Antioxidant Activity of Basil*, J. Janick and A. Whipkey (editors.), ASHS Press, Alexandria.
- Kaçar, O., Erdiñç Göksu, E. and Nedime Azkan, N., 2009, Agronomic Properties and Essential Oil Composition of Basil Varieties of Landraces (*Ocimum basilicum* L.) in Turkey, *Asian J. Chem.*, 21(4), 3151-3160.
- Kadarohman, A., Dwiyaniti, G. dan Hernani, 2010, Jejak, Kinetika dan Mekanisme Reaksi Isomerisasi Estragol Menjadi Anetol, *Prosiding Seminar dan Bazar Hasil Penelitian dan Pengabdian kepada Masyarakat*, Bandung, 09 -10 Februari 2010.
- Kappe, C.O., 2004, Controlled Microwave Heating in Modern Organic Synthesis, *Angew. Chem. Int. Ed.*, 43, 6250-6284.
- Kappe, C.O., Dallinger, D., and Murphree, S.S., 2009, *Practical Microwave Synthesis for Organic Chemists: Strategies, Instruments, and Protocols*, WILEY-VCH Verlag GmbH & Co. KGaA, Weinheim.

- Kardinan, A., 2003, *Selasih Tanaman Keramat Multimedia*, Cetakan pertama, AgroMedia Pustaka, Jakarta.
- Kardinan, A., 2005, *Tanaman Penghasil Minyak Atsiri Komoditas Wangi Penuh Potensi*, Agromedia Pustaka, Jakarta.
- Kardinan, A., Bintoro, M.H., Syakir, M. dan Amin, A.A., 2007, *Penggunaan Selasih dalam Pengendalian Hama Lalat Buah pada Mangga*, Balitro, Bogor.
- Keita, S.M., Vincent, C., Schmit, J.P., Arnason, J.T., and Belanger, A., 2001, Efficacy of Essential Oil of *Ocimum basilicum* L. and *Ocimum gratissimum* L. Applied as an Insecticidal Fumigants and Powder to Control *Callosobruchus maculatus* (Fab.) (Coleoptera:Bruchidae), *J. Stor. Prod. Res.*, 37(4), 339-349.
- Khrimian, A., Siderhurst, M.S. Mcquate, G.T., Liquido, N.J. Nagata, J., Carvalho, L., Guzman, F. and Jang, E.B., 2009, Ring-Fluorinated Analog of Methyl Eugenol: Attractiveness to and Metabolism in the Oriental Fruit Fly, *Bactrocera Dorsalis* (Hendel), *J. Chem. Ecol.*, 35, 209–218.
- Kishore, D. and Kannan, S., 2002, Isomerization of eugenol and safrole over Mg/Al hydrotalcite, a solid base catalyst, *Green Chem.*, 4, 607-610.
- Kishore, D. and Kannan, S., 2006, Catalytic isomerization of estragole to anethole over hydrotalcites and HT-like compounds, *J. Mol. Catal. A: Chem.*, 244(1-2), 83-92.
- Klimankova, E., Holadova, K., Hajslova, J., Cajka, T., Poutska, J., and Koudela, M., 2008, Aroma Profiles of Five Basil (*O. basilicum* L.) Cultivars Grown Under Conventional and Organic Conditions, *Food Chem.*, 107(1), 464-472.
- Labinas, A.M. dan Crocomo, W.B., 2002, Effect of Java grass (*Cymbopogon winterianus* Jowitt) essential oil on fall armyworm *Spodoptera frugiperda* (J. E. Smith, 1797) (Lepidoptera, Noctuidae), *Acta Scientiarum Maringá*, 24(5), 1401-1405.
- Landolt, P.J., Smithhisler, C., Adams, T., and Zack, R.S., 2003, An improved multi-component sex attractant for trapping male western yellowstriped armyworm, *Spodoptera praefica* (Grote) (Lepidoptera: Noctuidae), *Agric. Forest Entomol.*, 5, 333–339.

- Lang, G. dan Buchbauer, G., 2012, A review on recent research results (2008–2010) on essential oils as antimicrobials and antifungals: A review, *Flavour Fragr. J.*, 27, 13–39, John Wiley & Sons, Ltd.
- Laurent, P.L. and Frerot, B., 2007, Monitoring of European Corn Borer with Pheromone-Baited Traps: Review of Trapping System Basics and Remaining Problems, *J. Econ. Entomol.*, 100(6), 1797-1807.
- Lee, J., and Scagel, C.F., 2009, Chicoric Acid Found in Basil (*Ocimum basilicum* L.) Leaves, *Food Chem.*, 115, 650-656.
- Lee, S.J., Umamo, K., Shibamoto, T., and Lee, K.G., 2005, Identification of Volatile Components in Basil (*O. basilicum* L.) and Thyme Leaves (*Thymus vulgaris* L.) and Their Antioxidant Properties, *Food Chem.*, 91(1), 131-137.
- Lewinsohn, E., Dudai, N., Tadmor, Y., Katzir, I., Ravid, U., Putievsky, E. and Joel, D.M., 1998, Histochemical Localization of Citral Accumulation in Lemongrass Leaves (*Cymbopogon citratus* (DC.) Stapf., Poaceae), *Ann. Bot.*, 81, 35-39.
- Lewinsohn, E., Ziv-Raz, I., Dudai, N., Tadmor, Y., Lastochkin, E., Larkov, O., Chaimovitsh, D., Ravid, U., Putievsky, E., Pichersky, E., Shoham, Y., 2000, Biosynthesis of estragole and methyl-eugenol in sweet basil (*Ocimum basilicum* L). Developmental and chemotypic association of allylphenol O-methyltransferase activities, *Plant Science*, 160, 27–35.
- Lewinsohn, E., and Gijzen, M., 2009, Phytochemical diversity: The sounds of silent metabolism, *Plant Science*, 176, 161–169.
- Li, Y., 2014, *Essential Oils as Reagents in Green Chemistry*, SpringerBriefs in Green Chemistry for Sustainability, DOI 10.1007/978-3-319-08449-7-2
- Liedstrom, P., Tierney, J., Wathey, B. and Westman, J., 2001, Microwave Assisted Organic Synthesis – a Review, *Tetrahedron*, 57, 9225-9285.
- Lopez, M.D., Jordan, M.J., and Villalobos, M.J.P., 2008, Toxic Compounds in Essential Oils of Coriander, Caraway and Basil Active Against Stored Rice Pests, *J. Stored Prod. Res.*, 44(3), 273-278.
- Loupy, A., Perreux, L., Liagre, M., Burle, K., and Moneuse, M., 2001, Reactivity and selectivity under microwaves in organic chemistry: Relation with

medium effects and reaction mechanisms, *Pure Appl. Chem.*, 73(1), 161–166.

Lutony, T.L. dan Rahmayati, Y., 1999, *Produksi dan Perdagangan Minyak Atsiri*, cetakan ke-4, PT. Penebar Swadaya, Jakarta.

Luu, T.X.T., Lam, T.T., Le, T.N. and Duus, F., 2009, Fast and Green Microwave-Assisted Conversion of Essential Oil Allylbenzenes into the Corresponding Aldehydes via Alkene Isomerization and Subsequent Potassium Permanganate Promoted Oxidative Alkene Group Cleavage, *Molecules*, 14, 3411-3424.

Milne, GWA, 1998, *Handbook of Pesticides*, CRC Press LLC, Florida.

Miranda, J.A., 2001, Asymmetric Synthesis Of 6,7-Epoxy citronellyl Pivalate: Optimizing The Synthesis Of The California Red Scale Pheromone, *Thesis*, The College Of Science And Mathematics, California State University, Fresno.

Moreira, J.A. and Correa, A.G., 2000, Enantioselective Synthesis of (2R,3R,7S)-3,7-dimethyl pentadecan-2-ol, Sex Pheromone Component of Pine Sawflies, *J. Braz. Chem. Soc.*, 11(6), 614-620.

Mori, K. dan Tashiro, T, 2004, Useful Reactions in Modern Pheromone Synthesis, *Curr. Org. Synth.*, 1, 11-29.

Mori, N. and Kuwahara, Y., 1995, Synthesis of (2R,3R)-Epoxy neral, a sex pheromone of the Acarid mite, *Caloglyphus* sp. (Astigmata : Acaridae), *Tetrahedron Lett.*, 36(9), 1477-1478.

Mori, N., Kuwahara, Y., and Kurosa, K., 1996, Chemical Ecology of Astigmatid mites – XLV (2R,3R)-Epoxy neral: sex pheromone of the Acarid mite, *Caloglyphus* sp. (Acarina : Acaridae), *Bioorg. Med. Chem.*, 4(3), 289-295.

Nugrohati, S. dan Untung, K., 1986, Pestisida dalam Sayuran, *Prosiding Seminar Keamanan Pangan dalam Pengolahan dan Penyajian*, PAU Pangan dan Gizi, UGM, 1 – 3 September 1986.

Omer, E.A., Said- Al Ahl, H.A.H. and Hendawy, S.F. 2008, Production, Chemical Composition and Volatile Oil of Different Basil Species/ Varieties Cultivated under Egyptian Soil Salinity Conditions, *Res. J. Agric. Biol. Sci.*, 4(4), 293-300.

- Opalchenova, G., and Obreshkova, D., 2003, Comparative Studies on The Activity of Basil- an essential oil from *O. basilicum* L.- Against Multidrug Resistant Clinical Isolates of The Genera *Staphylococcus*, *Enterococcus* and *Pseudomonas* by Using Different Test Methods, *J. Microbiol. Methods*, 54(1), 105-110.
- Oxenham, S.K., Svoboda, K.P., and Walters, D.R., 2005, Antifungal Activity of the Essential Oil of Basil (*Ocimum basilicum*), *J. Phytopathol.*, 153, 174–180.
- Oyen, L.P.A. and Dung, N.X., 1999, *Plant Resources of South East Asia No.19 (Essential Oils)*, Backhuys Publishers, Leiden, Netherlands.
- Permadi, A., 2008, *Membuat Kebun Tanaman Obat*, Pustaka Bunda, Jakarta.
- Pflasterer, G., Naeve, L., Jauron, R., and Nelson, D., 2005, *Growing and Using Basil*, Reiman Gardens, Iowa State University, Iowa.
- Phippen, W.B. and Simon, J.E., 2000, Anthocyanin inheritance and instability in purple basil (*Ocimum basilicum* L.), *J. Hered*, 91, 289–296.
- Piancatelli, G., and Leonelli, F., 2006, Oxidation Of Nerol To Neral With Iodo benzene and Tempo [(Z)-3,7-Dimethyl-2,6-Octadienal], *Org. Synth.*, 83, 18-23.
- Pitojo, S., 1996, *Kemangi dan Selasih*, Trubus Agriwidya, Ungaran.
- Politeo, O., Jukic, M. and Milos, M., 2007, Chemical Composition and Antioxidant Capacity of Free Volatile Aglycones from Basil (*Ocimum basilicum* L.), *Food Chem.*, 101(1), 379-385.
- Potter, N., 2001, Essential oils and their production, *A Broad Sheet of New Zealand Institute for Crop & Food Research Ltd*, 39, A Crown Research Institute, October 2001.
- Pratiwi, S.T., 2008, *Mikrobiologi Farmasi*, Erlangga Medical Series (EMS), Penerbit Erlangga.
- Radovich, T.R., 2000, The Response Of Basil (*Ocimum Basilicum* L.) to Chicken Manure, Compost and Urea Applications, *Thesis*, Department Of Agriculture, University Of Hawaii, Hawaii.

- Romeilah, R.M., Fayed, S.A. and Mahmoud, G.I., 2010, Chemical Compositions, Antiviral and Antioxidant Activities of Seven Essential Oils, *J. App. Sci. Res.*, 6(1), 50-62.
- Rubiyanto, D. dan Istiqomah, N., 2007, Profil Kromatografi dan Spektra Infra Merah dari Minyak Daun Selasih Tipe *Ocimum basilicum* "Lime" dan *Ocimum basilicum* "Canum sims" , *Jurnal EKSakta*, 9 (2), 1-9.
- Rubiyanto, D., Anwar, C. dan Sastrohamidjojo, H., 2009, Chemical Composition Changes During Storage Of Lemon Basil Essential Oil (*Ocimum Citriodorum* Sp.), *Prosiding International Seminar on Essential Oils (ISEO) 2009*, IPB, Bogor.
- Saddiq, A.A. and Khayyat, S.A., 2010, Chemical and Antimicrobial Studies of Monoterpene: Citral, *Pestic. Biochem. Physiol.*, 98, 89-93.
- Sastrohamidjojo, H. , 2004, *Minyak Atsiri*, Gadjah Mada University Press, Yogyakarta.
- Savjani, J.K., Savjani, K.T., Patel, B.S., and Gajjar, A.K., 2010, Microwave Assisted Organic Synthesis: An Alternative Synthetic Strategy, *Der Pharma Chemica*, 2(1), 342-353.
- Schwikkard, S. and Van Heerden, F.R., 2002, Antimalarial activity of plant metabolites, *Nat. Prod. Rep.*, 19, 675–692.
- Shatar, S., Altantsetseg, Sh., Sarnai, I., Zoljargal, D., Thang, T.D., and Dung, N.X., 2007, Chemical Composition Of The Essential Oil Of *Ocimum Basilicum* Cultivated In Mongolian Desert-Gobi, *Chem. Nat. Comp.*, 43(6), 726-727.
- Shelke, K.F., Sapkal, S.B., Shitole, N.V., Shingate, B.B., and Shingare, M.S., 2009, Microwave-assisted synthesis of 1,2-benzisoxazole derivatives in ionic liquid, *Org. Commun.* , 2(3), 72-78.
- Shi, S. and Hwang, J.Y., 2003, Microwave-assisted wet chemical synthesis: advantages, significance, and steps to industrialization, *J. Miner. Mater. Charact. Eng.*, 2(2), 101-110.
- Simon, J.E., J. Quinn, and Murray, R.G., 1990, *Basil: A source of essential oils*, Timber Press, Portland.
- Simon, J.E., Morales, M.R., Phippen, W.B., Vieira, R.F., and Hao, Z., 1999, Basil: A Source of Aroma Compounds and a Popular Culinary and Ornamental

Herb, *Perspectives on new crops and new uses*, J. Janick (ed.), ASHS Press, Alexandria, VA.

Soesanto, H., 2006, Pembuatan Isoeugenol dari Eugenol Menggunakan Pemanasan Gelombang Mikro, *Skripsi*, Fakultas Teknologi Pertanian, Institut Pertanian Bogor, Bogor.

Surati, M.A., Jauhari, S. and Desai, K.R., 2012, A brief review: Microwave assisted organic reaction, *Arch. App. Sci. Res.*, 4(1), 645-661.

Swift, K.A.D., 2004, Catalytic Transformation of The major Terpene feed stocks, *Top. Catal.*, 27(1-4), 143-155.

Telci, I., Bayram, E., Yilmaz, G., and Avci, B., 2006, Variability in Essential Oil Composition of Turkish Basils (*O. basilicum* L.), *Biochem. Syst. Ecol.*, 34(6), 489-497.

Varma, R.S., 2001, Solvent-free accelerated organic syntheses using microwaves, *Pure Appl. Chem.*, 73(1), 193-198.

Vilella, I.M.J., de Miquel, S.R., and Scelza, O.A., 2005, Hydrogenation of Citral on Pt and PtSn Supported on Activated Carbon Felts (ACF), *Lat. Am. Appl. Res.*, 35, 51-57.

Viña, A. and Murillo, E., 2003, Essential Oil Composition from Twelve Varieties of Basil (*Ocimum spp*) Grown in Colombia, *J. Braz. Chem. Soc.*, 14(5), 744-749.

Wee, S.L., Hee, A.K.W., and Tan, K.H., 2002, Comparative sensitivity to and consumption of methyl eugenol in three *Bactrocera dorsalis* (Diptera: Tephritidae) complex sibling species, *J. Chem. Ecol.*, 12, 193-197.

Wheeler, G. S., Massey, L. M., and Southwell, I. A., 2003, Dietary influences on terpenoids sequestered by the biological control agent *Oxyops vitiosa*: Effect of plant volatiles from different *Melaleuca quinquenervia* chemotypes and laboratory host species, *J. Chem. Ecol.*, 29, 188-207.

Yarovaya, O.I., Salomatina, O.V., Korchagina, D.V., Polovinka, M.P., and Barkhash, V.A., 2002, Transformation of 6,7-Epoxy Derivatives of Citral and Citronellal in Various Acidic Media, *Russ. J. Org. Chem.*, 38(11), 1594-1605.

Yarovaya, O.I., Korchagina, D.V., Salomatina, O.V., Polovinka, M.P., and Barkhash, V.A., 2003, Acid Catalyzed Reactions of 2,3-Epoxy Derivatives of Citral with Alcohol, *Russ. J. Org. Chem*, 39(7), 985-991.

Zarbin, P.H.G., Villara, J.A.F.P., and Corrêa, A.G., 2007, Insect Pheromone Synthesis in Brazil: an Overview, *J. Braz. Chem. Soc.*, 18(6), 1100-1124.

Zheljazkov, V.D., Craker, L.E., and Xing, B., 2006, Effects of Cd, Pb and Cu on Growth and Essential Oil Contents in Dill, Peppermint and Basil, *Environ. Exp. Bot.*, 58(1-3), 9-16.