

## DAFTAR PUSTAKA

- Abdel-Salam, O.M.E., Salem, N.A., El-Shamarka, M.E.S, Hussein, J.S., Ahmed, N.A.S., & El-Nagar, M.E.S. 2012 Studies on the effects of aspartame on memory and oxidative stress in brain of mice. *Eur Rev Med Pharmacol Sci* 16(15):2092–101
- Abdulla, M.A., Al-Bayat, F.H, Younis, L.T. & Abu Hassan, M.I. 2010 Anti-ulcer activity of *Centella asiatica* leaf extract against ethanol-induced gastric mucosal injury in rats. *J Med Plant Res* 4(13):1253-9
- Akyol, O., Zoroglu, S.S., Armutcu, F., Sahin, S., Gurel, A. 2004 Nitric oxide as a physiopathological factor in neuropsychiatric disorders. *J Endocrinol* 18(3):377–90
- Alam, Z.I., Jenner, A., Daniel, S.E., Lees, A.J., Cairns, N., Marsden, D., *et al.* 1997 Oxidative DNA damage in the parkinsonian brain: an apparent selective increase in 8-hydroxyguanine levels in substantia nigra. *J Neurochem* 69(3):1196-203
- Aleisa, A.M., Alzoubi, K.H. & Alkadhi, K.A. 2006 Nicotine prevents stress-induced enhancement of long-term depression in hippocampal area CA1: Electrophysiological and molecular studies. *J Neurosci Res* 83(2):309-17
- Allen, S.J. & Dawbarn, D. 2006 Clinical relevance of the neurotrophins and their receptors. *Clin Sci* 110(2):175-91
- Alvin, V. & Terry, Jr. 2009 Spatial navigation (water maze) tasks, In Buccafusco, J.J.: *Methods of Behavior Analysis in Neuroscience*, 2<sup>nd</sup> ed. CRC Press. Boca Raton, London, New York
- Andersen, P., Morris, R., Amaral, D., Bliss, T. & O'Keefe, J. 2007 *The Hippocampus Book*. Oxford University Press. New York
- Arnten, A.F. 1998 Noise stress impairs prefrontal cortical cognitive function in monkeys: evidence for hyperdopaminergic mechanism. *Arch Gen Psychiatry* 55(4):362-8
- Aswin, S. 1997 *Metodologi Penelitian Kedokteran*. Fakultas Kedokteran Universitas Gadjah Mada. Yogyakarta
- Banerjee, R., Ghosh, A.K., Ghosh, B. & Mondal, A.C. 2012 Effect of chronic inescapable footshock and antidepressant treatment on BDNF/TrkB levels in rat hippocampus. *J Neurosci* 2(2):12-21
- Bear, M.F., Connors, B.W. & Paradiso, M.A. 2007 *Neuroscience: Exploring the Brain*. Lippincott Williams & Wilkins. Philadelphia. USA
- Beck, K.D. & Luine, V.N. 1999 Food deprivation modulates chronic stress effects on object recognition in male rats: role of monoamines and amino acids. *Brain Res* 30(10):56-71
- Bekinschtein, P., Cammarota, M. & Medina, J.H. 2014 BDNF and memory processing. *Neuropharmacology* 76:677-83
- Bekinschtein, P., Cammarota, M., Izquierdo, I. & Medina, J.H. 2008 BDNF and memory formation and storage. *Neuroscientist* 14(2):147-56
- Berman, A. F. 2003 *The 5-minute Herb and Dietary Supplement Consult*. Lippincott Williams & Wilkins. Philadelphia
- Bhavan, B.V. 1992 *Selected Medicinal Plants of India*. Tata Press. Bombay, India

- Binder, D.K. & Scharfman, H.E. 2004 Brain-derived neurotrophic factor. *Growth Factor* 22(3):123-31
- Bland, S.T., Tamlyn, J.P., Barrientos, R.M., Greenwood, B.N., Watkins, L.R., Campeau, S. *et al.* 2007 Expression of fibroblast growth factor-2 and brain-derived neurotrophic factor mRNA in the medial prefrontal cortex and hippocampus after uncontrollable or controllable stress. *Neuroscience* 144(4):1219-28
- Blum, S., Moore, A.N., Adams, F. & Dash, P.K. 1999 A mitogen-activated protein kinase cascade in the CA1/CA2 subfield of the dorsal hippocampus is essential for long-term spatial memory. *J Neurosci* 19(9):3535-44
- Bramham, C.R. & Messaoudi, E. 2005 BDNF function in adult synaptic plasticity: the synaptic consolidation hypothesis. *Prog Neurobiol* 76(2):99-125
- Bruce-Keller, A.J. 1998 4-Hydroxynonenal, a product of lipid peroxidation, damages cholinergic neurons and impairs visuospatial memory in rats. *J Neuropathol Exp Neurol* 57(3):257-67
- Budson, A.E. & Price, B.H. 2005 Memory dysfunction. *N Engl J Med* 352(7):692-9.
- Bustos, G., Basalto, E. & Pinto-Hamuy, T. 2003 Spatial memory in *Long evans* and *Rattus norvegicus* rats. *Biol Res* 36:193-9
- Carlson, N.R. 1995 *Physiology of Behavior* 5<sup>th</sup> Ed. Allyn and Bacon. Boston
- Cassiman, D., Deneff, C. & Desmet, V. J. 2001 Human and rat hepatic stellate cells express neurotrophins and neurotrophin receptors. *Hepatology* 33:148–58
- Chauhan, P.K. & Singh, V. 2012 Acute and subacute toxicity study of acetone leaf extract of *Centella asiatica* in experimental animal models. *Asian Pac J Trop Biomed* 2:S511-3
- Chen, A., Xiong, L.-J., Tong, Y. & Mao, M. 2013 The neuroprotective roles of BDNF in hypoxic ischemic brain injury. *Biomed Rep* 1(2):167-76
- Chong, N.J. & Aziz, Z. 2011 A systematic review on the chemical constituents of *Centella asiatica*. *Res J Pharm Biol Chem Sci* 2(3):445-59
- Chrousos, G.P. 2009 Stress and disorders of the stress system. *Nat Rev Endocrinol* 5(7):374-81
- Cui, H., Kong, Y. Zhang, H. 2012 Oxidative stress, mitochondrial dysfunction, and aging. *J Sig Transd* 2012:646354
- Cunha, C., Brambilla, R. & Thomas, K.L. 2010 A simple role for BDNF in learning and memory? *Front Mol Neurosci* 3(1):1-14
- Dahlan, M.S. 2014 *Statistik untuk Kedokteran dan Kesehatan: Deskriptif, Bivariat, dan Multivariat Dilengkapi Aplikasi Menggunakan SPSS* seri 1 edisi 6. Epidemiologi Indonesia. Jakarta
- Dalimartha, S. 2004 *Pegagan (Centella asiatica [L.] Urban)*. Available in URL :<http://www.pdpersi.co.id>
- D'Hooge, R. & De Deyn, P. P. 2001 Applications of the Morris water maze in the study of learning and memory. *Brain Research Reviews* 36: 60-90
- deKloet, E.R., Joels, M. & Holsboer, F. 2005 Stress and the brain: from adaptation to disease. *Nat Rev Neurosci* 6:463-75
- Direktorat Jenderal Pengawasan Obat dan Makanan. 1995 *Farmakope Indonesia* edisi V. Departemen Kesehatan RI. Jakarta
- Duvernoy, H. M. 2005 *The Human Hippocampus* 3<sup>rd</sup> ed., Springer-Verlag Berlin Heidelberg, New York

- Egan, M. F., Kojima, M., Callicott, J. H., Goldberg, T. E., Kolachana, B. S., Bertolino, A. *et al.* 2003 The BDNF val66met polymorphism affects activity-dependent secretion of BDNF and human memory and hippocampal function. *Cell* 112: 257-69
- Eichenbaum, H. 2002 *The Cognitive Neuroscience of Memory: an Introduction*. Oxford University Press. New York
- Elfving, B., Plougmann, P. H., Müller, H. K., Mathé, A. A., Rosenberg, R. & Wegener, G. 2010 Inverse correlation of brain and blood BDNF levels in a genetic rat model of depression. *Int J Neuropsychopharmacol* 13: 563-572
- Esch, T., Stefano, G.B., Fricchione, G.L. & Benson, H. 2002 Stress-related diseases: a potential role for nitric oxide. *Med Sci Monit* 8(6):103-18
- Fausto, N. 2006 Cell injury-cell death [online]. Available from: URL: [http://courses.washington.edu/hubio520/print/syllabus\\_cellinjurydeath.pdf](http://courses.washington.edu/hubio520/print/syllabus_cellinjurydeath.pdf) [3 September 2014]
- Fujimura, H., Altar, C.A., Chen, R., Nakamura, T., Nakahashi, T., Kambayashi, J. *et al.* 2002 Brain-derived neurotrophic factor is stored in human platelets and released by agonist stimulation. *Thromb Haemost* 87(4):728-34
- Gadahad, M.R., Rao, M. & Rao, G. 2008 Enhancement of hippocampal CA3 neuronal dendritic arborization by *Centella asiatica* (linn) fresh leaf extract treatment in adult rats. *J Chin Med Assoc* 71(1):6-13
- Gaur, V. & Kumar, A. 2010 Hesperidin pre-treatment attenuates NO-mediated cerebral ischemic reperfusion injury and memory dysfunction. *Pharmacol rep* 62(4):635-48
- Grauer, E. & Kapon, Y. 1993 Wistar-Kyoto rats in Morris water maze: impaired working memory and hyper-reactivity to stress. *Behav Brain Res* 59:147-51
- Grisham, M.B., Jourdain, D. & Wink, D. 1999 Nitric oxide: physiological chemistry of nitric oxide and its metabolites: implications in inflammation. *Am J Physiol* 276(2):315-21
- Grishin, A.A., Gee, C.E., Gerber, U. & Benquet, P. 2004 Differential calcium-dependent modulation of NMDA currents in CA1 and CA3 hippocampal pyramidal cells. *J Neurosci* 24(2):350-5
- Grønli, J., Bramham, C., Murison, R., Kanhema, T., Fiske, E., Bjorvatn, B. *et al.* 2006 Chronic mild stress inhibits BDNF protein expression and CREB activation in the dentate gyrus but not in the hippocampus proper. *Pharmacol Biochem Behav* 85(4):842-9
- Guyton, A.C. & Hall, J.E. 2006 *Textbook of Medical Physiology* 11<sup>th</sup> ed. Elsevier Inc. Pennsylvania
- Haleagrahara, N. & Ponnusamy, K. 2010 Neuroprotective effect of *Centella asiatica* extract (CAE) on experimentally induced parkinsonism in aged *Sprague-Dawley* rats. *J Toxicol Sci* 35(1):41-7
- Halliwell, B. 2000 Why and how should we measure oxidative DNA damage in nutritional studies? how far have we come? *Am J Clin Nutr* 72:1082-7
- Hamid, A.A., Shah, Z.M., Muse, R. & Mohamed, S. 2002 Characterisation of antioxidative activities of various extracts of *Centella asiatica* (l) urban. *Food Chem* 77:465-69
- Hempstead, B.L. 2006 Dissecting the diverse actions of pro and mature neurotrophins. *Curr Alzheimer Res* 3(1):19-24

- Huang, E.J. & Reichardt, L.F. 2001 Neurotrophins: role in neuronal development and function. *Annu Rev Biochem Neurosci* 24:677-736
- Huisman, M.C., van Golen, L.W., Hoetjes, N.J., Greuter, H.N., Schober, P., Ijzerman, R.G. *et al.* 2012 Cerebral blood flow and glucose metabolism in healthy volunteers measured using a high-resolution PET scanner. *EJNMMI Res* 2(1):63
- Husain, G.M., Mishra, D., Singh, P.N., Rao, C.V., Kumar, V. 2007 Ethnopharmacological review of native traditional medicinal plants for brain disorder. *Phcog Rev* 1(1):19-28
- Hussin, M., Abdul-Hamid, A., Mohamad, S., Saari, N., Ismail, M. & Bejo, M.H. 2007 Protective effect of *Centella asiatica* extract and powder on oxidative stress in rats. *Food Chem* 100(2):535-41
- Joëls, M. & deKloet, E.R. 1993 Corticosteroid actions on amino acid-mediated transmission in rat CA1 hippocampal cells. *J Neurosci* 13(9):4082-90
- Joëls, M., Karst, H., Krugers, H.J. & Lucassen, P.J. 2007 Chronic stress: implications for neuronal morphology, function and neurogenesis. *Front Neuroendocrinol* 28(2007):72-96
- Jones, R., Morris, K. & Nutt, D. 2005 *Foresight Brain Science, Addiction and Drugs – Cognition Enhancers*. Departement of Trade and Industry. London
- Joshi, S. 2011 Similarities between neurological and yogic models of human memory. *NAMAH* 18(4):48
- Kandel, E., Schwartz, J. & Jessel, T. 2000 *Principles of Neural Science* 4<sup>th</sup> ed. McGraw-Hill. New York
- Khalidi, A., Chiueh, C. C., Bullock, M.R. & Woodward, J.J. 2002 The significance of nitric oxide production in the brain after injury. *Ann N Y Acad Sci* 962: 53-59.
- Kitraki, E., Karandrea, D. & Kittas, C. 1999 Regulation of corticotropin and long-lasting effects of stress on glucocorticoid receptor gene expression in the rat brain. *Neuroendocrinology* 69:331-38
- Klein, A.B., Williamson, R., Santini, M.A, Clemmensen, C., Ettrup, A., Rios, M. *et al.* 2011 Blood BDNF Concentrations Reflect Brain-tissue BDNF Levels Across Species. *Int J Neuropsychopharmacol* 14(3):347-53
- Klöcker, N., Kermer, P., Weishaupt, J. H., Labes, M., Ankerhold, R. & Bähr, M. 2000 Brain-derived neurotrophic factor-mediated neuroprotection of adult rat retinal ganglion cells in vivo does not exclusively depend on phosphatidylinositol-3'-kinase/ protein kinase B signaling. *J Neurosci* 20(18):6962-7
- Krishnamurthy, R.G., Senut, M.C., Zemke, D., Min, J., Frenkel, M.B., Greenberg, E.J. *et al.* 2009 Asiatic acid, a pentacyclic triterpene from *Centella asiatica*, is neuroprotective in a mouse model of focal cerebral ischemia. *J Neurosci Res* 87(11):2541-50
- Kumamaru, E., Numakawa, T., Adachi, N. & Kunugi, H. 2011 Glucocorticoid suppresses BDNF-stimulated MAPK/ERK pathway via inhibiting interaction of Shp2 with TrkB. *FEBS Lett* 585(20):3224-8
- Kumar, A., Dogra, S. & Prakash, A. 2009 Neuroprotective effects of *Centella asiatica* against intracerebroventricular colchicine-induced cognitive impairment and oxidative stress. *Int J Alzheimers Dis*:1-8

- Kumar, M. H. V. & Gupta, Y.K. 2002 Effect of different extracts of *Centella asiatica* on cognition and markers of oxidative stress in rats. *J Ethnopharmacol* 79: 253-260
- Kumar, M. H. V. & Gupta, Y. K. 2003 Effect of *Centella asiatica* on cognition and oxidative stress in an intracerebroventricular streptozotocin model of Alzheimer's disease in rats. *Clin Exp Pharmacol Physiol* 30: 336-42
- Kusumawati, D. 2004 Bersahabat dengan Hewan Coba. Gadjah Mada University Press. Yogyakarta
- Laron, Z. 2009 Insulin and the Brain. *Arch Physiol Biochem* 115(2):112-6
- Levine, S. 1971 Stress and Behavior. *Sci Am* 224(1): 26-31
- Lipp, H.P. & Wolfer, D.P. 1998 Genetically modified mice and cognition. *Curr Opin Neurobiol* 8:272-80
- Liu, B., Gao, H-M., Wang, J-Y., Jeohn, G-H., Cooper, C.L. & Hong, J-S. 2002 Role of nitric oxide in inflammation-mediated neurodegeneration. *Ann N Y Acad Sci* 962:318-31
- Liu, J., Wang, X., Shigenaga, M.K., Yeo, H.C., Mori, A. & Ames, B.N. 1996 Immobilization stress causes oxidative damage to lipid, protein, and DNA in the brain of rats. *FASEB J* 10:1532-8
- Luo, Y., Yang, Y.P., Liu, J., Li, W.H., Yang, J., Sui, X. *et al.* 2014 Neuroprotective effects of *madecassoside* against focal cerebral ischemia reperfusion injury in rats. *Brain Res* 27(1565):37-47
- Madrigal, J.L.M., García-Bueno, B., Caso, J.R., Pérez-Nievas, B.G. & Leza, J.C. 2006 Stress-induced oxidative changes in brain. *CNS Neurol Disord Drug Targets* 5(5):561-8
- Magarinos, A.M., Bruce, S., Gabriele, F. & Eberhard, F. 1996 Chronic psychosocial stress causes apical dendritic atrophy of hippocampal CA3 pyramidal neurons in subordinate tree shrews. *J Neurosci* 16(10):3534-40
- Matthews, V.B., Aström, M.B., Chan, M.H., Bruce, C.R., Krabbe, K.S., Prelovsek, O. *et al.* 2009 Brain-derived neurotrophic factor is produced by skeletal muscle cells in response to contraction and enhances fat oxidation via activation of AMP-activated protein kinase. *Diabetologia* 52(7):1409-18
- McEwen, B.S. 1999 Stress and hippocampal plasticity. *Annu Rev Neurosci* 22:105-22
- McEwen, B.S. 2000a Effects of adverse experiences for brain structure and function. *Biol Psychiatry* 48(8):721-31
- McEwen, B.S. 2000b The Neurobiology of stress: from serendipity to clinical relevance. *Brain Res* 886(1-2):172-89
- McEwen, B.S. 2008 Central effects of stress hormones in health and disease: understanding the protective and damaging effects of stress and stress mediators. *Eur J Pharmacol* 583(2-3):174-85
- Mesches, M.H., Fleshner, M., Heman, K.L., Rose, G.M. & Diamond, D.M. 1999 Exposing rats to a predator blocks primed burst potentiation in the hippocampus in vitro. *J Neurosci* 19(1):1-5
- Mitra, R., Mitchell, B., Agricola, S., Gray, C., Baskaran, K. & Muralitharan, M.S. 2007 Medicinal plants of India. *Asia Pasific Biotech News* 11(11):707-25



- Mizuno, M., Yamada, K., He, J., Nakajima, A. & Nabeshima, T. 2003 Involvement of BDNF receptor TrkB in spatial memory formation. *Learn Mem* 10(2):108-15
- Mizuno, M., Yamada, K., Olariu, A., Nawa, H. & Nabeshima, T. 2000 Involvement of brain-derived neurotrophic factor in spatial memory formation and maintenance in a radial arm maze test in rats. *J Neurosci* 20(18):7116-21
- Mizuno, M., Yamada, K., Takei, N., Tran, M.H., He, J., Nakajima, A. *et al.* 2003 Phosphatidylinositol 3-kinase: a molecule mediating BDNF dependent spatial memory formation. *Mol Psychiatry* 8:217-24
- Molteni, R., Lipska, B.K., Weinberger, D.R., Racagni, G. & Riva, M.A. 2001 Developmental and stress-related changes of neurotrophic factor gene expression in an animal model of schizophrenia. *Mol Psychiatry* 6(3):285-92
- Mook-Jung, I., Shin, J.E., Yun, S.H., Huh, K., Koh, J.Y., Park, H.K. *et al.* 1999 Protective effects of *asiaticoside* derivatives against beta-amyloid neurotoxicity. *J Neurosci Res* 59(3):417-25
- Moscovitch, M., Rosenbaum, R.S., Gilboa, A., Addis, D.R. & Westmacott R. 2005 Functional neuroanatomy of remote episodic, semantic, and spatial memory: a unified account based on multiple trace theory. *Anat* 207:35-66
- Murer, M. G., Yan, Q. & Raisman-Vozari, R. 2001 Brain-derived neurotrophic factor in the control human brain, and in Alzheimer's disease and Parkinson's disease. *Prog Neurobiol* 63: 71-124
- Murray, P.S. & Holmes, P. V. 2011 An overview of brain-derived neurotrophic factor and implications for excitotoxic vulnerability in the hippocampus. *Int J Pept* 654085
- Musazzi, L., Milanese, M., Farisello, P., Zappettini, S., Tardito, D., Barbiero, V.S., *et al.* 2010 Acute stress increases depolarization-evoked glutamate release in the rat prefrontal/frontal cortex: the dampening action of antidepressants. *PloS ONE* 5(1):e8566
- Myers, A. 1986 *Experimental Psychology* second ed. Brooks/Cole Publishing Company. United States of America
- Nagappan, G. & Lu, B. 2005 Activity-dependent modulation of the BDNF receptor TrkB: mechanisms and implications. *Trends Neurosci* 28: 464-71
- Nakahashi, T., Fujimura, H., Altar, C.A., Li, J., Kambayashi, J., Tandon, N.N. *et al.* 2000 Vascular endothelial cells synthesize and secrete brain-derived neurotrophic factor. *FEBS Lett* 470(2):113-7
- Nicholas, A., Carolina, D.M., Deveroux, F., Laura, C. & Robert, S. 2006 Enhancing cognition after stress with gene therapy. *J Neurosci* 26(45):11637-43
- Numakawa, T., Matsumoto, T., Numakawa, Y., Richards, M., Yamawaki, S. & Kunugi, H. 2011 Protective action of neurotrophic factors and estrogen against oxidative stress-mediated neurodegeneration. *J Toxicol* 2011:405194
- Omar, N.S., Zakaria, Z.A.C., Mian, T.S., Ngah, W.Z.W. & Mazlan, M. 2011 *Centella asiatica* modulates neuron cell survival by altering caspase-9 pathway. *J Med Plant Res* 5(11):2201-9
- Orhan, I.E. 2012 *Centella asiatica* (L.) urban: from traditional medicine to modern medicine with neuroprotective potential. *J Evid Based Complement Alternat Med* 946259

- Palumbo, M.L., Fosser, N.S., Rios, H., Zorrilla Zubilete, M.A., Guelman, L.R., Cremaschi, G.A., *et al.* 2007 Loss of hippocampal neuronal nitric oxide synthase contributes to the stress-related deficit in learning and memory. *J Neurochem* 102(1):261–74
- Pang, P. T, Teng, H. K., Zaitsev, E., Woo, N. T., Sakata, K., Zhen, S., *et al.*, 2004 Cleavage of proBDNF by tPA/plasmin is essential for long-term hippocampal plasticity. *Science* 306: 487-91
- Parker, A., Wilding, E. & Bussey, T. 2002 *The Cognitive Neuroscience of Memory Encoding and Retrieval*. Psychology Press. New York
- Patestas, M. A. & Gartner, L. P. 2010 *A Text Book of Neuroanatomy*. USA: Blackwell Publishing Company
- Patterson, S.L., Abel, T., Deuel, T.A.S., Martin, K.C., Rose, J.C. & Kandel, E.R. 1996 Recombinant BDNF Rescues deficits in basal synaptic transmission and hippocampal LTP in BDNF knockout mice. *Neuron* 16:1137-45
- Paul, V. & Ekambaram, P. 2011 Involvement of nitric oxide in learning & memory processes. *Indian J Med Res* 133:471–8
- Pérez-Nievas, B.G., García-Bueno, B., Caso, J.R., Menchén, L. & Leza, J.C., 2007 Corticosterone as a marker of susceptibility to oxidative/nitrosative cerebral damage after stress exposure in rats. *Psychoneuroendocrinology* 32(6):703-11
- Persoons, J.H., Schornagel, K., Breve, J., Beckenbosch, F & Kaal, G. 1995 Acute stress effects cytokines and nitric oxide production by alveolar macrophage differently. *Am J Respir Crit Care Med* 152:619-24
- Plata-Salaman, C.R., Ilyin, S.E., Turrin, N.P., Gayle, D., Flynn, M.C., Bedard, T., *et al.* 2000 Neither acute nor chronic exposure to a naturalistic (predator) stressor influences the interleukin-1beta system, tumor-necrosis factor-alpha, transforming growth factor-beta1, and neuropeptide mRNAs in specific brain regions. *Brain Res Bull* 51(2):187-93
- Pluchino, N., Russo, N. M., Santoro, A. N., Litta, P., Cela, V. & Genazzani, A.R. 2013 Steroid hormones and BDNF. *Neuroscience* 239:271-9.
- Poirier, G.L., Amin, E. & Aggleton, J.P. 2008 Qualitatively different hippocampal subfield engagement emerges with mastery of a spatial memory task by rats. *J Neurosci* 28(5):1034-45
- Popoli, M., Yan, Z., McEwan, B. & Sanacora, G. 2013 The stressed synapse: the impact of stress and glucocorticoids on glutamate transmission. *Nat Rev Neurosci* 13(1):22-37
- Prabhulkar, S. & Li, C.Z. 2010 Assessment of oxidative DNA damage and repair at single cellular level via real-time monitoring of 8-OHdG biomarker. *Biosens Bioelectron* 26:1743-49
- Prakash, A. & Kumar, A. 2013 Mitoprotective effect of *Centella asiatica* against aluminum-induced neurotoxicity in rats: possible relevance to its anti-oxidant and anti-apoptosis mechanism. *Neurol Sci* 34: 1403-1409
- Pratiknya, A.W. 2011 *Dasar-Dasar Metodologi Penelitian Kedokteran dan Kesehatan*. P.T. Graja Grafindo Persada. Jakarta
- Purves, D., Augustine, G.J., Fitzpatrick, D., Hall, W.C., LaMantia, A., McNamara, J.O., *et al.* 2004. *Neuroscience*. 3<sup>rd</sup> ed. Sinauer Associates Inc. Sunderland. Massachusetts

- Ramanathan, M., Sivakumar, S., Saravanababu, C., Anandvijayakumar, P.R. & Pandian, P.R. 2007 Neuroprotective evaluation of standardized extract of *Centella asiatica* in monosodium glutamate treated rats. *Indian J Exp Biol* 45(5): 425-31
- Rao, K.G.M., Rao, S.M. & Rao, S.G. 2005a *Centella asiatica* (linn) induced behavioral changes during growth spurt period in neonatal rats. *Neuroanatomy* 4:18-23
- Rao., S.B., Chetana, M. & Uma Devi, P. 2005b *Centella asiatica* treatment during postnatal period enhances learning and memory in mice. *Physiol Behav* 86(4):449-57
- Rao, K.G.M., Rao, S.M. & Rao, S.G. 2006 *Centella asiatica* (L.) leaf extract treatment during the growth spurt period enhances hippocampal CA3 neuronal dendritic arborization in rats. *Evid Based Complement Alternat Med* 3(3):349-57
- Rao, K. M., Rao, S. M. & Rao, S. G. 2007 Treatment with *Centalla asiatica* (Linn) fresh leaf extract enhances learning ability and memory retention power in rats. *Neuroscience* 12: 236-41.
- Rao, K.G.M., Rao, S.M. & Rao, S.G. 2009 Enhancement of amygdaloid neuronal dendritik arborization by fresh leaf juice of *Centella asiatica* (linn) during growth spurt period in rats. *Evid Based Complement Alternat Med* 6(2):203-10
- Reagan-Shaw, S., Nihal, M., & Ahmad, N. 2008 Dose translation from animal to human studies revisited. *FASEB* 22(3):659-61
- Reichardt, L.F. 2006 Neurotrophin-regulated signaling pathways. *Philos Trans R Soc Lond B Biol Sci* 361(1473):1545-64
- Roopesh, C., Salomi, K. R., Nagarjuna, S., & Reddy, Y. P. 2011 Diuretic activity of methanolic and ethanolic extracts of *Centella asiatica* leaves in rats. *Int Res J Pharm* 2(11):163-5
- Sandi, C.1998 The role and mechanisms of action of glucocorticoid involvement in memory storage. *Neural Plast* 6(3):41-52
- Sapolsky, R. M., Uno, H., Rebert, C. S. & Finch, C. E. 1990 Hippocampal damage associated with prolonged glucocorticoid exposure in primates. *J Neurosci* 10: 2897-902
- Sapolsky, R.M. 1999 Glucocorticoids, stress, and their adverse neurological effects: relevance to aging. *Exp Geront* 34:721-32
- Sartorius, A., Hellweg, R., Litzke, J., Vogt, M., Dormann, C., Vollmayr, B., *et al.* 2009 Correlations and discrepancies between serum and brain tissue levels of neurotrophins after electroconvulsive treatment in rats. *Pharmacopsychiatry* 42: 270-6
- Scoville, W.B. & Milner, B. 2000 Loss of recent memory after bilateral hippocampal lesion. *J Neuropsychiatry Clin Neurosci* 12(1):103-13
- Sekita-Krzak, J. S., Lupina, I. Z., Czerny, K., Stepniewska, M. & Wrobel, A. 2003 Neuroprotective effect of ACTH in degeneration of hippocampal nerve cells cause dexamethasone: morphological, immunohistochemical and ultrastructural studies. *Acta Neurobiol Exp* 63:1-8
- Shi, S., Shao, S., Yuan, B., Pan, F. & Li, Z. 2010 Acute stress and chronic stress change brain derived neurotrophic factor (BDNF) and tyrosine kinase-



- coupled receptor (TrkB) expression in both young and aged rats hippocampus. *Yonsei Med J* 51(5):661-71
- Shinomol, G. K. 2008 Prophylactic neuroprotective property of *Centella asiatica* against 3-nitropropionic acid induced oxidative stress and mitochondrial dysfunctions in brain regions of prepubertal mice. *Neurotoxicology* 29: 948-57
- Simonian, N.A. & Coyle, J.T. 1996 Oxidative stress in neurodegenerative disorders. *Annu Rev Pharmacol Toxicol* 36:83-106
- Singh, M. & Su, C. 2013 Progesterone, brain-derived neurotrophic factor and neuroprotection. *Neuroscience* 239:84-91
- Sorenson, M., Jason, L., Peterson, J., Herrington, J. & Mathews, H. 2014 Brain derived neurotrophic factor is decreased in chronic fatigue syndrome and multiple sclerosis. *J Neurol Neurophysiol* S12: S2-013
- Soumyanath, A., Zhong, Y.P., Gold, S.A., Yu, X., Koop, D.R., Bourdette, D. *et al.* 2005 *Centella asiatica* accelerates nerve regeneration upon oral administration and contains multiple active fractions increasing neurite elongation in-vitro. *J Pharm Pharmacol* 57(9):1221-29
- Sousa, N., Lucoyanov, N.V., Madeira, M.D., Almeida, O.F. & Paula-Barbosa, M.M. 2000 Reorganization of morphology of hippocampal neurites and synapses after stress-induced damage correlates with behavioral improvement. *Neuroscience* 97(20):253-66
- Squire, L.R. 2009 Memory and Brain Systems: 1969-2009. *J Neurosci* 29:12711-6
- Standring, S. 2005 *Gray's Anatomy the Anatomical Basis of Clinical Practices*. 39<sup>th</sup> ed. Elsevier Churchill Livingstone. Eidenberg
- Stein-Behren, B., Mattson, M.P., Chang, I., Yeh, M. & Sapolsky, R. 1994 Stress exacerbates neuron loss and cytoskeletal pathology in the hippocampus. *J Neurosci* 14(9):5373-80
- Stillman, M.J., Shukitt, H.B., Levy, A. & Lieberman, H.R. 1998 Spatial memory under acute cold and restraint test. *Physiol Behav* 64(5):605-9
- Subash, P., Gurumurthy, P., Sarasabharathi, A. & Cherian, K.M. 2010 Urinary 8-OHdG: a marker of oxidative stress to DNA and total antioxidant status in essential hypertension with south Indian population. *Indian J Clin Biochem* 25(2):127-32
- Subathra, M., Shila, S., Devi, M.A. & Panneerselvam, C. 2005 Emerging role of *Centella asiatica* in improving age-related neurological antioxidant status. *Exp Gerontol* 40(8-9):707-15
- Sudarsono P., Gunawan, D., Wahyuono. 2002 *Hasil Penelitian, Sifat-Sifat, Penggunaan*. Penerbit Pusat Studi Obat Tradisional UGM. Yogyakarta
- Suen, P-C., Wu, K., Levine, E.S., Mount, H.T.J., Xu, J-L., Lin, S-Y., *et al.* 1997 Brain-derived neurotrophic factor rapidly enhances phosphorylation of the postsynaptic N-methyl-D-aspartate receptor subunit 1. *Proc Natl Acad Sci* 94:8191-5
- Sun, X., Zhou, H., Luo, X., Li, S., Yu, D., Hua, J., *et al.* 2008 Neuroprotection of brain-derived neurotrophic factor against hypoxic injury in vitro requires activation of extracellular signal-regulated kinase and phosphatidylinositol 3-kinase. *Int J Dev Neurosci* 26(3-4): 363-70

- Syamsuhidayat, S.S. & Hutapea, J.R. 1991 *Inventaris Tanaman Obat Indonesia*, Departemen Kesehatan RI. Jakarta
- Tang, W. & Eisenbrand, G. 1992. *Chinese Drugs of Plant Origin: Chemistry, Pharmacology, and Use in Traditional and Modern Medicine*. Springer Berlin Heidelberg
- Tsigos, C. & Chrousos, G.P. 2002 Hypothalamic-pituitary-adrenal axis, neuroendocrine factors and stress. *J Psychosom Res* 53(4):865-71
- Udayabanu, M., Kumaran, D., Nair, R.U., Srinivas, P., Bhagat, N., Aneja, R. 2008 Nitric oxide associated with iNOS expression inhibits acetylcholinesterase activity and induces memory impairment during acute hypobaric hypoxia. *Brain Res* 1230:138-49
- van Strien, N.M., Cappaert, N.L & Witter, M.P. 2009 The anatomy of memory: an interactive overview of the parahippocampal-hippocampal network. *Nat Rev Neurosci* 10:272-82
- Vaynman, S., Ying, Z., Gomez-Pinilla, F. 2004 Hippocampal BDNF mediates the efficacy of exercise on synaptic plasticity and cognition. *Eur J Neurosci* 20:2580-90
- Wei, T., Chen, C., Hou, J., Xin, W. & Mori, A. 2000 Nitric oxide induces oxidative stress and apoptosis in neuronal cells. *Biochim Biophys Acta* 1498(1):72-9
- Xu, C.L., Qu, R., Zhang, J., Li, L.F. & Ma, S.P. 2013 Neuroprotective effects of *madecassoside* in early stage of Parkinson's disease induced by MPTP in rats. *Fitoterapia* 90:112-8
- Yamada, K. & Nabeshima, T. 2003 Brain-derived neurotrophic factor/TrkB signaling in memory processes. *J Pharmacol Sci* 91:267-70
- Yamada, K., Mizuno, M. & Nabeshima, T. 2002 Role for brain-derived neurotrophic factor in learning and memory. *Life Sci* 70 (2002):735-44
- Yassa, M.A. & Stark, C.E.L. 2011 Pattern separation in the hippocampus: hippocampus and memory. *Trends Neurosci* 34(10):515-25
- Ying, S.-W., Futter, M., Rosenblum, K., Webber, M.J., Hunt, S.P., Bliss, T.P.V., et al. 2002 Brain-derived neurotrophic factor induces long-term potentiation in intact adult hippocampus: requirement for ERK activation coupled to CREB and upregulation of Arc synthesis. *J Neurosci* 22(5):1532-40
- Zafir, A. & Banu, N. 2009 Modulation of in vivo oxidative status by exogenous corticosterone and restraint stress in rats. *Stress* 12(2):167-77
- Zainol, M., Abd-Hamid, A., Yusof, S. & Muse, R. 2003 Antioxidative activity and total phenolic compounds of leaf, root and petiole of four accessions of *Centella asiatica* (L.) urban. *Food Chem* 81(4):575-81
- Zhang, K., Grady, C.J. & Tsapakis, E.M. 2004 Regulation of working memory by dopamin D4 receptor in rats. *J Neuropsychopharmacol* 29:1648-55
- Zhang, M., Hettiarachchy, N.S., Horax, R., Kannan, A., Praissoody, M. D. A., Muhundan, A. et al. 2011 Phytochemicals, antioxidant and antimicrobial activity of *Hibiscus sabdariffa*, *Centella asiatica*, *Moringa oleifera* and *Murraya koenigii* leaves. *JMPR* 5: 6672-80
- Zhang, X., Wu, J., Dou, Y., Xia, B., Rong, W., Rimbach, G. et al. 2012 Asiatic acid protects primary neurons against C2-ceramide-induced apoptosis. *Eur J Pharmacol* 679(1-3):51-9

Zheng, C.J. & Qin, L.P. 2007 Chemical components of *Centella asiatica* and their bioactivities. *Chin J Integr Med* 5(3):348-51