

DAFTAR PUSTAKA

- Adav, S.S., Chao, L.T., Sze, S.K. (2012). Quantitative secretomic analysis of *Trichoderma reesei* strains reveals enzymatic composition for lignocellulosic biomass degradation. *Mol. Cell. Proteomics* 11, M111.012419.
- Ahmed, M., Qadir, M.A., Shahzad, S., Waseem, R. and Tahir, M.S. (2014). Validation of UV-HPLC method for simultaneous quantification of organic acids in disinfectants for haemodialysis machines. *International Journal of Chemistry and Pharmaceutical Sciences* 2(1) :536-540.
- Amadioha, A.C. (1993). Production of cellolytic enzymes by *Rhizopus oryzae* in culture and *Rhizopus*-infected tissues of potato tubers. *Mycologia* 85:574–578.
- Amadioha, A.C. (1998). Effect of cultural conditions on the growth and amyolytic enzyme production by *Rhizopus oryzae*. *Acta Phytopathol Hun* 33:115–121.
- Anonim. 2013. Produksi tanaman padi seluruh Indonesia tahun 2013. <http://www.bps.go.id>.
- Bakir, U., Yavascaoglu, S., Guvenc, F., Ersayin, A. (2001). An endo- β -1,4-xylanase from *Rhizopus oryzae*: production, partial purification and biochemical characterization. *Enzyme Microb Tech* 29:328–334.
- Bailey, M.J., Biely, P., Poutanen, K. (1992). Interlaboratory testing of methods for assay of xylanase activity. *Journal of Biotechnology* 23: 257-270.
- Bailey, M.J dan Viikari. (1993). Production of xylanases by *Aspergillus fumigatus* and *Aspergillus oryzae* on xylan based media. *World J. Microb and Technol* 9: 80-84.
- Bakker, R.R., Maas, R.H.W., Kabel, M.A., Weusthuiss, R.A., Schols, H.A., de Jong, Ed. (2008). Mild-temperature alkaline pretreatment of wheat straw to enhance hydrolysis and fermentation. Dalam: Maas, R.H.W. *Microbial Conversion of Lignocellulose-Derived Carbohydrates into Bioethanol and Lactic Acid*, page 29-46. Thesis Wageningen University, the Netherland.
- Ban, K., Kaieda, M., Matsumoto, T., Kondo, A., Fukuda, H. (2001). Whole cell biocatalyst for biodiesel fuel production utilizing *Rhizopus oryzae* cells immobilized within biomass support particles. *Biochem Eng J* 8:39–43.

- Cao, N., Du, J., Gong, C.S., Tsao, G.T. (1996). Simultaneous production and recovery of fumaric acid from immobilized *Rhizopus oryzae* with a rotary biofilm contactor and an adsorption column. *Appl Microbiol Biot* 62:2926–2931.
- Chahal, D.S. (1985). Solid-state fermentation with *Trichoderma reesei* for cellulase production. *Applied And Environmental Microbiology* 49 (1):205-210.
- Chang, V.S dan Holtzapple M.T. (2000). Fundamental factors affecting enzymatic reactivity. *Appl. Biochem. Biotechnol* 15-37.
- Chen, Hongzhang. (2013). Modern Solid State Fermentation. *Springer Science Business Media*.
- Chen, Hongzhang. (2014). Biotechnology of Lignocellulose. *Chemical Industry Press*.
- Chum, H.L., Douglas, L.J., Feinberg, D.A., Schroeder, H.A. (1985). Evaluation of pretreatment of biomass for enzymatic hydrolysis of cellulose. *Solar Energy Research Institute. U.S. Department of Energy*.
- Coffey, D.G., Bell, D.A., Henderson, A. (1995). Cellulose and cellulase derivatives. In : S.M. Allistarr (ed). *Food Polisaccharides and Their Application*. Marcel and Dekker, New York.
- Datta, R. (1981). Acidogenic fermentation of lignocellulose-acid yield and conversion of component. *Biotechnology and Bioengineering* 23 : 2167-217.
- Dong, X.-Y., Bai, S., Sun, Y. (1996). Production of L(+)-lactic acid with *Rhizopus oryzae* immobilized in polyurethane foam cubes. *Biotechnol. Lett.* 18: 225-228.
- Drissen, R.E.T., Maas, R.H.W., Maarel van den, M.J.EC., Kabel, M.A., Schols, H.A., Tramper, J., Beeftink, H.H. (2007). A generic model for glucose production from various cellulose source by commercial cellulase complex. *Biocatal Biotransfor* 25: 419-429.
- Fengel dan Wegener. (1984). Wood: chemistry, ultrastructure, reactions. *De Gruyter*, Berlin.
- Galbe dan Zacchi. (2007). Pretreatment of lignocellulosic materials for efficient bioethanol production. *Adv Biochem Engin/Biotechnol.* 108: 41–65.
- Ghose, T.K. (1987). Measurement of cellulase activities. *Pure & Appl. Chem* 58 : 257-268.

- Gray, M.C., Converse, A.O., Wayman, C.E. (2003). Sugar monomer and oligomer solubility. Data and predictions for application to biomass hydrolysis. *Appl. Biochem. Biotechnol.* 90: 179–193.
- Gupta, V.K., Schmoll, M., Herrera-Estrella, A., Upadhyay, R. S., Druzhinina, I., Tuohy, M.G. (2014). Elsevier : Oxford, UK.
- Haltrich, D., Nidetzky, B., Kulbe, K.D., Steiner, W., Zupancic, S. (1996). Production of Fungal Xylanases. *Biosource Technology* 58 : 137-161.
- Kaar dan Holtzapple. (2000). Using lime pretreatment to facilitate the enzymic hydrolysis of corn stover. *Biomass and Bioenergy* 18 : 189-199.
- Kadam, K.L., Forrest, L.H., Jacobson, W.A. (2000). Rice straw as a lignocellulosic resource: collection, processing, transportation, and environmental aspects. *Biomass and Bioenergy* 18: 369-389.
- Karmakar, M dan Ray R.R. (2010). Extra cellular endoglucanase production by *Rhizopus oryzae* in solid and liquid state fermentation of agro wastes. *Asian J Biotechnol* 2:27–36.
- Kim, S and Holtzapple, M.T. (2005). Lime Pretreatment and Enzymatic Hydrolysis of Corn Stover. *Bioresource Technology* 96(18): 1994-2006.
- Kirikkyali, N dan Connerton, I.F. (2015). Xylan degrading enzymes from fungal sources *Journal of proteomics and enzymology* 4:1
- Kulkarni., N.A Shendey dan M. Rao. (1999). Molecular and Biotechnology aspect Xylanases. *FEMS Microbiol. Rev* 23:411-456.
- Laureano-Perez, L., Teymouri, F., Alizadeh, H., Dale, L. (2005). Understanding factors that limit enzymatic hydrolysis of biomass. *Appl. Biochem. Biotechnol.*, 1081–1099.
- Maas, R.H.W., Bakker, R.R., Eggink, G., Weusthuis, R.A. 2008a. Lactic acid production from xylose by the fungus *Rhizopus oryzae*. Dalam: Maas, R.H.W. *Microbial Conversion of Lignocellulose-Derived Carbohydrates into Bioethanol and Lactic Acid*, page 47-61. Thesis Wageningen University, the Netherland.
- Maas, R.H.W., Springer, J., Eggink, G., Weusthuis, R.A. 2008b. Xylose metabolism in the fungus *Rhizopus oryzae*: effect of growth and respiration on L(+)-lactic acid production. Dalam: Maas, R.H.W. *Microbial Conversion of Lignocellulose-Derived Carbohydrates into Bioethanol and Lactic Acid*, page 63-80. Thesis Wageningen University, the Netherland.

- Marais, S. (2008). Enzymatic hydrolysis with commercial enzyme of a xylan extracted from hardwood pulp. Departement of chemical engineering, Faculty of engineering, University of Pretoria.
- Martinez, F.A.C., Balciunas, E.M., Salgado, J.M., Gonzalez, D.J.M., Converti, A., Oliveira, R.P.dS. (2013). Lactic acid properties, applications and production: A review. *Trend in Food Sci and Tech* 30: 70-83.
- Maryna, L. (2005). Seleksi jamur xilanolitik dan pemanfaatannya pada biodegradasi tandan kosong kelapa sawit untuk produksi xilosa. *Thesis Universitas Gadjah Mada*.
- Miller, G.L. (1959). Use of dinitro salicylic acid reagent for determination of reducing sugar. *Ann. Chem.* 31: 426-428.
- Mosier, N., Wayman, C.E., Dale, B., Elander, R., Lee, Y.Y., Holtzapple, M.T., Ladisch, M. (2005). Features of Promising Technologies for Pretreatment of Lignocellulosic Biomass. *Bioresourse and Technology* 96: 673-686.
- Muessen, B.J., de Graff, L.H., Sanders, J.P.M., Weusthuis, R.A. (2012). Metabolic engineering of *Rhizopus oryzae* for the production of platform chemicals. *Appl Microbiol Biotechnol* 94:875-886.
- Murashima, K., Nishimura, T., Nakamura, Y., Koga, J., Moriya, T., Sumida, N., Yaguchi, T., Kono T. (2002). Purification and characterization of new endo-1,4- β -D-glucanases from *Rhizopus oryzae*. *Enzyme Microb Tech* 30:319-326.
- Mussatto, S.I dan Teixeira, J.A. (2010). Lignocellulose as raw material in fermentation processes. Dalam : Mendez-Vila, A (Ed), Current research, Technology and education Topic in Applied Microbiology and Microbial Biotechnology, Microbiology Series, Vol 2. FORMATEX.
- Pang Pei Kheng dan Ibrahim C.O. (2005). Xylanases production by local fungal isolate, *Aspergillus niger* USM AI 1 via solid state fermentation using palm kernel cake (PKC) as substrate. *Sanklanakarini.J.Sci.Technol* 27: 325-336.
- Park. E.Y., Anh, P.N., Okuda, N. (2004). Bioconversion of waste office paper to L-(+)-lactic acid by the filamentous fungus *Rhizopus oryzae*. *Bioresourse Technol* 93:77-83.
- Rabelo., C. Sarita., Filho, M.R., Costa, A.C. (2009). Lime Pretreatment of Sugarcane Bagasse for Bioethanol Production. *Appl Biochem Biotechnol* 153:139-150.

- Roa Engel C.A., van Gulik W.M., Marang, L., van der Wielen L.A.M., Straathof, A.J.J. (2010). Development of a low pH fermentation strategy for fumaric acid production by *Rhizopus oryzae*. *Enzyme Microb Tech* 48:39–47.
- Ross, A., Schfigerl, K., Scheiding, W. (1983). Cellulase Production by *Trichoderma reesei*. *Eur J Appl Microbiol Biotechnol* 18:29-37.
- Ryu, D.D.Y dan Mendels, M. (1980). Cellulases: biosynthesis and applications. *Enzyme Microb. Technol* (2).
- Saha. (2004). Lignocellulose biodegradation and applications in biotechnology. Fermentation Biotechnology Research Unit, National Center for Agricultural Utilization Research, Agricultural Research Service, U.S. Department of Agriculture.
- Saito, K., Kawamura, Y., Oda Y. (2003). Role of the pectinolytic enzyme in the lactic acid fermentation of potato pulp by *Rhizopus oryzae*. *J Ind Microbiol Biot* 30:440–444.
- Skory C.D., Freer S.N., Bothast R.J.(1998). Production of L-lactic acid by *Rhizopus oryzae* under oxygen limiting conditions. *Biotechnol Lett* 20:191–194.
- Skory, C.D. (2000). Isolation and expression of lactate dehydrogenase genes from *Rhizopus oryzae*. *Appl Environ Microb.* 66(6): 2343–2348.
- Skory, C.D. (2003). Induction of *Rhizopus oryzae* pyruvate decarboxylase genes. *Curr. Microbiol.* 47 : 59–64.
- Skory, C.D dan Ibrahim, A.S.(2007). Native and modified lactate dehydrogenase expression in a fumaric acid producing isolate *Rhizopus oryzae* 99-880. *Curr Genet* 52:23–33.
- Smits, J.P., Rinzema, A., Tramper, J., Van Sonsbeek, H.M., Knol, W. (1996). Solid state fermentation of wheat bran by *Trichoderma reesei* QM 3494: Substrate composition changes, C balance, enzyme production and kinetics. *Applied Microbiology and Biotechnology* 46: 489-496.
- Smits, J.P. (1998). Solid-state fermentation modeling fungal growth and activity. *des namiddags te 16.00 uur in de Aula*.
- Subramaniyam dan Prema. (2002). Biotechnology of Microbial Xylanases : Enzymology, Molecular Biology and Application. *Biotechnology* 22(1), 33-46.

- Sun, Y dan Cheng, J. (2002). Hydrolysis of lignocellulosic material for ethanol production: a review. *Bioresource Technol* 83:1-11.
- Sunna, A dan G. Antranikian. (1997). Xylanolytic enzyme from fungi and bacteria. *Critical Review in Biotechnology* 17(1): 39-67.
- Taherzadeh dan Karimi. (2008). Pretreatment of lignocellulosic wastes to improve ethanol and biogas production: A review. *International Journal of Molecular Sciences*. 9: 1621-1651.
- Varga, E., Szengyel, Z., Reczey, K. (2002). Chemical pretreatments of corn stover for enhancing enzymatic digestibility. *Applied Biochemistry and Biotechnology*. 98: 100-110.
- Vijayakumar, J., Aravindan, R., Viruthagiri, T. (2008). Recent trends in the production, purification and application of lactic acid. *Chemical and Biochemical Engineering Quarterly*, 22(2): 245-264.
- Xia, L dan Cen, P. (1999). Cellulase production by solid state fermentation on lignocellulosic waste from the xylose industry. *Process Biochem* 14: 909-912.
- Yang, B dan Wyman, C. (2006). BSA treatment to enhance enzymatic hydrolysis of cellulose in lignin containing substrat. *Biotechnol Bioeng* 94: 611-617.
- Yin, P., Nishina, N., Kosakai, Y., Yahiro, K., Park, Y., Okabe, M. (1997). Enhanced production of L-(+)-lactic acid from corn starch in a culture of *Rhizopus oryzae* using an air-lift bioreactor. *J Ferment Bioeng* 84:249-253.
- Zhang, Z.Y., Jin, B., Kelly, J.M. (2007). Production of lactic acid from renewable materials by *Rhizopus* fungi. *Biochem Eng Journal* 35: 251-263.
- Zhou. Y., Dominguez, J.M., Cao, N.J., Du, J.X., Tsao, G.T. (1999). Optimization of L-lactic acid production from glucose by *Rhizopus oryzae* ATCC 52311. *Appl Biochem Biotechnol* 77:401-7.