

DAFTAR PUSTAKA

- Afinah, S., Yazid, A.A.M., Anis, S., dan Shuhaimin, M. 2010. Review Article Phytase : Application in Food Industry. *International Food Research Journal* 18: 13-21. Pp: 1-9.
- Agrahar-M.D., dan Jha, K. 2010. Effect of Drying on Nutritional and Functional Quality and Electrophoretic Pattern of Soyflour From Sprouted Soybean (*Glycine Max*). *Journal of Food Science and Technology*. 47. Pp: 482-487.
- Ahmed, M.E., dan Abdelati, K.A.. 2009. Chemical composition and amino acids of *Leucaena leucocephala* seed. *International Journal of Poultry Science* 8 (10): 966-970
- Aisyah, Y., Rasiansyah, an Muhaimin. 2009. Pengaruh Pemanasan terhaap Aktiitas Antioksidan Pada Beberapa Jenis Sayuran. *Jurnal Teknologi dan Industri Pertanian Indonesia*. 6 (2): 1-5.
- Akeson, W. R., dan Stahmann, M. A. 1964. A Pepsin Pancreatin Digest Index of Protein Quality Evaluation. *Journal of Nutrition*. 8 : 257-261.
- Almeida, C.C., Maria, L.G.M., Bruno, R.C.C.L., Thiago, S.A., dan Carlos, A.C.J. 2015. In Vitro Digestibility of Commercial Whey Protein in Supplement. *Food Science and Technology* 61: 7-11.
- Alonso, R., Orue, E., dan Marzo, F. 1998. Effects of extrusion and conventional processing methods on protein and antinutritional factor contents in pea seeds. *Food Chemistry*, 63, 505–512.
- Anonim. 2006. *Official Methods of Analysis of Association of Official Analytical Chemist*. Analysis of the Association of Official Anaylitical Chemists, Washington, DC.
- Bethke, P.C., dan Jansky, S.H. 2008. The Effects of Boiling and Leaching on The Content of Potssium and Other Minerals in Potatoes. *Journal of Food Science* 75 (5): 80-85.
- Cabbanes, Juana., Canovas, F.G., Tudela, Jose, Lozanoa, J.A., dan Carmona, F.G. 1987. L. Mimosine, A Slow-Binding Inhibitor of Mushroom Tyrosine. *Journal Phytochemistry Vol* 26(4). Pp: 917-919.
- Cabrera-Orozco, A., Jim, C., dan D_avila-Ortiz, G. 2013. Soybean: Non-Nutritional Factors and Their Biological Functionality. INTECH Open Access Publisher.

- Carbonaro, M., Maseli, P., dan Nucara, A. 2012. Relationship Between Digestibility and Secondary Structure of Raw and Thermally Treated Legume Proteins: a Fourier transform infrared (FT-IR) Spectroscopic Study. *Amino Acids* 43: 911-921.
- Chowtivannakul, P., Buavaroon, S., dan Chusri, T. 2016. Antidiabetic and Antioxidant Activities of Seed Extract from *Leucaena leucocephala* (Lam.) de Wit. *Es. Vol 50 (5)*. pp 357-361.
- Chen, D.-W., dan Zhang, M., 2007. Non-volatile taste active compounds in the meat of Chinese mitten crab (*Eriocheir sinensis*). *Food Chemistry* 104: 1200–1205.
- Chukwuma, O.M., Olanipekun, O.T., dan Udonso, V.B. 2016. Effect of The Traditional Cooking Methods (Boiling and Roasting) on The Nutritional Profil of Quality Protein Maize. *Journal og Food and Nutrition Sciences* 4(2): 34-40.
- Dai, Z., Zhenlong, W., Sichao, J., Guoyao, W. 2014. Analyiss of Amino Acid Composition in Protein of Animal Tissues and Food as Pre-column O-Ohtadialdehyde Derivatives by HPLC with Fluorescence Detection. *Journal of chromathography B B* 964. Pp: 116-127.
- Del Valle, F.R. 1981. Nutritional Qualities of Soya Protein as Affected by Processing. *JAOCS* 58: 519.
- Deliani. 2008. Pengaruh Lama Fermentasi Terhadap Kadar Protein, Lemak, Komposisi Asam Lemak dan Asam Fitat pada Pembuatan Tempe. *Tesis. Sekolah Pascasarjana Universitas Sumatera Utara, Medan*.
- Despande, S.S., Cheryan, M., Salunkhe, D.K., dan Luh, B.S. 2009. Tannin Analysis of Food Products. *Journal Food Science*. 24(4) : 401-449.
- Devi, V.N., Ariharan, V.N., dan Nagendra P.P. 2013. Nutritive Value and Potential Uses of *Leucaena Leucocphala* as Biofuel- A mini Review. *Research Journal of Pharmaceutical, Biological and Chemical Sciences* 4 (1): 515-521.
- Deodhar, U.P., Paradkar, A.R., dan Purohit, A.P. 1998. Preliminary Evaluation of *Leucaena leucocephala* Seed Gum as A Tablet Binder. *Drug Dev Ind Pharm* 1998; 24 (6): 577-582.
- Ekpenyong, T.E. 1986. Nutrient and Amino Acid *Leucaena leucocephala* (Lam.) de wit. *Animal Feed Science and Technology* 15 : 183-187.
- Embaby, H.E. 2010. Effect of Soaking, Dehulling, and Cooking Methods on Certain Antinutrients and *in vitro* Protein Digestibility of Bitter and Sweet Lupin Seeds. *Food Science Biotechnology*. 19 (4): 1055-1062.

- Embaby, H. E. 2011. Effect of Heat Treatments on Certain Antinutrients and In Vitro Protein Digestibility of Peanut and Sesame Seeds. Food science and technology research. 17: 31-38.
- Gamal, A.M., Amer, H., Helmy, W.A., Ragab, H.M., dan Talaat, R.M. 2007. Antiproliferative and cancer-chemopreventive Properties of Sulfated Glycosylated Extract Derived from *Leucaena leucocephala*. Indian J Pharm Sci 2007; 69: 805-11.
- Greiner, R. dan Konietzny, U. 2006. Phytase for Food Application. Food Technol Biotechnol 44: 125–140.
- Hagerman, A. E. 2002. Tannin Handbook. Department of Chemistry and Biochemistry, Miami University.
- Hegarty M.P, Schinkel P.G, dan Court TD. 1964. Reaction of Sheep to The consumption of *Leucaena glauca* Benth. and to its Toxic Principle Mimosine. Aust J Agric Res. 15:153–167.
- Hsu, H. W., Vavak, D. L., Satterlee, L. D. dan Miller, G. A. 1977. A Multienzyme Technique for Estimating Protein Digestibility. *J. Food Sci* 42: 1269-73.
- Huang, S.D., Liang, J.B., Tan, H.Y., Rosyiah, Y., Ruijun, L., Yin, W.H. 2011. Protein –Binding Affinity of *Leucaena* Condensed Tannin of Differing Molecular Weights. *J. Agric. Food Chem.* 59: 10677–10682
- Ilham, Zul., Hamidon, Hanisjasymah., Romji, N.A., Norfadhilah, Ramli., dan Osman, Normaniza. 2015. Extraction and Quantification of Toxic Compound Mimosine from *Leucaena leucocephala* Leaves. *Procedia Chemistry* 16: 164-170.
- Ismarani. 2012. Potensi Senyawa Tannin dalam Menunjang Produksi Ramah Lingkungan. *Jurnal Agribisnis dan Pengembangan Wilayah* 3(2): 1-8.
- Jain, A.K., Kumar, S., dan Panwar, S.D.S. 2009. Antinutritional Factor and Their Detoxification in Pulses- A Review. *Jurnal Agriculture, Rev* 30 (1) : 64-70.
- Jasraj, K.D., dan Kiran, Bains. 2010. Effect of household cooking methods on nutritional and antinutritional factors in green cowpea (*Vigna unguiculata*) Pods. *J Food Science Technology* 47: 579-581.
- Kim, S.Y., Kim, B.M., Kim, J.B., Shanmugavelan, P., Kim, H.W., Kim, S.Y., Kim, S.N., Y, S.C., Han, S, C., dan Ki, M.P. 2014. Effect of Steaming, Blanching, and High Temperature/High Pressure Processing on the Amino Acid Contents of Commonly Consumed Korean Vegetables and Pulses. *Prev. Nutr. Food Sci.* 19(3):220-226.

- Kumar, V., Sinha, A.K., Makkar, H.P.S., dan Becker, K. 2010. Dietary Roles of Phytate and Phytase in Human Nutrition: A Review. *Food Chemistry*: 945-959.
- Kusmayati. 1989. Pengaruh Pemasakan terhadap Kandungan Tripsin Inhibitor Kedelai, Kecap, Lamtoro Gung dan Saga. Jurusan Gizi Masyarakat dan Sumber Daya Keluarga. Fakultas Pertanian. Institut Pertanian Bogor.
- Legowo, A.M., dan Nurwantoro. 2004. *Analisis Pangan*. Program Studi Teknologi Hasil Ternak. Fakultas Peternakan. Universitas Diponegoro. Semarang.
- Lim, T.K. 2012. Edible Medicinal and Non-Medicinal Plants: Volume 2 Fruits. Serial Online Book Springer Science Business Media B.V.
- Lodhi, G.N., D. Singh dan J.S. Ichponani, 1976. Variation in Nutrient Content of Feedstuffs Rich in Protein and Reassessment of The Chemical Methods for Metabolizable Energy Estimation for poultry. *J. Agric. Sci. Camb.*, 86: 293-303.
- Lopez, H.W., Fanny, L., Charles, C., dan Christian, R. 2002. Minerals and Phytic Acid Interaction: Is it a real problem for human nutrition? *International Journal of Food Science and Technology* No. 37: 727-739.
- Ma, Z., Joyce, I.B., dan Xinzhong, H. 2017. In Vitro Digestibility, Protein Composition and Techno-Functional Properties of Saskatchewan Grown Yellow Field Peas (*Pisum sativum L.*) as Affected by Processing. *Food Research International* 92.: 64-78.
- Makkar, H.P.S., dan Sidhuraju, P., dan Becker, K. 2007. L-Mimosine (β -3-Hydroxy-4-Pyridone-1-yl)-L-Alanine). *Plant Secondary Metabolite*. 393: 41-46.
- Mahmood, S., Khan, M.A., Sarwar, M., Nisa, M., Lee, W.S., Kim, S.B., Hur, T.Y., Lee, H.J., dan Kim, H.S. 2007. Use of Chemical Treatments to Reduce Tannins and Trypsin Inhibitor Content in Salsed (*Shorea robusta*). *J. Anim. Sci* 20(9) : 1462-1467.
- Makkar, H.P.S., Sidduraju, P., dan Becker, K. 2007. L-Mimosine (β -(3-Hydroxy-4-Pyridone-1-yl)-L-Alanine). *Plant Secondary Metabolites* 4(1): 41-46
- Malomo, O., Ogunmoyela, O.A.B., dan Oluwajoba, S.O. 2011. Effect of Sprouting on Trypsin Inhibitor of Cowpea (*Vigna unguiculata*). *Journal of Toxicology and Environmental Health Sciences* Vol 3 (5): 139-141.
- Mane, C., Sommerer, N., Yalcin, T., Cheynier, V., Cole, R.B., dan Fulcrand, H., 2007. Assessment of The Molecular Weight Distribution of Tannin Fractions

through MALDI-TOF MS Analysis of Protein–Tannin Complexes. *Anal. Chem.* 79: 2239–2248.

- Mariod, A.A., Sara, Y.A., Siddig, I.A., Sit, F.C., Ahmed, M.E., Samia, O.Y., dan Shio, W.G. 2012. Effects of Roasting and Boiling on The Chemical Composition, Amino Acids and Oil Stability of Safflower Seeds. *International Journal of Food Science and Technology* 31(1): 1-7
- Mathius, I.W. 1983. Tanaman Lamtoro Sebagai Bank Pakan Hijauan yang Berkualitas untuk Kambing-Domba. Balai Penelitian Ternak. *Jurnal Wartazoa* 3(1):1-6
- Meulen, U., Struck., Schulke., dan Harith, E.A.E. 1979. A Review on The Nutritive Value and Toxic Aspect of *Leucaena leucocephala*. *Jornal Trop Anim Prod* 4: 2. Pp: 113-127.
- Minekus, M. Alming, P. Alvito, S. Ballance, T. Bohn, C. Bourlieu, F. Carrière, R. Boutrou, M. Corredig, D. Dupont, C. Dufour, L. Egger, M. Golding, S. Karakaya, B. Kirkhus, S. Le Feunteun, U. Lesmes, A. Macierzanka, A. Mackie, S. Marze, D. J. McClements, O. M'énard, I. Recio, C. N. Santos, R. P. Singh, G. E. Vegarud, M. S. J. Wickham, W. Weitschies dan A. Brodkorb. 2014. A Standardised Static In Vitro Digestion Method Suitable For Food – An International Consensus. No. 5. Pp: 1113.
- Morris, A., Barnett, A., dan Burrows, O. 2004. Effect of Processing on Nutrient Content of Foods. *Artikel*. 37 (3) : 160-164.
- Mubarak, A.E. 2005. Nutritional Composition and Antinutritional Factors of Mung Bean Seeds (*Phaseolus aureus*) as Affected by Some Home Traditional Processes. *Food Chemistry* 89: 489-495.
- Muller, M.K. 2005. Malnutrition and Health in Developing Countries. *CMAJ* 173 (3) 279. CMA Media Inc. or its licensors
- Mulimani, V.H., dan Paramjyothi, S. 1994. Effect of Heat Treatments on Trypsin/Chymotrypsin Inhibitor Activity of Red Gram (*Cajanus cajan* L.). *Plants Foods Hum Nutr* 46(2) :103-107.
- Mulyatiningsih. 2007. *Teknik-teknik Dasar Memasak*. Universitas Negeri Yogyakarta. Yogyakarta.
- Narasimha, Rao. 1978. Analysis In Vitro Methode for Predicting The Bioavailability of Iron from Food. *The American Journal of Clinical Nutrition*.
- Nakkito, A.M., Muuyonga, J.H. dan Doroty, N. 2015. Effects of Combined Traditional Processing Methods on The Nutritional Quality of Beans. *Journal Food Science* 3(3) : 233-241.

- Nehdi, I.A., Hassen, S., Chin, P.T., Saud, I.A.R. 2014. *Leucaena leucocephala* (Lam.) de Wit Seed Oil: Characterization and Uses. Industrial Crops and Products 52 : 582– 587.
- Nwokocha dan Peter, A.W. 2012. Rheological Characterization of The Galactomannan from *Leucaena leucocephala* seed. Carbohydrate Polymers 90 : 833– 838
- Nwosu, J.N. 2010. Effect of Soaking, Blanching and Cooking on The Antinutritional Properties of Asparagus Bean (*Vigna sesquipedis*) Flour. Journal Nature and Science 8(8) : 1-5.
- Ogita, S., Kao, M., Watanabe, S., dan Ashilhara, H. 2014. The Co-Occurrence of Two Pyridine Alkaloids, Mimosine and Trigonelline, in *Leucaena leucocephala*. Jurnal Pubmed 69(3-4) :124-132.
- Olawoye, B.T., dan Saka, O.G. 2017. Effect of Different Treatments on In Vitro Protein Digestibility, Antinutrients, Antioxidant Properties and Mineral Composition of *Amaranthus viridis* Seed. Cogent Food and Agriculture 3: 1-14
- Orwa, C., Mutua, Kindt, R., dan Anthony. 2009 Agroforestry Database: a tree reference and selection guide version 4.0 (<http://www.worldagroforestry.org/sites/treedbs/treedatabases.asp>). Diakses pada bulan Oktober 2017.
- Paredes-Lopez, O. dan Ordorica-Falomir, C. 1986. Production of Safflower Protein Isolates: Composition, Yield and Protein Quality. J. Sci. Food Agric. 37: 1097-103.
- Pesoti, A.R., Oliveira, B.M., Oliveira, A.C., Pompeu, D.G., Goncalves, D.B., Marangoni, S., Silva, J.A., Granjeiro, P.A. 2015. Extraction, Purification and Characterization of Inhibitor of Trypsin from Chenopodium quinoa Seeds. Journal Food and Technology 35(4) : 588-597.
- Rao, C.T., Lakshminarayana, G., Prasad, N.B.L., Jagan, M.R.S., Azeemuddin G, Atchinta Ramayya D, Thirumala Rao SD. 1984. Characteristics and compositions of *Carissa spinarum*, *Leucaena leucocephala* and *Physalis minima* seeds and oils. J Am Oil Chem Soc 61:1472–1473.
- Reddy, N.R., dan Shridhar, K.S. 2001. Food Phytochemicals. CRC Press. Washington DC.
- Reddy, N. R., dan Pierson, M. D. 1994. Reduction in Antinutritional and Toxic Components in Plant Foods by Fermentation. Food Research International, 27: 281–290.

- Reyes de Corcueta, J.I., Cavaleri, R.P., dan Power, J.R. 2004. Blanching of Foods. in Encyclopedia of Agricultural, Food, and Biological Engineering. pp. 1–5, Marcel Dekker, Inc., New York, NY.
- Rocha, T., Audoin, C.M., dan Lebert, A. 1993. Effect of Drying Temperature and Blanching on The Degradation of Chlorophyll a and b In mint (*Mentha spicata* Huds.) and Basil (*Ocimum basilicum*): Analysis by High Performance Liquid Chromatography with Photodiode Array Detection. Journal Chromatographia 36(1): 1520156.
- Rosida, D.F., Sudaryati, H.P., dan Fenny, C. 2010. Kajian Peran Angkak Pada Kualitas Tempe Kedelai-Lamtoro (*Leucaena leucocephala*). Program Studi Teknologi Pangan. UPN Veteran Jatim: 64-70.
- Santos, G.B., Ana, C.S., dan Mar, V. 2013. Quality Parameters in Convective Dehydrated Carrots Blanched by Ultrasound and Conventional Treatment. J. Food Chemistry 141(1): 616-624.
- Sattar, R., Syed, A.A., Mustafa, Kamal, Aftab, A.K., dan Atiya, A. 2004. Molecular mechanis of enzyme inhibiton: Prediction the Three-Dimensional Structure of The Dimeric Trpsin Inhibitor from *Leucaena leucocephala* by Homology Modelling. Biochemical and Biophysical Research Communication 314: 755-765.
- Syamsyudin. 2010. Antidiabetic Activity of Active Fractions of *Leucaena leucocephala* (Imk) de Wit Seeds in Experiment Model ”. European Journal of Scientific Research. 43 (3): 384-391
- Sethi, P dan Kulkarni, P.R. 1993. In Vitro Protein Digestibility of *Leucaena leucocephala* Seed Kernels and Protein Isolate. Food Chemistry 46: 159-162.
- Stepler, H.A., dan Nair, P.K.R. 1987. International Council for Research in Agroforestry. Kenya.
- Shivare, U.S., Gupta, M., Basu, S., Raghavan, G.S.V. 2007. Optimization of Blanching Process for Carrots. Journal of Food Process Engineering 32 : 587–605.
- Siska. 2011. *Sari Kecambah, Susu Masa Depan*. Artikel Politeknik Kesehatan Kemenkes Malang. <http://www.poltekkes-malang.ac.id/artikel-156-sari-kecambah-susu-masa-depan.html>. Diakses pada hari Kamis 4 September 2014 pukul 23.34 WIB.
- Song, J.Y., dan Kim, C.J. 2003. Color, Texture, Nutrient Contents, and Sensory Values of Vegetable Soybeans [*Glycine max* (L.) Merrill] as Affected by Blanching. Food Chem. 83: 69–74.
- Sotulu, A.O., dan Faturoti. 2008. Digestibility dan Nutritional Values of Differently Processed *Leucaena leucocephala* (Lam. de Wit) Seed Meals in the Diet of African Catfish (*Clarias gariepinus*). Middle East Jornal of Scientific Research 3(4) : 190-198.

- Shimellis, E.A., dan Sudip K.R. 2007. Effect of Processing on Antinutrient and In Vitro Protein Digestibility of Kidney Bean (*Phaseolus vulgaris* L) varieties Grown in East Africa. Food Chemistry : 161-172.
- Swain T.1979. Phenolics in The Environment. Rec Adv Phytochem 12 :617-640.
- Uzogara, S. G., Morton, I. D., dan Daniel, J. W. 1990. Changes in Some Antinutrients of Cow Peas. (*Vigna unguiculata*) Processed with Kanwa Alkaline Salt. Plant Foods for Human Nutrition 40:249-258
- Vijayakumari, K., Pugalendi, M., dan Vadivel, V. 2007. Effect of Soaking and Hydrothermal Processing Methods On The Levels of Antinutrients and In Vitro Protein Digestibility of *Bauhinia purpurea* L. seeds. Food Chemistry, 103: 968-975.
- Wang, N., Lewis, M.J., Brennan, J.G., dan Westby. 1997. Effect of Processing Methods on Nutrients and Antinutritional Factor in Cowpea. Journal Food Chemistry Vol. 58(1-2) : 59-68.
- Weaver, C. M. dan Kannan, S. 2002. Phytate and Mineral Bioavailability. *Cit R. Reddy dan Sathe* (Eds.), Food Phytates. London: CRC Press LLC.
- Wood, J.F., dan Carter, P.M. 1983. Investigation into The Effects of Processing on The Retention of The Carotenoid Fraction of *Leucaena leucocephala* during Storage and The effects of Processing on Mimosine Concentration. *Animal Feed Science and Technology*, 9 : 307-317
- Wu, Bengang., Pan, Zhongli., Qu, Wenjuan., Wuang, Bei., Wang, Juan., dan Ma, Haile. 2014. Effect of Simultaneous Infrared Dry-Dry Blanching and Dhydration on Quality Characteristic of Carrot Slices. Journal Food Science and Technology. 57 : 90-98.
- Zayed, MZ., Mohamed, A.Z., Faihuiddin, B.A., Wei, S.H., dan Shek, L.P. 2014. Comparison Of Mimosine Content And Nutritive Values Of *Neolamarckia Cadamba* And *Leucaena leucocephala* With *Medicago Sativa* As Forage Quality Index. International Journal of Scientific and Technology Research 3(8): 1-5