

## DAFTAR PUSTAKA

- Amić, A., Marković, Z., Marković, J.M.D., Jeremić, S., Lučić, B., Amić, D., 2016. Free radical scavenging and COX-2 inhibition by simple colon metabolites of polyphenols: A theoretical approach. *Comput. Biol. Chem.* 65, 45–53. doi:10.1016/j.compbiolchem.2016.09.013
- Anonim, 2015. Spectrophotometry [WWW Document]. *Chem. Libr.* URL [http://chem.libretexts.org/Core/Physical\\_and\\_Theoretical\\_Chemistry/Kinetics/Reaction\\_Rates/Experimental\\_Determination\\_of\\_Kinetics/Spectrophotometry](http://chem.libretexts.org/Core/Physical_and_Theoretical_Chemistry/Kinetics/Reaction_Rates/Experimental_Determination_of_Kinetics/Spectrophotometry) (accessed 11.17.16).
- Arina, N.B., Rohman, A., 2013. The phenolic contents and antiradical activity of Indonesian *Phyllanthus urinaria* L. *Int. Food Res. J.* 20.
- Artanti, N., Firmansyah, T., Darmawan, A., 2012. Bioactivities evaluation of Indonesian mistletoes (*Dendrophthoe pentandra* (L.) Miq.) leaves extracts. *J. Appl. Pharm. Sci.* 2, 24.
- Bolanos de la Torre, A.A.S., Henderson, T., Nigam, P.S., Owusu-Apenten, R.K., 2015. A universally calibrated microplate ferric reducing antioxidant power (FRAP) assay for foods and applications to Manuka honey. *Food Chem.* 174, 119–123. doi:10.1016/j.foodchem.2014.11.009
- Carrasco-Castilla, J., Hernández-Álvarez, A.J., Jiménez-Martínez, C., Jacinto-Hernández, C., Alaiz, M., Girón-Calle, J., Vioque, J., Dávila-Ortiz, G., 2012. Antioxidant and metal chelating activities of *Phaseolus vulgaris* L. var. Jamapa protein isolates, phaseolin and lectin hydrolysates. *Food Chem.* 131, 1157–1164. doi:10.1016/j.foodchem.2011.09.084
- Cheng, S.-C., Huang, M.-Z., Shiea, J., 2011. Thin layer chromatography/mass spectrometry. *J. Chromatogr. A, Planar Chromatography* 1218, 2700–2711. doi:10.1016/j.chroma.2011.01.077
- Cieśla, Ł., Kryszewski, J., Stochmal, A., Oleszek, W., Waksmundzka-Hajnos, M., 2012. Approach to develop a standardized TLC-DPPH test for assessing free radical scavenging properties of selected phenolic compounds. *J. Pharm. Biomed. Anal.* 70, 126–135. doi:10.1016/j.jpba.2012.06.007
- Darusman, H.S., Darusman, L.K., Sadiyah, S., Rahminiwati, M., Batubara, I., Mitsunaga, T., 2012. Indonesian kepel fruit (*Stelechocarpus burahol*) Oral Deodorant

- Dawidowicz, A.L., Olszowy, M., 2010. Influence of some experimental variables and matrix components in the determination of antioxidant properties by  $\beta$ -carotene bleaching assay: experiments with BHT used as standard antioxidant. *Eur. Food Res. Technol.* 231, 835–840. doi:10.1007/s00217-010-1333-4
- Durmaz, G., 2012. Freeze-dried ABTS+ method: A ready-to-use radical powder to assess antioxidant capacity of vegetable oils. *Food Chem., Advances in Potato Chemistry, Nutrition and Technology* 133, 1658–1663. doi:10.1016/j.foodchem.2012.02.064
- Earls, A., Axford, I., Braybrook, J., 2003. Gas chromatography–mass spectrometry determination of the migration of phthalate plasticisers from polyvinyl chloride toys and childcare articles. *J. Chromatogr. A* 983, 237–246. doi:10.1016/S0021-9673(02)01736-3
- Embuscado, M.E., 2015. Spices and herbs: Natural sources of antioxidants – a mini review. *J. Funct. Foods, Natural Antioxidants* 18, Part B, 811–819. doi:10.1016/j.jff.2015.03.005
- Erel, O., 2004. A novel automated direct measurement method for total antioxidant capacity using a new generation, more stable ABTS radical cation. *Clin. Biochem.* 37, 277–285. doi:10.1016/j.clinbiochem.2003.11.015
- Floegel, A., Kim, D.-O., Chung, S.-J., Koo, S.I., Chun, O.K., 2011. Comparison of ABTS/DPPH assays to measure antioxidant capacity in popular antioxidant-rich US foods. *J. Food Compos. Anal.* 24, 1043–1048. doi:10.1016/j.jfca.2011.01.008
- Grajeda-Iglesias, C., Salas, E., Barouh, N., Baréa, B., Panya, A., Figueroa-Espinoza, M.C., 2016. Antioxidant activity of protocatechuates evaluated by DPPH, ORAC, and CAT methods. *Food Chem.* 194, 749–757. doi:10.1016/j.foodchem.2015.07.119
- Hajšlová, J., Čajka, T., 2007. Gas chromatography–mass spectrometry (GC–MS), in: *Food Toxicants Analysis*. Elsevier, pp. 419–473.
- Handa, Suman Preet Singh Khanuja, Gennaro Longo, Dev Dutt Rakesh (Eds.), 2008. Extraction technologies for medicinal and aromatic plants. *U. N. Ind. Dev. Organ. Int. Cent. Sci. High Technol.*
- Heriyanto, N.M., Garsetiasih, R., 2005. Kajian ekologi pohon burahol (*Stelechocarpus burahol*) di Taman Nasional Meru Betiri, Jawa Timur. *Bul. Plasma Nutfah* 11, 65–73.

- Hinneburg, I., Damien Dorman, H.J., Hiltunen, R., 2006. Antioxidant activities of extracts from selected culinary herbs and spices. *Food Chem.* 97, 122–129. doi:10.1016/j.foodchem.2005.03.028
- Hsieh, J.-F., Lin, W.-J., Huang, K.-F., Liao, J.-H., Don, M.-J., Shen, C.-C., Shiao, Y.-J., Li, W.-T., 2015. Antioxidant activity and inhibition of  $\alpha$ -glucosidase by hydroxyl-functionalized 2-arylbenzo[b]furans. *Eur. J. Med. Chem.* 93, 443–451. doi:10.1016/j.ejmech.2015.02.024
- Hussain, S.T., Ahmed, W., Saeed, M., Danish Ali, S., Asma, M., 2013. Fatty acid methyl ester production from waste cooking oil catalyzed by CuO-CeO<sub>2</sub>/NiO mixed oxides. *J. Renew. Sustain. Energy* 5, 23104. doi:10.1063/1.4794437
- Hussain, S.Z., Maqbool, K., 2014. GC-MS: Principle, technique and its application in food science.
- ITIS Standard Report Page: *Stelechocarpus burahol* [WWW Document], n.d. URL [https://www.itis.gov/servlet/SingleRpt/SingleRpt?search\\_topic=TSN&search\\_value=506194#null](https://www.itis.gov/servlet/SingleRpt/SingleRpt?search_topic=TSN&search_value=506194#null) (accessed 11.20.16).
- Javanmardi, J., 2003. Antioxidant activity and total phenolic content of Iranian *Ocimum* accessions. *Food Chem.* 83, 547–550. doi:10.1016/S0308-8146(03)00151-1
- Joseph, M., 1995. The generation of free radicals by blood platelets-11. *MyScienceWork*. doi:10.1016/b978-012390120-0/50013-7
- Kaale, E., Risha, P., Layloff, T., 2011. TLC for pharmaceutical analysis in resource limited countries. *J. Chromatogr. A, Planar Chromatography* 1218, 2732–2736. doi:10.1016/j.chroma.2010.12.022
- Lee, C.Y., Nanah, C.N., Held, R.A., Clark, A.R., Huynh, U.G.T., Maraskine, M.C., Uzarski, R.L., McCracken, J., Sharma, A., 2015. Effect of electron donating groups on polyphenol-based antioxidant dendrimers. *Biochimie* 111, 125–134. doi:10.1016/j.biochi.2015.02.001
- Lee, Y., Yoon, J., von Gunten, U., 2005. Spectrophotometric determination of ferrate (Fe(VI)) in water by ABTS. *Water Res.* 39, 1946–1953. doi:10.1016/j.watres.2005.03.005
- Lim, 2012. Edible medicinal and non-medicinal plants - Volume 1, Fruits | Lim T. K. | Springer.

- Loh, C.H., Inbaraj, B.S., Liu, M.H., Chen, B.H., 2012. Determination of chlorophylls in *Taraxacum formosanum* by high-performance liquid chromatography–diode array detection–mass spectrometry and preparation by column chromatography. *J. Agric. Food Chem.* 60, 6108–6115. doi:10.1021/jf301422m
- Loizzo, M.R., Tundis, R., Bonesi, M., Menichini, F., Mastellone, V., Avallone, L., Menichini, F., 2012. Radical scavenging, antioxidant and metal chelating activities of *Annona cherimola* Mill. (cherimoya) peel and pulp in relation to their total phenolic and total flavonoid contents. *J. Food Compos. Anal.* 25, 179–184. doi:10.1016/j.jfca.2011.09.002
- Magalhães, L.M., Barreiros, L., Reis, S., Segundo, M.A., 2014. Kinetic matching approach applied to ABTS assay for high-throughput determination of total antioxidant capacity of food products. *J. Food Compos. Anal.* 33, 187–194. doi:10.1016/j.jfca.2014.01.003
- Martins, A.C., Bukman, L., Vargas, A.M.M., Barizão, É.O., Moraes, J.C.G., Visentainer, J.V., Almeida, V.C., 2013. The antioxidant activity of teas measured by the FRAP method adapted to the FIA system: Optimising the conditions using the response surface methodology. *Food Chem.* 138, 574–580. doi:10.1016/j.foodchem.2012.10.143
- MikaMi, I., YaMaguChi, M., Shinmoto, H., Tsushida, T., 2009. Development and validation of a microplate-based. BETA.-carotene bleaching assay and comparison of antioxidant activity (AOA) in several crops measured by. BETA.-carotene bleaching, DPPH and ORAC assays. *Food Sci. Technol. Res.* 15, 171–178.
- Moffat, A.C., Osselton, M.D., Widdop, B., Watts, J. (Eds.), 2011. Clarke's analysis of drugs and poisons: in pharmaceuticals, body fluids and postmortem material, Fourth edition. ed. Pharmaceutical Press, London ; Chicago.
- Moody, C.J., Harwood, L.M., 1990. Experimental organic chemistry: principles and practice. Blackwell Scientific Publications, Oxford [England], Boston.
- Munné-Bosch, S., Pintó-Marijuan, M., 2017. Free radicals, oxidative stress and antioxidants A2 - Thomas, Brian, in: Murray, B.G., Murphy, D.J. (Eds.), *Encyclopedia of Applied Plant Sciences* (Second Edition). Academic Press, Oxford, pp. 16–19.
- Musa, K.H., Abdullah, A., Al-Haiqi, A., 2016. Determination of DPPH free radical scavenging activity: Application of artificial neural networks. *Food Chem.* 194, 705–711. doi:10.1016/j.foodchem.2015.08.038

- NIST Mass spectrometry Data Center, 2014. Bis(2-ethylhexyl) phthalate [WWW Document]. URL <http://webbook.nist.gov/cgi/cbook.cgi?ID=C117817&Mask=200> (accessed 7.10.17).
- Olech, M., Komsta, Ł., Nowak, R., Cieřła, Ł., Waksmundzka-Hajnos, M., 2012. Investigation of antiradical activity of plant material by thin-layer chromatography with image processing. *Food Chem.* 132, 549–553. doi:10.1016/j.foodchem.2011.10.067
- Oliveira, G.K.F., Tormin, T.F., Sousa, R.M.F., de Oliveira, A., de Moraes, S.A.L., Richter, E.M., Munoz, R.A.A., 2016. Batch-injection analysis with amperometric detection of the DPPH radical for evaluation of antioxidant capacity. *Food Chem.* 192, 691–697. doi:10.1016/j.foodchem.2015.07.064
- OMICS International, 2014. Column chromatography | Open Access articles | Open Access journals | Conference Proceedings | Editors | Authors | Reviewers | scientific events [WWW Document]. URL [http://research.omicsgroup.org/index.php/Column\\_chromatography](http://research.omicsgroup.org/index.php/Column_chromatography) (accessed 11.17.16).
- Oroian, M., Escriche, I., 2015. Antioxidants: Characterization, natural sources, extraction and analysis. *Food Res. Int.* 74, 10–36. doi:10.1016/j.foodres.2015.04.018
- Osman, A.M., Wong, K.K.Y., Fernyhough, A., 2006. ABTS radical-driven oxidation of polyphenols: Isolation and structural elucidation of covalent adducts. *Biochem. Biophys. Res. Commun.* 346, 321–329. doi:10.1016/j.bbrc.2006.05.118
- Phongpaichit, S., Nikom, J., Rungjindamai, N., Sakayaroj, J., Hutadilok-Towatana, N., Rukachaisirikul, V., Kirtikara, K., 2007. Biological activities of extracts from endophytic fungi isolated from *Garcinia* plants. *FEMS Immunol. Med. Microbiol.* 51, 517–525. doi:10.1111/j.1574-695X.2007.00331.x
- Pisoschi, A.M., Pop, A., 2015. The role of antioxidants in the chemistry of oxidative stress: A review. *Eur. J. Med. Chem.* 97, 55–74. doi:10.1016/j.ejmech.2015.04.040
- Pribadi, P., Latifah, E., Rohmayanti, R., 2014. Pemanfaatan perasan buah kepel (*Stelechocarpus burahol* (Blume) Hook.& Thomson) sebagai antiseptik luka. *Pharmaciana* 4. doi:10.12928/pharmaciana.v4i2.1576
- Prieto, M.A., Rodríguez-Amado, I., Vázquez, J.A., Murado, M.A., 2012. β-Carotene Assay Revisited. Application to characterize and quantify

- antioxidant and prooxidant activities in a microplate. *J. Agric. Food Chem.* 60, 8983–8993. doi:10.1021/jf302218g
- Purwantiningsih, Hakim, A.R., Purwantini, I., 2010. Antihyperuricemic activity of the kepel [*Stelechocarpus burahol* (Bl.) Hook. F. & Th.] leaves extract and xanthine oxidase inhibitory study. *ResearchGate* 2, 123–127.
- Purwantiningsih, Purwantini, I., Santoso, D., 2011. Identification of standard parameters of kepel leaves [*Stelechocarpus burahol* (Bl.) Hook. F. & Th.] and the extract as raw material for anti-hyperuricemic medicaments. *ResearchGate* 4, 149–153.
- Purwantiningsih, P., Nurlaila, 2016. Effect of the kepel leaves extract (*Stelechocarpus burahol* [bl.] Hook. F. & Th.) On sprague-dawley rats: an acute toxicity study. *Asian J. Pharm. Clin. Res.* 9, 325–328.
- Roberts, J.D., Caserio, M.C., 1977. Basic principles of organic chemistry. WA Benjamin, Inc.
- Rodriguez-Amaya, D.B., 2010. Quantitative analysis, in vitro assessment of bioavailability and antioxidant activity of food carotenoids—A review. *J. Food Compos. Anal.* 23, 726–740. doi:10.1016/j.jfca.2010.03.008
- Sánchez-Vioque, R., Rodríguez-Conde, M.F., Reina-Ureña, J.V., Escolano-Tercero, M.A., Herraiz-Peñalver, D., Santana-Méridas, O., 2012. In vitro antioxidant and metal chelating properties of corm, tepal and leaf from saffron (*Crocus sativus* L.). *Ind. Crops Prod.* 39, 149–153. doi:10.1016/j.indcrop.2012.02.028
- Santos, J.S., Alvarenga Brizola, V.R., Granato, D., 2017. High-throughput assay comparison and standardization for metal chelating capacity screening: A proposal and application. *Food Chem.* 214, 515–522. doi:10.1016/j.foodchem.2016.07.091
- Schaich, K.M., Tian, X., Xie, J., 2015. Hurdles and pitfalls in measuring antioxidant efficacy: A critical evaluation of ABTS, DPPH, and ORAC assays. *J. Funct. Foods* 14, 111–125. doi:10.1016/j.jff.2015.01.043
- Schrader, B., Bougeard, D. (Eds.), 1995. Infrared and Raman spectroscopy: methods and applications. VCH, Weinheim ; New York.
- Shah, M.A., Bosco, S.J.D., Mir, S.A., 2014. Plant extracts as natural antioxidants in meat and meat products. *Meat Sci.* 98, 21–33. doi:10.1016/j.meatsci.2014.03.020



- Shahidi, F., Zhong, Y., 2015. Measurement of antioxidant activity. *J. Funct. Foods, Natural Antioxidants* 18, Part B, 757–781. doi:10.1016/j.jff.2015.01.047
- Sharma, O.P., Kumar, N., Singh, B., Bhat, T.K., 2012. An improved method for thin layer chromatographic analysis of saponins. *Food Chem.* 132, 671–674. doi:10.1016/j.foodchem.2011.10.069
- Silverstein, R. M., Webster, F. X., Kiemle, D. J., 2005. Spectrometric identification of organic compound, Seventh. ed. John Wiley & Sons, Unites Stated of America.
- Still, W.C., Kahn, M., Mitra, A., 1978. Rapid chromatographic technique for preparative separations with moderate resolution. *J. Org. Chem.* 43, 2923–2925. doi:10.1021/jo00408a041
- Sunardi, C., Sumiwi, S.A., Hertati, A., 2010. Penelitian antiimplantasi ekstrak etanol daging buah burahol (*Stelechocarpus burahol* Hook F. & Thomson) pada tikus putih. *Maj. Ilmu Kefarmasian* 7, 1–8.
- Sunarni, T., Pramono, S., Asmah, R., 2007. Flavonoid antioksidan penangkap radikal dari daun kepel (*Stelechocarpus burahol* (Bl.) Hook F. & Th.) *Maj. Farm. Indones.* 18, 111–116.
- Sunarni, T., Leviana, F., Fidrianny, I., Iwo, M.I., Wirasutisna, K.R., 2015. Antihyperuricemic activity of four plants annonaceae using hyperuricemic rats model and enzyme assay. *Asian J. Pharm. Clin. Res.* 8, 250–253.
- Sunarni, T., Leviana, F., Fidrianny, I., Immaculata, Maria, Wirasutisna, K.R., 2016. Antihyperuricemic and xanthine oxidase inhibitory activities of fractions from ethanolic leaves extract of *Stelechocarpus burahol*. *Asian J. Pharm. Clin. Res.* 0, 255–258. doi:10.22159/DOI: 10.22159/ajpcr.2016.v9i6.14314
- Takada, H., Kokubo, K., Matsubayashi, K., Oshima, T., 2006. Antioxidant activity of supramolecular water-soluble fullerenes evaluated by  $\beta$ -carotene bleaching assay. *Biosci. Biotechnol. Biochem.* 70, 3088–3093. doi:10.1271/bbb.60491
- Thaipong, K., Boonprakob, U., Crosby, K., Cisneros-Zevallos, L., Hawkins Byrne, D., 2006. Comparison of ABTS, DPPH, FRAP, and ORAC assays for estimating antioxidant activity from guava fruit extracts. *J. Food Compos. Anal., Biodiversity and nutrition: a common path* 19, 669–675. doi:10.1016/j.jfca.2006.01.003
- Thermo Spectronic, 2011. Basic Uv-Vis theory, concepts and applications. 9 Thermo Spectronic [WWW Document]. Scribd. URL

<https://www.scribd.com/doc/49330051/Basic-UV-Vis-Theory-Concepts-and-Applications> (accessed 11.17.16).

- Tisnadjaja, D., Saliman, E., Silvia, Simanjuntak, P., 2006. Study of burahol (*Stelechocarpus burahol* (Blume) Hook & Thomson) as an anti-oxidative compounds containing fruit. Biodiversitas J. Biol. Divers. 7, 199–202. doi:10.13057/biodiv/d070223
- Wollinger, A., Perrin, É., Chahboun, J., Jeannot, V., Touraud, D., Kunz, W., 2016. Antioxidant activity of hydro distillation water residues from *Rosmarinus officinalis* L. leaves determined by DPPH assays. Comptes Rendus Chim., Workshop on alternative solvents for extraction, purification and formulation (WAS2014) 19, 754–765. doi:10.1016/j.crci.2015.12.014
- Wootton-Beard, P.C., Moran, A., Ryan, L., 2011. Stability of the total antioxidant capacity and total polyphenol content of 23 commercially available vegetable juices before and after in vitro digestion measured by FRAP, DPPH, ABTS and Folin–Ciocalteu methods. Food Res. Int. 44, 217–224. doi:10.1016/j.foodres.2010.10.033
- Wu, H.-Q., Huang, X.-L., Lin, X.-S., Huang, F., Zhu, Z.-X., Ma, Y.-F., 2007. Gas chromatographic retention time rule and mass spectrometric fragmentation rule of fatty acids and its application in food. Chin. J. Anal. Chem. 35, 998–1003.
- Young dan Woodsive, J. V., 2001. Antioxidants in health and disease. Journal of Clin. Path. 54: 176–186.
- Zhang, Y., Shen, Y., Zhu, Y., Xu, Z., 2015. Assessment of the correlations between reducing power, scavenging DPPH activity and anti-lipid-oxidation capability of phenolic antioxidants. LWT - Food Sci. Technol. 63, 569–574. doi:10.1016/j.lwt.2015.03.047