



DAFTAR PUSTAKA

- Abhishek, K.V., Paul, R. 2010. The Interpretation of Arterial Blood Gases. *Australian Prescriber*, volume 33;4-2010. Pp : 124-129
- Adrogue HJ, Madias NE. 1998. Management of life-threatening acid-base balance disorders. *N Engl J Med*; 338:26-34
- Avarello, J.T., Cantor RM., 2007. Pediatric Major Trauma: An Approach to Evaluation and Management. *Emerg Med Clin North Am* 25:803–836
- Barthwal, M.S. 2004. Analysis of Arterial Blood Gas – A Comprehensive Approach. *JAPI Volume 52, Juli 2004*. Pp : 573-77
- Bader, M.K., 2006. Recognizing and treating ischemic insults to the brain: the role of brain tissue oxygen monitoring. *Critical Care Nursing Clinics of North America*, 18, 243-256.
- Baker, A.J., Moulton, R.J., MacMillan, V.H., & Shelden, P.M., 1993. Excitatory amino acids in cerebrospinal fluid following traumatic brain injury in humans. *Journal of Neurosurgery*, 79, 369-372.
- Barton, C.W., Hemphill, J.C., Morabito, D., & Manley, G., 2005. A novel method of evaluating the impact of secondary brain insults on functional outcomes in traumatic brain-injured patients. *Academy of Emergency Medicine*, 12(1), 1-6.
- Bardt TF, Unterberg AW, Härtl R, Kiening KL, Schneider GH, Lanksch WR. Monitoring of brain tissue PO₂ in traumatic brain injury: effect of cerebral hypoxia on outcome. 1998. *Acta Neurochir Suppl*. 1998; 71:153-6.
- Cederberg, D., & Siesjo, P., 2010. What has inflammation to do with traumatic brain injury? *Childs Nervous System*, 26, 221-226.
- Centers for Disease Control and Prevention, 2011. *Surveillance for Traumatic Brain Injury-Related Deaths—United States, 1997–2007*. Dalam: MMWR. Vol. 60. Hal. 1-36.
- Coronado, V.G., Basavaraju, S.V., McGuire, L.C., et al. 2011. Surveillance for Traumatic Brain injury-Related death. *MMWR United States*. 60(5): pp.1-36.
- Corral, L., Javierre, C.F., Ventura, J.P., Marcos, P., Herrero, J.I., et al., 2012. Impact of non-neurological complications in severe traumatic brain injury outcome. *Critical care*, 16;1-7.
- Dumont, T.M., Visioni AJ, Rughani AI, Tranmer BI, Crookes B. 2010. Inappropriate prehospital ventilation in severe traumatic brain injury increases in-hospital mortality. *J Neurotrauma*; 27:1233-41



- Donkin, J.J., & Vink, R., 2010. Mechanisms of cerebral edema in traumatic brain injury: Therapeutic developments. *Current opinion in neurology*, 23, 293-299.
- Dutton, R.P. & McCunn, M., 2003. Traumatic brain injury. *Current Opinion in Critical Care*, 9, 503-509.
- Daniele J Cole., Michele Schlunt. 2004. Adult Perioperative Anesthesia, The Requisites in Anesthesiology ed.
- Elf, K., 2005. Secondary Insults in Neurointensive Care of Patients with Traumatic Brain Injury. *Digital Comprehensive Summaries of Uppsala Dissertations from the Faculty of Medicine* 20, 78 pp. Uppsala. Acta Universitatis Upsaliensis.
- Frey, K.L., Rojas, D.C., Anderson, A., A., Arciniegas, D.B., 2007. Comparison of the O-log and GOAT as Measures of Posttraumatic Amnesia. *Brain Injury*. 21:513-520.
- Frangos, S., Chen, I. and Maloney-wilensky, E. (2010) 'Acute Lung Injury Is an Independent Risk Factor for Brain Hypoxia After', 67(2), pp. 338–344. doi: 10.1227/01.NEU.0000371979.48809.D9.
- Granacher, R.P., 2008. Traumatic brain injury: Methodes for clinical and forensic Neuropsychiatric assessment. (2nd ed.). Boca Raton: CRC Press.
- Gilroy, J., 2000. Basic Neurology. 3 rd. McGraw-Hill. New York.
- Gezer, M. et al., 2015. Effectiveness of the Stewart Method in the Evaluation of Blood Gas Parameters. *Turkish Journal of Emergency Medicine*, 15(1), pp.3–7. Available: http://www.journalagent.com/z4/download_fulltext.asp?pdid=tatd&plng=tur&un=TATD-73604.
- Henzler, D., Cooper, D.J., Mason, K.. 2001. Factors contributing to fatal outcome of traumatic brain injury: a pilot case control study. *Crit Care Resusc*; 3:153-7.
- Hemphill, J.C., 2005. Traumatic Brain and Spinal Cord Injury. *Education program Syllabus American Academy of Neurology 57 th Annual Meeting*. Miami beach: Florida.
- Hoelper, B.M., Soldner, F., Chone, L., Wallenfang, T., 2000. Effect of intracerebral lesions detected in early MRI on outcome after acute brain injury, *Acta Neurochir Suppl*;76:265-267.
- Irawan, H., Setiawan, F., Dewi, Dewanto, G., 2010. Perbandingan Glasgow Coma Scale dan Revised Trauma Score dalam memprediksi Disabilitas pasien trauma kepala di Rumah Sakit Atma Jaya. *Majalah Kedokteran Indonesia*, Vol.: 10
- Japardi, I., 2002. Penatalaksanaan cedera kepala akut, *digitized by USU digital library*.



- Jeremitsky, E., Omert, L., Dunham, C.M., Protetch, J., & Rodriguez, A. 2003. Harbingers of poor outcome the day after severe brain injury: hypothermia, hypoxia, and hypoperfusion. *The Journal of Trauma*, 54, 312-319.
- Kochanek, P.M., Clark, R. S. B., & Jenkins, L. W., 2007. TBI: Pathobiology. In N. D. Zasler, D.I. Katz & R.D. Zafonte (Eds.), *Brain Injury Medicine*, New York: Demos Medical Publishing.
- Kellum JA. 2000. *Diagnosis and treatment of acid base disorders*. In: Shoemaker W, ed. *Textbook of Critical Care Medicine*, 4th ed. Philadelphia: WB Saunders : 839-853.
- Lang, E.W., Czosnyka, M., & Mehdorn, M., 2003. Tissue oxygen reactivity and cerebral autoregulation after severe traumatic brain injury. *Neurologic Critical Care*, 31(1), 267-271.
- Lyeth, B.G., Jiang, J.Y., Delahunty, T.M., Phillips, L.L., & Hamm, R.J 1994. Muscarinic cholinergic binding in rat brain following traumatic brain injury. *Brain Research*, 640, 240-245.
- Morgan, G.E., Mikhail, M.S., Murray, M.J., 2013. Acid-Base Balance. *Clinical Anesthesiology*. New York : Lange Medical Books/McGraw-Hill. Pp : 708-724
- MacDonald, C.L., Dikranian, K., Song, S.K., Bayly, P.V., Holtzman, D. M., & Brody, D.L., 2007. Detection of traumatic axonal injury with diffusion tensor imaging in a mouse model of traumatic brain injury. *Experimental Neurology*, 205 (1), 116-131.
- Marik, P.E., Varon, J., Trask, T., 2002. Management of Head Trauma, *Chest*. 122:699-711.
- Moppett, I.K., 2007. Traumatic brain injury: assessment, resuscitation and early management. *Br J Anaesth* 99:18–31
- McHugh, G.S., Engel, D.C., Butcher I, Steyerberg EW, Lu J, Mushkudiani N, Hernández AV, Marmarou A, Maas AIR, Murray GD., 2007. Prognostic Value of Secondary Insults in Traumatic Brain Injury: Results from The IMPACT Study. *J Neurotrauma* 24:287–293
- Maas A.I., Stocchetti N., Bullock R., 2008. Moderate and severe traumatic brain Injury in adults. *Lancet Neurol*, 7:728-41.
- Marion, D.W., 1999. Traumatic Brain Injury, New York: Thieme.
- Maas A.I., Stocchetti N., Bullock R., 2008. Moderate and severe traumatic brain Injury in adults. *Lancet Neurol*, 7:728-41.
- Mascia, L. (2009) ‘Acute lung injury in patients with severe brain injury: A double hit model’, *Neurocritical Care*, 11(3), pp. 417–426. doi: 10.1007/s12028-009-9242-8.



- McIntosh, T., Juhler, M., Raghupathi, R., Saatman, K.E., & Smith, D.H., 1999. Secondary brain injury : Neurochemical and cellular mediators, In D. W. Marion (Ed.), Traumatic Brain Injury, New York: Thieme.
- Neligan, P.J., Deutschman, C.S., 2009. Perioperative Acid-Base Balance. *Miller's Anesthesia*. Seventh Edition. Miller, R.D., Eriksson, L.I., Fleisher, L.A., Jeanine, P.W., Young, W.L. (Editors). New York : Churchill Livingstone-Elsevier. Section IV-49
- Perhimpunan Dokter Spesialis Saraf Indonesia, 2006. *Konsensus Nasional Penanganan trauma kapitis dan trauma spinal*. Bagian neurologi FK UI/RSCM. Jakarta.
- Rastegar., 2009. A Clinical utility of Stewart's method in diagnosis and management of acid-base disorders. *Clin J Am Soc Nephrol*;4:1267-74
- Rahimi, S., Bidabadi, E. and Mashouf, M., 2014. 'Prognostic value of arterial blood gas disturbances for in-hospital mortality in pediatric patients with severe traumatic brain injury', pp. 187–192. doi: 10.1007/s00701-013-1929-0.
- Rincon, F. et al. 2012. 'Impact of acute lung injury and acute respiratory distress syndrome after traumatic brain injury in the United States', *Neurosurgery*, 71(4), pp. 795–803. doi: 10.1227/NEU.0b013e3182672ae5.
- Sood P., Paul G., Puri S., 2012. Interpretation of Arterial Blood Gas.*Indian J Crit Care Med April-June 2010 Vol 14 Issue 2*. Pp : 57-64
- Setyopranoto, I. 2016. Pemeriksaan Analisis Gas Darah. Gadjah Mada University Press, Yogyakarta.
- Sastrodiningrat, A.G., 2007. *Pemahaman Indikator-Indikator Dini dalam Menetukan Prognosa Cedera Kepala Berat*, Medan 20-25.
- Soares, H.D., Thomas, M., Cloherty, K., & McIntosh, T.K. 1992. Development of prolonged focal cerebral edema and regional cation changes following experimental brain injury in the rat. *Journal of Neurochemistry*, 58, 1845-1852.
- Stocchetti, N., Furlan, A., & Volta, F. 1996. Hypoxemia and arterial hypotension at the accident scene in head injury. *The Journal of Trauma*, 40(5), 764-767.
- Stachura, Z., Kowalski, J., Obochowicz, E., Huzarska, M., & Herman, Z.S., 1997. Concentration of enkephalins in cerebrospinal fluid of patients after severe head injury. *Neuropeptides*, 31(1), 78-81.
- Stewart PA. 1983. Modern quantitative acid-base chemistry. *Can J Physiol Pharmacol* ; 61:1444-1461.



- Story DA, Poustie S, Bellomo R. 2001. Quantitative physical chemistry analysis of acid-base disorders in critically ill patients. *Anaesthesia* ; 56:530-533.
- Stiefel MF, Spiotta A, Gracias VH, Garuffe AM, Guillamondegui O, Maloney-Wilensky E, Bloom S, Grady MS, LeRoux PD. 2005. Reduced mortality rate in patients with severe traumatic brain injury treated with brain tissue oxygen monitoring. *J Neurosurg.* 2005 Nov;103(5):805-11
- Tillman F, Bardt, A. W. Unterberg, R. Härtl, K. L. Kiening, G. H. Schneider, W. R. Lanksch. 2005. Monitoring of Brain Tissue PO₂ in Traumatic Brain Injury: Effect of Cerebral Hypoxia on Outcome. Volume 71 of the series *Acta Neurochirurgica Supplements* pp 153-156
- Tamaki T, Shibata Y, Node Y, Yamamoto Y, Teramoto A. 2000. Metabolic acidosis and ketone body in severely head-injured patients. *No Shinkei Geka.* 2000 Jul;28(7):623-9.
- V.V., P. et al., 2014. Impact of pre-hospital oxygenation and ventilation status on outcome in patients with isolated severe traumatic brain injury. *Signa Vitae*, 9(1), pp.42–46. Available at: <http://www.signavitae.com/attachments/07 STRNAD-VUJANOVIC SIGNA26.pdf> | <http://ovidsp.ovid.com/ovidweb.cgi?T=JS&PAGE=r eference &D=emed12&NEWS=N&AN=2014305493>.
- Valadka, A.B., & Robertson, C.S., 2007. Surgery of cerebral trauma and associated critical care. *Neurosurgery*, 61 (1), SHC 203-221.
- Van Putten, H.P., Bouwhuis, M.G., Muizelaar, J.P., Lyeth, B.G., Berman, R.F., 2005. Diffusion Weighted Imaging of Edema following Traumatic Brain Injury in Rats: Effects of Secondary Hypoxia. *J Neurotrauma* 22:857–872
- Wooten EW. 1999. Analytic calculation of physiological acid-base parameters in plasma. *J Appl Physiol* 86 : 326-334.
- Yin T, Lindley TE, Albert GW, Ahmed R, Schmeiser PB, Grady MS, Howard MA, Welsh MJ. 2013. Loss of Acid sensing ion channel-1a and bicarbonate administration attenuate the severity of traumatic brain injury. *PLoS One.* 2013 Aug 26;8(8):e72379. doi: 10.1371/journal.pone.0072379. eCollection 2013.