

DAFTAR PUSTAKA

- Agus, A. 2012. Bahan Pakan Konsentrat untuk Sapi. PT Citra Aji Parama. Yogyakarta. P.60.
- Anonim. 2012. Pengetahuan Bahan Makanan Ternak. Laboratorium Ilmu dan Teknologi Pakan. Fakultas Peternakan. Institut Pertanian Bogor. Bogor. P. 12.
- AOAC. 2005. Official Method of Analysis of The Association of Official Analytical Chemists. 18thed. Virginia, United States of America.
- Banaszkiewicz, T. 2011. Nutritional value of soybean meal. In: Soybean and Nutrition. El-Shemy, H (ed). In-Tech, China. Available at <http://www.intechopen.com/books/soybean-andnutrition/nutritional-value-of-soybean-meal>. Accession date 21st October 2017.
- Borucki-Castro, S.I., L.E. Phillip, H. Lapierre, P.W. Jardon, dan R. Berthiaume. 2007. Ruminal degradability and intestinal digestibility of protein and amino acids in treated soybean meal products. J. Dairy Sci. 90: 810-822.
- Broderick, G.A., M.J. Stevenson, dan R.A. Patton. 2009. Effect of dietary protein concentration and degradability on response to rumen-protected methionine in lactating dairy cows. J. Dairy Sci. 92: 2719-2728.
- Chen, K.J., D.F. Jan, P.W.S. Chiou, dan D.W. Yang. 2002. Effects of dietary heat extruded soybean meal and protected fat supplement on the production, blood and ruminal characteristics of holstein cows. Asian-Aust. J. Anim. Sci. 15(6): 821-827.
- Chenost, M dan C. Kayouli. 1997. Roughage Utilization in Warm Climates. Available at <http://www.fao.org/docrep/003/w4988e/W4988E03.gif>. Accession date 14th Desember 2017.
- Choct, M. 1997. Feed non-starch polysaccharides: chemical structures and nutritional significance. Feed Milling International. 6: 13-26.
- Dijkstra, J. 1994. Production and absorption of volatile fatty acids in the rumen. Livestock Production Science. Elsevier. 39: 61-69.
- Doiron, K., P. Yu, J.J. McKinnon, dan D.A. Christensen. 2009. Heat-induced protein structure and subfructions in relation to protein degradation kinetics and intestinal availability in dairy cattle. J. Dairy Sci. 92(7): 3319-3330.
- Elviani, Y. 2013. Efek Suhu dan Jangka Waktu Pemanasan terhadap Kadar Protein yang Terkandung dalam Sarang Burung Wallet Putih (*Collocalia fuciphagus*). Skripsi Program Sarjana. Universitas Kristen Maranatha. Bandung.

- El-Waziry, A.M., M.E.A. Nasser, S.M.A. Sallam, A.L. Abdallah, dan I.C.S. Bueno. 2007. Effect of autoclaving and quebracho tanin treated-soybean meal on gas production and rumen fermentation *in vitro*. J. Appl. Sci. Res. 3(1): 17-24.
- Ferguson, J.D. 2016. Protein in Dairy Rations. Article Section Animal Production System. <http://research.vet.upenn.edu>. Diakses pada 15 November 2016. Pukul. 19.35 WIB.
- Filipek, J. dan R. Dvorak. 2009. Determination of the volatile fatty acid content in the rumen liquid: comparison of gas chromatography and capillary isotachopheresis. Acta Vet. Brno. 78: 627-633.
- Hameed, F. dan N.P. Talat. 2000. Effect of varying levels of formaldehyde and heat treatment on *in situ* ruminal degradation of different vegetable protein meals. J. Agric. Biol. 2 (1): 48-51.
- Hartadi, H., L.C. Kearl, S. Reksohadiprojo, L.E. Harris dan S. Lebdosukoyo. 1980. Tabel-Tabel dari Komposisi Bahan Makanan Ternak untuk Indonesia. Data Ilmu Makanan untuk Indonesia. International Feedstuffs Institute Utah Agricultural Experiment Station. Utah.
- Haryanto, B. 2014. Manipulating protein degradability in the rumen to support higher ruminant production. Wartazoa 24(5): 131-138.
- Irani, F.D. 2016. Karakteristik fermentasi rumen sapi potong dengan pemberian mikroenkapsulasi minyak wijen menggunakan berbagai bahan penyalut secara *in vitro*. Skripsi. Fakultas Peternakan. Institut Pertanian Bogor. Bogor.
- Jenny, I., Surono, dan M. Christiyanto. 2012. Produksi amonia, *undegraded protein* dan protein total secara *in vitro* bungkil biji kapuk yang diproteksi dengan tanin alami. Anim. Agric. J. 1(1): 277-284.
- Jeong, C.D., L.L. Mamuad, S.H.Kim, Y.J. Choi, A.P. Soriano, K.K. Cho, C.O. Jeon, L. Sung-Sil, dan L. Sang-Suk. 2015. Effect of soybean meal and soluble starch on biogenic amine production and microbial diversity using *in vitro* rumen fermentation. Asian-Aust. J. Anim. Sci. 28(1): 50-57.
- Kamalak, A., O. Canbolat, Y. Gurbuz, dan O. Ozay. 2005. Protected protein and amino acids in ruminant nutrition. J. Sci. Eng. 8(2): 84-88.
- Karlsson, L., M. Ruiz-Moreno, M.D. Stern, dan K. Martinsson. 2012. Effect of temperature during moist heat treatment on ruminal degradability and intestinal digestibility of protein and amino acids in hempseed cake. J. Anim. Sci. 25(11): 1559-1567.
- Karsli, M.A. dan J.R. Russel. 1998. The effect of heat treatment of forages on degradation kinetics and escape protein concentration. Beef Research Report. Iowa State University. Paper 19.

- Lorenz, M.M. 2011. Sainfoin tanins and their impact on protein degradation during silage and rumen fermentation and testing of novel techniques. Doctoral Thesis. Swedish University of Agricultural Sciences. Uppsala.
- Lowry, O.H., N.J. Rosebrough, A.L. Farr, dan R.J. Randall. 1951. Protein Measurement with The Folin Phenol Reagent. Available at <http://www.jbc.org/>. Accession date 21st October 2017.
- Mahima., V. Kumar, S.K. Tomar, D. Roy, dan M. Kumar. 2015. Effect of varying levels of formaldehyde treatment of mustard oil cake on rumen fermentation, digestibility in wheat straw based total mixed diets in vitro. Available at www.veterinaryworld.org/Vol.8/April2015/23.pdf. Accession date 03rd Juli 2017.
- Makkar, H.P.S. 2003. Effects and fate of tanins in ruminant animals, adaptation to tanin and strategies to overcome detrimental effects of feeding tanin-rich feeds. *Small Rum. Res.* 49: 241-256.
- Martin, C., D.P. Morgavi, dan M. Doreau. 2010. Metane mitigation in ruminants: from microbe to the farm scale. *Animal*. 4:351–365.
- McDonald, P., R.A. Edwards, J.F.D. Greenhalgh, C.A. Morgan, L.A. Sinclair, dan R.G Wilkinson. 2011. *Animal Nutrition*. 7th Ed. Pearson. Canada.
- McKinnon, J.J., J.A. Olubobokun, A. Mustafa, R.D.H Cohen, dan D.A. Christensen. 1995. Influence of dry heat treatment of canola meal on site and extent of nutrient disappearance in ruminants. *Anim Feed Sci Technol*. 56: 243–252 (Abstr).
- Noviandi, C.T., J.S. Eun, M.D. Peel, B.L. Waldron, B.R.Min, D.R. Zobell, dan R.L. Millers. Effect of energy supplementation in pasture forages on in vitro ruminal fermentation characteristics in continuous cultures. 2014. *Prof. Anim. Sci.* 30: 13-22.
- NRC. 2005. *Nutrient Requirements of Dairy Cattle*. 7th revised ed. National Academy Press. Washington DC.
- Owens, F.N. dan R. Zinn. 1988. Protein metabolism of ruminant animals. In: *The Ruminant Animal Digestive Physiology and Nutrition*. D.C. Church (Ed). Reston Book Prentice Hall, Englewood Cliffs. New Jersey.
- Palupi, N.S., F.R. Zakaria, dan E. Prangdimurti. 2007. Modul E-Learning ENBP: Pengaruh Pengolahan terhadap Nilai Gizi Pangan. Departemen Ilmu dan Teknologi Pangan IPB. Bogor.
- Pemungkas, D., Y.N. Anggraeni, Kusmartono, dan N.H. Krishna. 2008. Produksi asam lemak terbang dan ammonia rumen sapi bali pada imbalanced daun lamtoro (*L. leucocephala*) dan pakan lengkap yang berbeda. Seminar Nasional Teknologi Peternakan dan Veteriner.

Available at <http://peternakan.litbang.pertanian.go.id>. Accession date 21st October 2017.

- Pujowati, A., Sutrisno, dan E. Pangestu. 2012. Kecernaan dan produksi volatile fatty acid pakan komplit yang mengandung tepung kedelai dengan perlakuan pemanasan secara *in vitro*. *Animal agriculture journal*. 1(2): 151-156.
- Putra, S. 1999. Peningkatan Performans Sapi Bali melalui Perbaikan Mutu Pakan dan Suplementasi Seng Asetat. Disertasi. Program Pascasarjana, Institut Pertanian Bogor. Bogor.
- Russell, J.B., C.J. Sniffen, dan P.J. Van Soest. 1983. Effect of Carbohydrate Limitation on Degradation and Utilization of Casein by Mixed Rumen Bacteria. *J. Dairy. Sci.* 66: 763-775.
- Sacakli, P. dan S.D. Tuncer. 2006. The effect of xylose treatment on rumen degradability and nutrient degradability of soybean and cottonseed meals. *Asian-Aust. J. Anim. Sci.* 19(5): 655-660.
- Satter, L.D. dan L.L. Slyter. 1974. Effect of amonia concentration on rumen microbial protein production in vitro. *Brit. J. Nutr.* 32: 199-208.
- Schmidt, J. dan E. Zsedely. 2011. Nutrition of Ruminants. University of West-Hungary. Hungary.
- Sitompul, S. 2004. Analisis asam amino dalam tepung ikan dan bungkil kedelai. *Buletin Teknik Pertanian* 9 (1): 33-37.
- Stern, M.D., B. Alex, dan C. Sergio. 2006. New Concept in Protein Nutrition of Ruminants. *Proceeding in 21st Annual Southwest Nutrition and Management Conference*. pp.45-66.
- Stokes, S.R. 1997. Review: Balancing carbohydrates for optimal rumen function and animal health. Texas A and M University, Stephenville, TX.
- Suhartanto, B., R. Utomo, Kustantinah, I.G.S. Budisatria, L.M. Yusiati, dan B.P. Widyobroto. 2014. Pengaruh penambahan formaldehid pada pembuatan undegraded protein dan tingkat suplementasinya pada pelet pakan lengkap terhadap aktivitas mikroba rumen secara in vitro. *Buletin Peternakan* 38(3): 141-149.
- Suhartati, F.M. 2005. Proteksi protein daun lamtoro (*Leucaena leucocephala*) menggunakan tanin, saponin, minyak dan pengaruhnya terhadap ruminal undegradable dietary protein (RUDP) dan sintesis protein mikroba rumen. *Anim. Prod.* 7(1): 52-58.
- Tilley, J.M.A. dan R.A. Terry. 1963. A two-stage technique for the *in vitro* digestion of forage crops. *Grass Forage Sci.* 18(2):104–111.
- Utomo, R. 2012. Evaluasi Pakan dengan Metode Non-Invasif. PT Citra Aji Parama. Yogyakarta.

- Vaga, M. 2017. Investigating Ruminal Nitrogen Metabolism. Doctoral Thesis of Doctoral Program. Swedish University of Agricultural Sciences. Umea.
- Van Soest, P. J. 1994. Nutritional Ecology of the Ruminant. 2nd ed. Comstock Publishing Associates a Division of Cornell University Press. Ithaca. pp. 314-317.
- Vanegas, J.L., M.D. Carro, M.R. Alvira, dan J. Gonzalez. 2016. Protection of sunflower seed and sunflower meal protein with malic acid and heat: effects on in vitro ruminal fermentation and methane production. *J Sci Food Agric.* 97: 350–356.
- Vercoe, P.E. dan H.P.S. Makkar. 2010. In vitro screening of plant resources for extra-nutritional attributes. In: *Ruminants: Nuclear and Related Methodologies*. A.C. Schlink (ed). Springer Science and Business Media. London, United Kingdom.
- Wheaterburn, M.W. 1967. Fenol-hypoclorite reaction for determination of ammonia. *Anal. Chem.* 39(8): 971 – 974.
- Widyobroto B.P., SPS. Budhi, dan A. Agus. 2008. Effect of undegraded protein and energy level on intake and digestibility of nutrient and blood metabolic in dairy cows. *Anim. Prod.* 10 (2) 2008:96-101.
- Widyobroto, B.P., S.P.S. Budhi, dan A. Agus. 2010. Effect of protein undegraded supplementation on production and composition of milk in dairy cows. *J. Indonesian Trop. Anim. Agric.* 35(1): 27-33.
- Wina, E. dan D. Abdurrohman. 2005. The formation of ruminal bypass protein (in vitro) by adding tanins isolated from *Calliandra calothyrsus* leaves or formaldehyde. *Jurnal Ilmu Ternak dan Veteriner* 10: 274-280.
- Winarno, F.G. 1998. Kimia Pangan dan Gizi. Gramedia Pustaka Utama. Jakarta.
- Yu, P. 2007. Protein molecular structure, protein subfraction and protein availability affected by heat processing: A Review. *Am. J. Biochem. Biotechnol.* 3(2): 66-86.