

DAFTAR PUSTAKA

- Allan, Chaterine. K., 2011, Intensive Care of the Adult Patient with Congenital Heart Disease, *Progress in Cardiovascular Disease*, **53**: 274-280.
- Ali, Taussef., dan Harty, Richard, F., 2009, Stress Induced Ulcer Bleeding in Critically Ill Patient, *Gastroenterol Clin N Am*, **38** : 245–265
- Andayani, T.M., 2013, Farmakoekonomi Prinsip Dan Metodologi, Bursa Ilmu, Yogyakarta
- Barkun, A. N., Herba, K., Adam, V., Kennedy, W., Fallone, C. A., Bardou, M., 2004, High-dose intravenous proton pump inhibition following endoscopic therapy in the acute management of patients with bleeding peptic ulcers in the USA and Canada: a cost-effectiveness analysis, *Aliment Pharmacology Therapeutics*, **19**(5):591–600.
- Burris, A. J., Pharm., 2014, Proton Pump Inhibitor vs. histamine2- Receptor Antagonists for Stress Ulcer Prophylaxis Battle of the Acid Suppressants, PGYI Pharmacy Resident University Health, *University of Texas Health Science Centre at San Antonio*, 2-9
- Cahir, C., Fahey, T. Tilson, L., Teljeur, C., dan Bennett, K., 2012, Proton Pump Inhibitor : Potential Cost Reductions by applying Prescribing Guidelines, *BMC health services research* ,**12** : 408
- Chia, C., Lim, W., dan Vu, C., 2014, Inappropriate Use of PPI in a local setting, *Singapore Medical Journal*, **55** : 363-366
- Clarke, R. C., Anand, B., 2015, Stress Induced Gastritis. *Journal Online Medscape*
- Cook DJ, Fuller HD, Guyatt GH, et al., 1994, Risk factors for gastrointestinal bleeding in critically ill patients, Canadian Critical Care Trials Group, *N Engl J Med*, 330:377
- Cook, D.J., Griffith, L.E., Walter, S.D., Guyatt, G.H., Meade, M.O., Heyland, D.K., Kirby, A., Tryba, M., 2001, Canadian Critical Care Trials Group: The attributable mortality and length of intensive care unit stay of clinically important gastrointestinal bleeding in critically ill patients. *Crit Care*, **5**: 368-375
- Dahlan, M., 2010, *Besar Sampel dan Cara Pengambilan Sampel* , 3rd edition, Salemba Medika, Indonesia
- Direktorat dan Jendral Bina Kefarmasian dan Alat Kesehatan, 2013, *Pedoman Penerapan Kajian Farmakoekonomi*, Jakarta, Kementrian Kesehatan Republik Indonesia.
- Duerksen, D. R., 2003, Stress-related mucosal disease in critically ill patients. *Best Pract. Res. Clin. Gastroenterol*, **17**: 327–344.
- Enns, R.A., Gangnon, Y. M., Rioux, K.P., Levy, A. R., 2003, Cost-effectiveness in Canada of intravenous proton pump inhibitors for all patients presenting with acute upper gastrointestinal bleeding, *Aliment Pharmacol Ther*, **17**: 225–233.

- Galindo, M.S, Pfeffer, M.A., 2007, Prevention of Complications in Hospitalized Patients Part III: *Upper Gastrointestinal Stress Ulcers*, Journal Proceedings of UCLA Healthcare, **11**: 1-2
- Garrindo, Antonio., Iborra, M.I., Saperas, Esteban., Sousa, Monica de., 2010, Prevalencia de nueva hemorragia por ulcera peptica en pacientes tratados con inhibidores de la bomba de protons por via intravenosa, *Med Clin(Barc)* **134**(13) : 577–582.
- Goodman & Gilman, 2008, Goodman & Gilman Dasar Farmakologi Terapi, Ed. 10, Vol. 1, diterjemahkan oleh Tim Ahli Bahasa Sekolah Farmasi ITB, Jakarta
- Gralnek, Ian. M., Dumonceau, Jean-Marc., Kuipers, Ernst, J., Lanas, Angel., 2015, Diagnosis and Management of nonvariceal upper gastrointestinal hemorrhage : *European Society Gastrointesinal Endoscopy* (ESGE) Guideline, **47**: 1- 46
- Harty, R.F., Ancha, H. B., 2006, Stress Ulcer Bleeding, *Current Treatment Options in Gastroenterology*, **9**:157-166
- Jefferson, M. S.,2007, Stress Related Mucosal Disease In the Intensive Care Unit: An Update On Prophylaxis, *American Association of Critical Care Nurse Advanced Critical Care*, **18**(2):119-128
- Kerama, S.K. et al, 2014, Risk Factors and Management of Stress Ulcers in the Critical Care Unit inKenyan Refferal Hospital. *African Journal of Pharmacology and Therapeutics*, **3**: 51-61
- Khuroo, M., Yattoo, G., Javid, G., Khan, B., Shah, A., Gulzar, G., dan Sodi, J., 1997, A Comparison of Omeprazole and Placebo for Bleeding Peptic Ulcer, *N Engl J Med*, **336**: 1054-1058
- Ksiadzyna D. Szelag, A., dan Paradowski, L., 2015, Overuse of PPI. *Polskie archiwum medycyny wewnetrzej*, **125**: 289-298
- Kumar, Vinay, 2010, Robbins & Cotran Dasar Patofisiologi Penyakit, Ed. 7, diterjemahkan oleh dr. Brahm, U.P, Buku Kedokteran EGC, Jakarta.
- Kumar, S., and Baldi, A., 2013, *Pharmacoeconomics: Principles, Methods and Economic Evaluation of Drug Therapies*, Department of Quality Assurance, I. S. F, College of Pharmacy: India, **2**: 362-369
- Li LF, Chan RL, Lu L, et al., 2014, Cigarette smoking and gastrointestinal diseases: the causal relationship and underlying molecular mechanisms (Review), *Int J Mol Med*. **34**: 372-380
- Maity P, Biswas K, Roy S, Banerjee RK and Bandyopadhyay U., 2003, Smoking and the pathogenesis of gastroduodenal ulcer—recent mechanistic update. *Mol Cell Biochem.India* , **253**: 329–338
- Malagelada JR, Rodríguez de la Serna A, Dammann HG, Pons M, Armas C, Sala M, Tena X, Celdrán E, Mesa A., 2003, Sucralfate therapy in NSAID bleeding gastropathy, *Clin Gastroenterol Hepatol*. **1**:51-6.
- Mohebbi, L, dan Hesch, K., 2009, Stress Ulcer Prophylaxis in The Intensive Care Unit. *Baylor University Medical Center Proceedings*, **22**: 373-376
- Peivandi Yazdi A, Imantalab M., 2015, Stress-Related Mucosal Disease in Critically Ill Patients. *Patient Saf Qual Improv*. **3**(2): 266-268

- Perkumpulan Gastroenterologi Indonesia (PGI), 2012, *Konsensus Nasional Penatalaksanaan Perdarahan Saluran Cerna Atas non Varises di Indonesia*, Jakarta
- Rascati KL, 2009, *Essentials of Pharmacoeconomics*, Lippincott Williams & Wilkins, Philadelphia.
- Rensburg, van C, J., dan Cheer, S., 2012, Pantoprazole for the Treatment of Peptic Ulcer Bleeding and Prevention of Rebleeding, *Clinical Medicine Insights : Gastroenterology*, **5**: 51-60 cit. Chahin NJ, Meli M, Zaca F., 2006, Endoscopic injection plus continuous intravenous pantoprazole vs. endoscopic injection plus continuous intravenous omeprazole for the treatment of upper nonvariceal bleeding. *Can J Gastroenterol*, (Suppl A) **20**:112.
- Sheikh-Taha, M., Alaeddine, S., dan Nassif, J., 2012, Use of acid suppressive therapy in hospitalized non critically ill patients. *World Journal of Gastro Pharmacology and Therapeutics*, **3**: 93-96
- Shin, J. M. dan Kim, N., 2013, Pharmacokinetics and pharmacodynamics of the Proton Pump Inhibitor. *Journal of Neurogastroenterology and Motility*, **19**: 25-35
- Spirit , M.J., dan Stanley, S., 2006, *Update on stress ulcer prophylaxis in critically ill patients*, Critical Care Nurse
- Stollman, N. dan Metz, D. C., 2005, Pathophysiology and prophylaxis of stress ulcer in intensive care unit patients, *Journal of Critical Care*, **20**: 35-45
- Wertheimer, A.I. dan Rychlik, R., 2002, *Strategies in Pharmacoeconomics and Outcomes Research*. CRC Press
- Van hout, BA., Klok R. M., Brouwers JRBJ, Postma, M, J., 2003, A Pharmacoeconomic Comparison of the Efficacy and Costs of Pantoprazole and Omeprazole for the Treatment for Peptic Ulcer or Gastroesophageal Reflux Disease in the Netherlands. *Clinical Therapeutics*, **25**(2) : 635-46
- Vcev, A., Stimac, D., Vceva, A., Takac, B., Ivandic, A., Pezerovic, D., dkk., 1999, Pantoprazole Versus Omeprazole in The Treatment of Reflux Esophagitis, *Acta Medica Croatica: Casopis Hrvatske Akaemije Medicinskih Znanosti*, **53**:79-82
- Welage, Lynda, S., 2003, Pharmacologic Features of Proton Pump Inhibitor and their potential relevance to clinical practice, *Gastroenterol Clin N Am*, **32**:S25-S35
- Wertheimer, A., dan Rychlik, R., 2002, *Strategies in Pharmacoeconomics and Outcomes Research*, CRC Press
- Yen, H., Yang, C., Su, W., Soon, M., Wu, S., Lin., H., 2012, Oral versus intravenous proton pump inhibitors in preventing re-bleeding for patients with peptic ulcer bleeding after successful endoscopy therapy, *BMC gastroenterology*, **12**:66
- You, J, H, S., Wong, P, L., Wu, J, C, Y., 2006, Cost-effectiveness of Helicobacter pylori “test and treat” for patients with typical reflux symptoms in a population with a high prevalence of H. pylori infection: a Markov model analysi, *Scand J Gastroenterol* **41**:21–9.