

## DAFTAR PUSTAKA

- von Baeyer, C. L. (2006) 'Children's self-reports of pain intensity: Scale selection, limitations and interpretation', *Pain Research and Management*, 11(3), pp. 157–162. doi: 10.1155/2006/197616.
- Bieri, D., Reeve, R. A., Champion, G. D., Addicoat, L. and Ziegler, J. B. (1990) 'The Faces Pain Scale for the self-assessment of the severity of pain experienced by children: development, initial validation, and preliminary investigation for ratio scale properties.', *Pain*, 41(2), pp. 139–50. Available at: <http://www.ncbi.nlm.nih.gov/pubmed/2367140> (Accessed: 10 September 2017).
- Bousquet, J., Van Cauwenberge, P., Khaltaev, N., Aria Workshop Group and World Health Organization (2001) 'Allergic rhinitis and its impact on asthma.', *The Journal of allergy and clinical immunology*, 108(5 Suppl), pp. S147-334. Available at: <http://www.ncbi.nlm.nih.gov/pubmed/11707753> (Accessed: 10 September 2017).
- Broide, D. H. (2007) 'The pathophysiology of allergic rhinoconjunctivitis', *Allergy and Asthma Proceedings*, 28(4), pp. 398–403. doi: 10.2500/aap.2007.28.3011.
- Brożek, J. L., Bousquet, J., Baena-Cagnani, C. E., Bonini, S., Canonica, G. W., Casale, T. B., van Wijk, R. G., Ohta, K., Zuberbier, T., Schünemann, H. J., Global Allergy and Asthma European Network and Grading of Recommendations Assessment, Development and Evaluation Working Group (2010) 'Allergic Rhinitis and its Impact on Asthma (ARIA) guidelines: 2010 Revision', *Journal of Allergy and Clinical Immunology*, 126(3), pp. 466–476. doi: 10.1016/j.jaci.2010.06.047.
- de C Williams, A. C., Davies, H. T. and Chadury, Y. (2000) 'Simple pain rating scales hide complex idiosyncratic meanings.', *Pain*, 85(3), pp. 457–63. Available at: <http://www.ncbi.nlm.nih.gov/pubmed/10781919> (Accessed: 10 September 2017).
- Chambers, C. T. and Craig, K. D. (1998) 'An intrusive impact of anchors in children's faces pain scales.', *Pain*, 78(1), pp. 27–37. Available at: <http://www.ncbi.nlm.nih.gov/pubmed/9822209> (Accessed: 10 September 2017).
- Chambers, C. T., Giesbrecht, K., Craig, K. D., Bennett, S. M. and Huntsman, E. (1999) 'A comparison of faces scales for the measurement of pediatric pain: children's and parents' ratings.', *Pain*, 83(1), pp. 25–35. Available at: <http://www.ncbi.nlm.nih.gov/pubmed/10506669> (Accessed: 10 September 2017).
- Chambers, C. T. and Johnston, C. (no date) 'Developmental differences in children's use of rating scales.', *Journal of pediatric psychology*, 27(1), pp. 27–36. Available at: <http://www.ncbi.nlm.nih.gov/pubmed/11726677> (Accessed: 10 September 2017).
- Chang, H., Han, D. H., Mo, J., Kim, J.-W., Kim, D.-Y., Lee, C. H., Min, Y.-G. and Rhee, C.-S. (2009) 'Early Compliance and Efficacy of Sublingual Immunotherapy in Patients with Allergic Rhinitis for House Dust Mites',

- Clinical and Experimental Otorhinolaryngology*, 2(3), p. 136. doi: 10.3342/ceo.2009.2.3.136.
- Cohen, S. G. and Evans, R. (2004) 'Allergen immunotherapy in historical perspective.', *Clinical allergy and immunology*, 18, pp. 1–36. Available at: <http://www.ncbi.nlm.nih.gov/pubmed/15042906> (Accessed: 10 September 2017).
- Dowse, G. K., Turner, K. J., Stewart, G. A., Alpers, M. P. and Woolcock, A. J. (1985) 'The association between Dermatophagoides mites and the increasing prevalence of asthma in village communities within the Papua New Guinea highlands.', *The Journal of allergy and clinical immunology*, 75(1 Pt 1), pp. 75–83. Available at: <http://www.ncbi.nlm.nih.gov/pubmed/2578494> (Accessed: 9 September 2017).
- Frew, A. J. (2008) 'Sublingual Immunotherapy', *New England Journal of Medicine*, 358(21), pp. 2259–2264. doi: 10.1056/NEJMct0708337.
- Frew, A. J. (2010) 'Allergen immunotherapy', *Journal of Allergy and Clinical Immunology*, 125(2), pp. S306–S313. doi: 10.1016/j.jaci.2009.10.064.
- Gentile, D. and Skoner, D. P. (2011) 'Sublingual Immunotherapy in Patients with Allergic Rhinoconjunctivitis', *Current Allergy and Asthma Reports*, 11(2), pp. 131–138. doi: 10.1007/s11882-011-0176-9.
- Gerth van Wijk, R. G., de Graaf-in 't Veld, C. and Garrelds, I. M. (1999) 'Nasal hyperreactivity.', *Rhinology*, 37(2), pp. 50–5. Available at: <http://www.ncbi.nlm.nih.gov/pubmed/10416248> (Accessed: 10 September 2017).
- Goldhahn, K., Bockelbrink, A., Nocon, M., Almqvist, C., DunnGalvin, A., Willich, S. N. and Keil, T. (2009) 'Sex-specific differences in allergic sensitization to house dust mites: a meta-analysis', *Annals of Allergy, Asthma & Immunology*, 102(6), pp. 487–494. doi: 10.1016/S1081-1206(10)60122-6.
- Greiner, A. N., Hellings, P. W., Rotiroti, G. and Scadding, G. K. (2011) 'Allergic rhinitis', *The Lancet*, 378(9809), pp. 2112–2122. doi: 10.1016/S0140-6736(11)60130-X.
- Kay, A. B. (2001) 'Allergy and Allergic Diseases', *New England Journal of Medicine*. Edited by I. R. Mackay and F. S. Rosen, 344(2), pp. 109–113. doi: 10.1056/NEJM200101113440206.
- Khatrri, A. and Kalra, N. (2012) 'A Comparison of Two Pain Scales in the Assessment of Dental Pain in East Delhi Children', *ISRN Dentistry*. Hindawi, 2012, pp. 1–4. doi: 10.5402/2012/247351.
- Klimek, L., Bergmann, K.-C., Biedermann, T., Bousquet, J., Hellings, P., Jung, K., Merk, H., Olze, H., Schlenter, W., Stock, P., Ring, J., Wagenmann, M., Wehrmann, W., Mösges, R. and Pfaar, O. (2017) 'Visual analogue scales (VAS): Measuring instruments for the documentation of symptoms and therapy monitoring in cases of allergic rhinitis in everyday health care: Position Paper of the German Society of Allergology (AeDA) and the German Society of Allergy', *Allergo journal international*. Springer, 26(1), pp. 16–24. doi: 10.1007/s40629-016-0006-7.

- Kooistra, B., Dijkman, B., Einhorn, T. A. and Bhandari, M. (2009) 'How to Design a Good Case Series', *The Journal of Bone and Joint Surgery-American Volume*, 91(Suppl 3), pp. 21–26. doi: 10.2106/JBJS.H.01573.
- Koren, L., Peled, E., Trogan, R., Norman, D., Berkovich, Y. and Israelit, S. (2015) 'Gender, age and ethnicity influence on pain levels and analgesic use in the acute whiplash injury', *European Journal of Trauma and Emergency Surgery*, 41(3), pp. 287–291. doi: 10.1007/s00068-014-0419-2.
- Korespondensi, A. and Natalia, D. (2015) 'TINJAUAN PUSTAKA Peranan Alergen Tungau Debu Rumah (Der p 1 dan Der p 2) dalam Reaksi Alergi', 42(4). Available at: [http://www.kalbemed.com/Portals/6/06\\_227PerananAlergenTungau Debu Rumah-Der p 1 dan Der p 2-dalam Reaksi Alergi.pdf](http://www.kalbemed.com/Portals/6/06_227PerananAlergenTungauDebuRumah-Derp1danDerp2-dalamReaksiAlergi.pdf) (Accessed: 9 September 2017).
- Luffy, R. and Grove, S. K. (no date) 'Examining the validity, reliability, and preference of three pediatric pain measurement tools in African-American children.', *Pediatric nursing*, 29(1), pp. 54–9. Available at: <http://www.ncbi.nlm.nih.gov/pubmed/12630508> (Accessed: 10 September 2017).
- Lund, V. J., Wright, D. J. and Davies, R. J. (1986) 'Immunology of allergic rhinitis, or a nose for treatment.', *Journal of the Royal Society of Medicine*. Royal Society of Medicine Press, 79(10), pp. 618–21. doi: 10.1177/014107688607901022.
- Manocha, S., Taneja, N., Doherty, E., Ohlsson, K., Koren, G. and Bernard, R. (2016) 'Assessment of paediatric pain: a critical review', *Journal of Basic and Clinical Physiology and Pharmacology*. Albex, 0(0), pp. 167–212. doi: 10.1515/jbcpp-2015-0041.
- McCaffery, M. and Pasero, C. (1999) *Pain : clinical manual*. Mosby.
- MECHANIC, D. (1962) 'The concept of illness behavior.', *Journal of chronic diseases*, 15, pp. 189–94. Available at: <http://www.ncbi.nlm.nih.gov/pubmed/14471950> (Accessed: 10 September 2017).
- Meltzer, E. O. (1997) 'The prevalence and medical and economic impact of allergic rhinitis in the United States.', *The Journal of allergy and clinical immunology*, 99(6 Pt 2), pp. S805-28. Available at: <http://www.ncbi.nlm.nih.gov/pubmed/9215265> (Accessed: 10 September 2017).
- Milián, E., María Díaz, A. and Diaz, A. M. (2004) 'Allergy to House Dust Mites and Asthma', *PRHSJ*, 23(1). Available at: <https://pdfs.semanticscholar.org/cd0a/ab74fb47798a47cfe9d100e9587b3fd1c892.pdf> (Accessed: 9 September 2017).
- Min, Y.-G. (2010) 'The pathophysiology, diagnosis and treatment of allergic rhinitis.', *Allergy, asthma & immunology research*. Korean Academy of Asthma, Allergy and Clinical Immunology and Korean Academy of Pediatric Allergy and Respiratory Disease, 2(2), pp. 65–76. doi: 10.4168/aair.2010.2.2.65.
- Miró, J., Castarlenas, E., de la Vega, R., Solé, E., Tomé-Pires, C., Jensen, M. P., Engel, J. M. and Racine, M. (2016) 'Validity of three rating scales for

- measuring pain intensity in youths with physical disabilities.’, *European journal of pain (London, England)*. NIH Public Access, 20(1), pp. 130–7. doi: 10.1002/ejp.704.
- Moscato, G., Vandenplas, O., Van Wijk, R. G., Malo, J.-L., Perfetti, L., Quirce, S., Walusiak, J., Castano, R., Pala, G., Gautrin, D., De Groot, H., Folletti, I., Yacoub, M. R., Siracusa, A. and European Academy of Allergology and Clinical Immunolgy (2009) ‘EAACI position paper on occupational rhinitis’, *Respiratory Research*, 10(1), p. 16. doi: 10.1186/1465-9921-10-16.
- Newacheck, P. W. and Stoddard, J. J. (1994) ‘Prevalence and impact of multiple childhood chronic illnesses.’, *The Journal of pediatrics*, 124(1), pp. 40–8. Available at: <http://www.ncbi.nlm.nih.gov/pubmed/7506774> (Accessed: 10 September 2017).
- Pawankar, R., Bunnag, C., Khaltayev, N. and Bousquet, J. (2012) ‘Allergic Rhinitis and Its Impact on Asthma in Asia Pacific and the ARIA Update 2008.’, *The World Allergy Organization journal*. World Allergy Organization, 5(Suppl 3), pp. S212-7. doi: 10.1097/WOX.0b013e318201d831.
- PRUSSIN, C. and METCALFE, D. (2006) ‘5. IgE, mast cells, basophils, and eosinophils’, *Journal of Allergy and Clinical Immunology*, 117(2), pp. S450–S456. doi: 10.1016/j.jaci.2005.11.016.
- Savino, F., Vagliano, L., Ceratto, S., Viviani, F., Miniero, R. and Ricceri, F. (2013) ‘Pain assessment in children undergoing venipuncture: the Wong-Baker faces scale versus skin conductance fluctuations.’, *PeerJ*. PeerJ, Inc, 1, p. e37. doi: 10.7717/peerj.37.
- Shields, B. J., Cohen, D. M., Harbeck-Weber, C., Powers, J. D. and Smith, G. A. (2003) ‘Pediatric Pain Measurement Using a Visual Analogue Scale: A Comparison of Two Teaching Methods’, *Clinical Pediatrics*, 42(3), pp. 227–234. doi: 10.1177/000992280304200306.
- Shields, B. J., Palermo, T. M., Powers, J. D., Grewe, S. D. and Smith, G. A. (2003) ‘Predictors of a child’s ability to use a visual analogue scale.’, *Child: care, health and development*, 29(4), pp. 281–90. Available at: <http://www.ncbi.nlm.nih.gov/pubmed/12823333> (Accessed: 9 September 2017).
- Small, P. and Kim, H. (2011) ‘Allergic rhinitis.’, *Allergy, asthma, and clinical immunology : official journal of the Canadian Society of Allergy and Clinical Immunology*. BioMed Central, 7 Suppl 1(Suppl 1), p. S3. doi: 10.1186/1710-1492-7-S1-S3.
- Stanford, E. A., Chambers, C. T. and Craig, K. D. (2005) ‘A normative analysis of the development of pain-related vocabulary in children’, *Pain*, 114(1), pp. 278–284. doi: 10.1016/j.pain.2004.12.029.
- Stevens, B. J., Harrison, D., Rashotte, J., Yamada, J., Abbott, L. K., Coburn, G., Stinson, J. and Le May, S. (2012) ‘Pain assessment and intensity in hospitalized children in Canada’, *Journal of Pain*. Elsevier Ltd, 13(9), pp. 857–865. doi: 10.1016/j.jpain.2012.05.010.
- Taddio, A., Riddell, R. P., Ipp, M., Moss, S., Baker, S., Tolkin, J., Malini, D., Feerasta, S., Govan, P., Fletcher, E., Wong, H., McNair, C., Mithal, P. and Stephens, D. (2017) ‘Relative effectiveness of additive pain interventions

- during vaccination in infants.’, *CMAJ : Canadian Medical Association journal = journal de l’Association medicale canadienne*. Canadian Medical Association, 189(6), pp. E227–E234. doi: 10.1503/cmaj.160542.
- Thomas, W. R., Smith, W.-A., Hales, B. J., Mills, K. L. and O’Brien, R. M. (2002) ‘Characterization and immunobiology of house dust mite allergens.’, *International archives of allergy and immunology*, 129(1), pp. 1–18. doi: 65179.
- Togias, A. (2000) ‘Unique mechanistic features of allergic rhinitis.’, *The Journal of allergy and clinical immunology*, 105(6 Pt 2), pp. S599–604. Available at: <http://www.ncbi.nlm.nih.gov/pubmed/10856164> (Accessed: 10 September 2017).
- Torres, C. A., Bartley, E. J., Wandner, L. D., Alqudah, A. F., Hirsh, A. T. and Robinson, M. E. (2013) ‘The influence of sex, race, and age on pain assessment and treatment decisions using virtual human technology: A cross-national comparison’, *Journal of Pain Research*, 6, pp. 577–588. doi: 10.2147/JPR.S46295.
- Wandner, L. D., Scipio, C. D., Hirsh, A. T., Torres, C. A. and Robinson, M. E. (2012) ‘The Perception of Pain in Others: How Gender, Race, and Age Influence Pain Expectations’, *The Journal of Pain*, 13(3), pp. 220–227. doi: 10.1016/j.jpain.2011.10.014.
- Wewers, M. E. and Lowe, N. K. (1990) ‘A critical review of visual analogue scales in the measurement of clinical phenomena.’, *Research in nursing & health*, 13(4), pp. 227–36. Available at: <http://www.ncbi.nlm.nih.gov/pubmed/2197679> (Accessed: 10 September 2017).
- White, P., Smith, H., Baker, N., Davis, W. and Frew, A. (1998) ‘Symptom control in patients with hay fever in UK general practice: how well are we doing and is there a need for allergen immunotherapy?’, *Clinical and experimental allergy : journal of the British Society for Allergy and Clinical Immunology*, 28(3), pp. 266–70. Available at: <http://www.ncbi.nlm.nih.gov/pubmed/9543074> (Accessed: 9 September 2017).
- Wright, A. L., Holberg, C. J., Martinez, F. D., Halonen, M., Morgan, W. and Taussig, L. M. (1994) ‘Epidemiology of physician-diagnosed allergic rhinitis in childhood.’, *Pediatrics*, 94(6 Pt 1), pp. 895–901. Available at: <http://www.ncbi.nlm.nih.gov/pubmed/7971008> (Accessed: 10 September 2017).