

## DAFTAR PUSTAKA

- Ari, Tyas W. W., 2015.,Efek Pemanasan Pada Morfologi dan Kristalinitas Nanofiber PVA., *Skripsi.*, Jurusan Fisika. Universitas Gadjah Mada Yogyakarta.
- Arvanitoyannis, I.S., 2002.,Formation and Properties of Collagen and Gelatin Films and Castings., Dalam: Maria, C.T.R., Carvalhol, A.D., Paulo. J.A., Sobral., Ana M.B.Q., Habitante., Javier S.F., 2007. The Effect of Degree of Hydrolysis of the PVA and the Plasticizer Concentration on the Color, Opacity, Thermal and Mechanical Properties of Films Based on PVA and gelatin blends., *Journal of Food Engineering.*,87: 191-199.
- Bahy, G. S. E., El-Sayed., Abdel, A. M and Noha, M. G., 2012., Preparation and Characterization of Polyvinyl Alcohol/Gelatin Blends., *Journalof Applied Science Research*, 8(7): 3544-3551.
- Binda, M. 2011., *Organic Electronic:Principles, Devices and Applications.*, Milano., November 15-18.
- Bourtoom, T., 2008., Edible Films and Coatings: Characteristics and Properties., *Journal International of Food Research.* Vol 15 (3)., Hal: 237-248.
- Brody, A.L., 1972.,Aseptic Packaging of Foods., Dalam: Nurminah, M. 2002. *Penelitian Sifat Berbagai Bahan Kemasan Plastik dan Kertas serta Pengaruhnya terhadap Bahan yang Dikemas.* Teknologi Pertanian, Fakultas Pertanian USU.
- Burke, John., 1984., Solubility Parameters: Theory and Application., *The Book and Paper Group.*, The American Institute for conservation.,
- Careda, M.P., 2007.,Characterization of Edible Films of Cassava Strach by ElectronMicroscopy., *Journal of Food Technology* , hal: 91-95.
- Crompton, T.R., 1979.,*Additive Migration from Plastic into Food.*Pergamon Press., Oxford.
- Darni, Y. dan Herti, U., 2010., Studi Pembuatan dan Karakteristik Sifat Mekanik dan Hidrofobisitas Bioplastik dari Pati Sorgum., *Jurnal Rekayasa Kimia dan Lingkungan.*, 7(4): 88-93.
- Ebewele, R.O., 2000. *Polymer Science and Technology.*, Benin: CRC Press CiC.
- Erliza, dan Sutedja., 1987., *Pengantar Pengemasan.*, Laboratorium Pengemasan., Jurusan TIP., IPB., Bogor.
- Flin, R.A. dan Trojan, P.K., 1975., *Engineering Materials and Their Aplications.*, Honh Ton Mifflin Co., Boston.
- Gaaz, T., Sulong, A., Akhtar M., Kadhun, A., Mohammad, A., Al-amieriy A., 2005., Properties and Application of Polyvinyl Alcohol. *Halloy site Nanotubes and their Nano composite Molecules.*, 20(12): 22833-22847.

- Galiotta, G., Di Gioia, L. D., S. Guilbert, and B. Cuq., 1998., Mechanical and Thermomechanical Properties of Films Based on Whey Proteins as Affected by Plasticizer and Crosslinking Agents., *Journal of Dairy Science*, Vol. 81: 3132-3130
- Gennadios, A., McHugh, T.H., Weller, C.L., Krochta, J.M., 1994. Adible casting and films based on proteins., Dalam: Maria, C.T.R., Carvalhol, A.D., Paulo. J.A., Sobral., Ana M.B.Q., Habitante., Javier S.F., 2007. The Effect of Degree of Hydrolysis of the PVA and the Plasticizer Concentration on the Color, Opacity, Thermal and Mechanical Properties of Films Based on PVA and gelatin blends., *Journal of Food Engineering*., 87: 191-199.
- Gohil, J.M., Bhattacharya, A., dan Ray, P., 2006, Studies On The Crosslinking of Poly(Vinyl Alcohol), *Journal of Polymer. Res.* 13:161, doi: 10.1007/s10965-005-9023-9.
- Gorgieva, S., Kokol, V., 2012., Collagen-Vs. Gelatine-Based Biomaterials and Their Biocompatibility: Review and Perspectives., *Journal of Biomaterials Applications for Nanomedicine*., Hal: 17., ISBN: 978-953-307-661-4.
- Gotard, N., Guilbert, S., dan Cuq, J. L., 1993., Water and Glycerol as Plasticizer Effect Mechanic and Water Barrier Properties of and Edible Wheat Gluten Film., *Journal of Food Science*., 58(1): 206-211.
- Glicksman, M., 1969., *Gum Technology in Food Industry*., Academic Press., New York.
- Hajji, S., Chaker, A., Jridi, M., Maalej, H., Jellouli, K., Boufi, S., Nasri, M., 2016., Structural Analysis and Antioxidant and Antibacterial Properties of Chitosan/Poly(vinyl alcohol) Biodegradable Film., *Journal of Environmental Science and Pollution Research*., Res. 23:15310-15320.
- Hariyadi, Purwiyatno., 2008., *Pengemas Pangan*., Industri Kemasan Indonesia., SEAFast., Institut Pertanian Bogor.
- Harper., 1975., *Handbook of Plastic and Elastomer*., Westing House Electric Corporation., Baltimore., Maryland.
- Harumarani, S., Ma'ruf, W.F., Romadhon., 2016., The Effect of Different Glycerol Concentration on Characteristic of Composite Eucheuma cottonii Semi Refined Carrageenan Edible Film and Beeswax., *Journal of Science and Biotechnology*., Vol 5. No1. ISSN: 2442-4145.
- Harry, Allcock. R., Lempe, Frederick. W., Mark, James. E., 2003., *Contemporary Polymer Chemistry (3 ed)*., Pearson Education. Hal: 546., ISBN 0-13-065056-0.
- Heeralal, M., Murty, V.R., Praveen, G.V., Shankar, S., 2012., Influence of Calcium and Sodium Silicate on Index and Engineering Properties of Betonite., *International Conference on Chemical: Science And Engineering*., Hal 52-57.

- Jahan, F. dan Mathad, R.D., 2016, Mechanical Studies on Chitosan/PVA Blend with Calcium Chloride as Ionic Crosslinker., *Journal of Advance Science Engineering and Technology*., 4(4) : 31–34.
- Jiang, Y., Li, Y., Chai, Z., Leng, X., 2010., Study of the Physical Properties of Whey Protein Isolate and Gelatin Composite Films., *Journal of Agricultural of Food Chemistry*., 58:5100-5109.
- Jongjareonrak, A., S. Benjakul, W. Visessanguan, T. Prodpran and M. Tanaka., 2006., Characterization of edible film from skin gelatin of brownstripe red snapper and bigeye snapper., *Journal of Food Hydrocolloids*., 20: 492 – 501.
- Junianto., Hoetemi kiki., Maulina Ine., 2006., Produksi Gelatin dari Tulang Ikan dan Pemanfaatannya sebagai Bahan Dasar Pembuatan Cangkang Kapsul., *Laporan Hibah Kompetisi*., UNPAD., Bandung.
- Ju, Z. Y. dan A. Kilara. 1998. Aggregation Induced by Calcium Chloride and Subsequent Thermal Gelation of Whey Protein Isolate., *Journal of Dairy Science*, 81:925-931.
- Kaban, Jamaran., 2009., Modifikasi Kimia dari Kitosan dan Aplikasi produk yang dihasilkan., *Skripsi*., Universitas Sumatera Selatan., Medan.
- Kester J.J. dan Fennema, O.R., 1986., Edible Films and Coatings: A Review. *Journal of Food Technology*., 40:12., Hal: 47-59.
- Krishan, K. Chawla., 2011., *Composite Material Science and Engineering third edition*., Spinger., New York.
- Lieberman, E.R. and Guilbert, S.G., 1973., Gas Permeation of Collagen Films as Affected by Crosslink Age, Moisture, and Plasticizer Content., *Journal of Polymer Science: Polymer Symposia*. 41: 1, Hal: 33-43.
- Linda, C. S., Davit, T.G., Gregory, F.M., 2007., *Polymer Microscopy Third edition*., Spinger., New York.
- Liu, W. G., Zhao, X. D., Yao, K. D., 2004., Morphology and Structure of Poly(Lactic Acid)/Gelatin Blend Membran., *Journal of Polymer Material of Science and Engineering*.
- Mallapragu, S. K., Peppas, N.A., 1996., Dissolution Mechanism of Semicrystalline Poly(vinyl Alcohol)., *Journal of Polymer Science*., 34 (7): 1339-1346.
- Maria, C. Thais, Rosemary., A. De Carvalhol., Paulo. J.A., Sobral., Ana monica B.Q., Habitante., Javier S.F., 2007. The Effect of Degree of Hydrolysis of the PVA and the Plasticizer Concentration on the Color, Opacity, Thermal and Mechanical Properties of Films Based on PVA and gelatin blends., *Journal of Food Engineering*., 87: 191-199.
- Marquie, C., C. Aymard, J. L. Cuq, and Guilbert. 1995. Biodegradable Packaging Made from Cottonseed Flour: Formation and Improvement by Chemical

Treatment with Gossypol, Formaldehyde and Glutaraldehyde. *Journal of Agricultural of Food Chemistry.*, 43 : 2762-2766.

Marseno, D.W., 2003., Pengaruh Sorbitol Terhadap Sifat Mekanik dan Transmisi Uap Air Film dari Pati Jagung., *Prosiding Seminar Nasional Industri Pangan*. Yogyakarta.

Martaningtyas, D., 2004., Potensi Plastik Biodegradable., Dalam: Firdaus, F., Mulyaningsi, S., Anshory, H., 2008., Green Packaging Berbasis Biomaterial: Karakterisasi Mekanik dan Ketahanan terhadap Mikroba Pengurai Film Kemasan dari Komposit Pati Tropis-PLA-Kitosan. *Prosiding Bidang Teknik Kimia dan Tekstil.*, Hal 27-32., ISBN : 978-979-3980-15-7.

Martin, Alfred., 1993., *Physical Pharmacy.*, Lea & Febiger., Philladelphia. Hal: 566-572.

Mc.Hugh,T.H., J.F. Aujard and J.M. Krochta., 1994.,Plasticized Whey Protein Edible Films: Water Vapor Permeability., *Journal of Food Science.*, 59 : 416 – 419.

Nath, D. C. D., Bandyopadhyay, S., Bouhton, P., Yu, A., Blackburn, D., White, C., 2010., High-StrengthBiodegradable Poly(viyl Alcohol)/FlyAsh Composite film, *Journal of Application of Polymer Science.*, 117(1):114-121.

Nugroho, E., Maulany, R.F., Penerjemah., Jakarta: Buku Kedokteran EGC. (Inggris) Madigan, M.,2005., *Brock Biology of Microorganisme.* Hal:753., PrenticeHall., London.

Nurfajrin, Z.D., Mahadrejaya, G.S., Sukadarti, S., Sulistyowati, S., 2015., Karakterisasi dan Sifat Biodegradasi Edible Film dari Pati Kulit Pisang Nangka (Musa Paradisiaca L.) dengan Penambahan Kitosan dan Plasticizer Gliserol., *Prosiding Seminar Nasional Teknik Kimia Kejuangan.*,ISSN 1693-4393

Nurminah, M., 2002.,*Penelitian Sifat Berbagai Bahan Kemasan Plastik dan Kertas serta Pengaruhnya terhadap Bahan yang Dikemas.*, Teknologi Pertanian., Fakultas Pertanian USU.

Pal, Kunal., Banthia, K., Majundar, D.H., 2006. Polivinyil Alcohol-Gelatin Pathes of Salicylic Acid: Preparation Characterization and Drug Releas Studies. *Journal of Biomaterials.*, 21(1): 75-91.

Paranhos, C.M., Soares, B.G., Oliveira, R.N., dan Pessan, L.A., 2007, Poly (vinyl acohol)/Clay-based Nanocomposite Hydrogels: Swelling Behavior and Characterization,*Journal of Macromolecule.*,Hal: 620-626.

Park, S.K., C.O. Rhee,D.H. Bae and N.S.Hettyarachchy., 2001., Mechanical Properties and Water Vapor Permeability of Soy Protein Films Affected by Calcium Salt and Glucono--lactone. *Journal of Agricultural of Food Chemistry.*, 49:2308-2312.

- Patachia, S., Valente, A.J.M., Papancea, A., dan Lobo, V, M. M., 2009., *Poly(vinyl Alcohol) [PVA]-Based Polymer Membranes.*, Nova Science Publisher, Inc. New York.
- Pavlath, A.E., Gossett, C., Camirand, W., Robertson, G.H., 1999., Ionomeric Films of Alginic Acid., *Journal of Food Science.*, 64: 61-63.
- Peppas, N.A., Merril, E.W., 1997. Development of Semicrystalline Polyvinyl Alcohol Hydrogels for Biomedical Application., *Journal of Biomedical Materials Research.*, 11 (3): 423-434.
- Poeloengasih, C.D. dan Marseno, D.W., 2002., Physical Properties of Composite Edible Film from Winged Bean Seed Flour and Tapioca., Dalam: Poeloengasih, C.D. dan Marseno, D.W., 2003., Characterization of Composite Edible Film of Winged Bean Seeds Protein and Tapioca., *Journal of Technology and Food Industry.* Vol. XIV, No. 3.
- Purnawati, D., 2017., Pembuatan dan Karakterisasi Lapisan PVA-Chitosan dengan Metode Drop Casting dan Aplikasinya sebagai Pengemas Makanan., *Skripsi. Fisika. FMIPA. UGM.*
- Rahman, M., Dey, K., Parvin, F., Sharmin, N., Khan, A.N., Sarker, B., Nahar, S., Ghoshal, S., Khan, M., Billah, M., Haydar U., 2011., Preparation and Characterization of Gelatin-Based PVA Film: Effect of Gamma Irradiation., *Journal of Polymeric Materials.*, 60:1-14.
- Rahmawati, I.S., Hastuti, E.D., Darmanti S., 2011., Pengaruh Perlakuan Konsentrasi Kalsium Klorida ( $\text{CaCl}_2$ ) dan Lama Penyimpanan terhadap Kadar Asam Askorbat Buah Tomat (*Lycopersicum Esculentum* Mill)., *Buletin Anatomi dan Fisiologi.*, 19(1): Maret 2011.
- Rhim, J.W., 2004., Physical and Mechanical properties of Water Resistant Sodium Alginate Films., *Swiss Society of Food Science and Technology.*, Lebensm-Wiss u-Technol., 37: 323-330.
- Rhim, J.W., dan Lee J.H., 2004., Effect of  $\text{CaCl}_2$  Treatment on Mechanical and Moisture Barrier Properties of Sodium Alginate and Soy Protein-based Films, *Journal of Food Science and Biotechnology.*, 13(6): 728 – 732.
- Ren, P., Shen, T., Wang, F., Wang, X., Zhang, Z., 2009., Study on Biodegradable Starch/OMMT Nanocomposites for Packaging Applications., *Journal of Polymer Environment.*, 17: 203-207.
- Ryall, A.L. dan Lipton, W.J. 1972. *Handling, Transportation and Storage of Fruits And Vegetables.* The AVI Publishing. Co. Westport.
- Sacharow, S. and R.C. Griffin. 1980. *Principles of Food Packaging.* The AVI Publishing. Co. Inc. Westport. Connecticut.
- Scalia, J., Benson, C.H., Edil, T.B., 2013, Bentonite-Polyacrylate Nanocomposites Containment of Aggressive Liquids., *Proceedings of the 5th International*



*Young Geotechnical Engineers Conference.*, doi: 10.3233/978-1-61499-297.4-63.

Siswono, 2008., *Jaringan Informasi pangan dan Giz.i*, volume XIV. Ditjen Bina Gizi Masyarakat. Jakarta.

Smith, Cathy., 2008., *How long does it take for trash to biodegrade.*, Green Eco Serv., p. 1,

Sobral, P.J.A., Menegalli, F.C., Hubinger, M.D., Roques, M.A., 2001. Mechanical Water Vapor Barrier and Thermal Properties of Gelatin Based Edible Film. *Journal of Food Hydrocolloids.*, 15 (4-6), 423-432.

Surdia, T. dan S. Saito., 1995., *Pengetahuan Bahan Teknik.*, PT. Pradya Paramita., Jakarta.

Suwardi, Yuniarto., Lukman Atmaja, Fahimah Martak., 2009., *Pengaruh Variasi Larutan Asam Pada Isolasi Gelatin Kulit Ikan Patin (Pangasius hypothalmus) Terhadap Sifat-sifat Kimia dan Fisika.*, Jurusan Kimia. FMIPA. Institut Teknologi Sepuluh Nopember., Surabaya.

Suyitno., 1990., *Bahan-bahan Pengemas.* PAU. Universitas Gadjah Mada., Yogyakarta.

Utami, A. D., 2017., *Pembuatan dan Karakterisasi Lapisan PVA-Chitosan-gelatin dengan Metode Drop Casting dan Aplikasinya sebagai Pengemas Makanan.* Skripsi. Fisika. FMIPA. UGM.

Ward, A. G., dan Courts, A., 1977., *The Science and Technology of Gelatin.*, Academic Press, London. Wendland.

Winarno, F.G. dan Jennie., 1983., *Gizi Pangan, Teknologi dan Konsumsi.*, Gramedia., Jakarta.

Wunderlich, B., 2005., *Thermal Analysis of Polymer Materials.*, Springer., New York.

Xiping, G., Keyong, T., Jie, L., Xnejing, Z., dan Yuqing, Z., 2014, Compatibility and Properties of Biodegradable Blend Films with Gelatin and Poly(vinyl alcohol)., *Journal of National Nature Science Foundation of China.*, s11595-014-0920-9. Hal: 351-356.

You, J.P., Ying, B.C., Hong, H.L., Hong, Z.Y., 2014., Properties of Poly(vinyl alcohol) Plasticized by Glycerin., *Journal Forest Product and Industries.*, 3(3) 2325-4513.

Young, R. J., dan Lovell, P. A., 1991., *Introduction to Polymer: Second ed.*, Springer., New York.

Yuniarti, L.I., Hutomo, G.S., dan Rahim, A., 2014, Sintesis dan Karakterisasi Bioplastik Berbasis Pati Sagu (Metroxylon sp), *e-Journal of Agroteknologi dan Bisnis*, 2(1), 38-46.