

DAFTAR PUSTAKA

- American Society of Testing Method, 2002, ASTM E2126-02a-*Standard Test Method for Cyclic (Reversed) Load Test For Shear Resistance for Building*, Pennsylvania: ASTM Comitte.
- Awaludin, A., 2005, *Dasar-dasar Perencanaan Sambungan Kayu, KMTS FT UGM*, Yogyakarta, Indonesia, Edisi Kedua, hal. 38.
- Awaludin, A., Hayashikawa, T., Oikawa, A., Hirai, T., Sasaki, Y., and Leijten, A.J.M, 2011, *Seismic Properties of Moment-Resisting Timber with a Combination of Bolts and Nails, Civil Engineering Dimension*, Vol. 13(1), pp. 1-5.
- Awaludin, A., Sasaki, Y., Hirai T., Oikawa, A., Hayashikawa, T., 2010, *Moment Resisting Timber Sambungans with High Strength Steel Dowels: Natural Fiber Reinforcements*, Trentino: Proceedings on the 11th World Conference on Timber Engineering.
- Badan Standarisasi Nasional, 2013, SNI 7973-2013, *Spesifikasi Desain untuk Konstruksi Kayu*, Jakarta: BSN.
- Blass, H.J., Schmid, M., Litze, H., Wagner, B., 2000, *Nail Pelate Reinforced Sambungans with Dowel-type Fasteners*, Proceedings of the 6th World Conference on Timber Engineering, Whistler.
- Broughton, J. G., & Hutchinson, A. R., 2001, *Pull-Out Behaviour Of Steel Rods Bonded Into Timber, Materials and Structures*, 34(2), pp. 100–109.
- Buchanan, A.H. & Fairweather, R.H., 1993, *Seismic Design of Glulam Structures*, Bulletin of the New Zealand National Society for Earthquake Engineering, Vol 26(4), pp. 415-436.
- Fragiacomo, M. and Batchelar, M., 2012, *Timber Frame Moment Sambungans with Glued-In Steel Rods. II: Experimental Investigation of Long-Term Performance, Journal of Structural Engineering*, pp.802–811.
- FYFE Asia Pte Ltd. Tyfo FibrRebar-FRP Reinforcement System, pp.4, <https://www.fyfeasia.com>, 14 Maret 2017.
- FYFE Co. LLC, 2015, *Tyfo FibrRebar GFRB-Glass FRP Bars*, San Diego, CA. pp.1.

- Hermanto, R., 2015, *Studi Eksperimental Hubungan Balok-Kolom Glulam dengan Penghubung Batang Baja Berulir*, *Jurnal Rekayasa Sipil*, 9(2), hal.105–114.
- Martawijaya, A., Kartasujana, I., Kadir, K. dan Prawira, S., 2005. *Atlas Kayu Jilid I*. 3rd ed. Bogor: Departemen Kehutanan, Badan Penelitian dan Pengembangan Kehutanan.
- Palermo, A., Pampanin, S., Buchanan, A., and Newcombe, M., 2005, *Seismic Design of Multi-Storey Buildings using Laminated Veneer Lumber (LVL)*, Wairakei Resort: Taupo, New Zealand, New Zealand Society for Earthquake Engineering Conference.
- Riberholt, H., 1980, *Steel Bolts Glued Into Glulam*, Oxford: UK, IUFRO Wood Engineering Group meeting.
- Rossgignon, A., & Espion, B., (2008), *Experimental Assessment Of The Pull-Out Strength Of Single Rods Bonded In Glulam Parallel To The Grain*, *Holz Als Roh- Und Werkstoff*, 66(6), pp 419–432.
- Satria, A., 2017, *Perilaku Sambungan Balok-Kolom Kayu Keruing dengan Penghubung Tulangan Baja Ulir Akibat Beban Monotonik*, Yogyakarta: Program Studi S2 Teknik Sipil, Departemen Teknik Sipil dan Lingkungan Universitas Gadjah Mada.
- Setiawan, A., 2005, *Perencanaan Struktur Baja dengan Metode LRFD*, Jakarta: Erlangga, pp.110.
- Simanta, D., Suryoatmono, B. dan Tjondro, J.A., 2016, *Sambungan Balok-Kolom Eksterior Kayu Glulam Akasia dengan Sistim Profil Siku Dan Batang Baja*. *Jurnal Teknik Sipil Mekanika*, 1, hal.29–35.
- Smith, T., Ponzo, F.C., Di Cesare, A., Auletta, G., Pampanin, S., Carradine, D., Palermo, A., and Nigro, D., 2012, *Seismic Performance of a Post-Tensioned Glue Laminated Beam to Column Sambungan: Experimental and Numerical Results*, Auckland: New Zealand, World Conference on Timber Engineering.
- Somayaji, S., 2003, *Civil Engineering Materials*, Prentice Hall, Englewood Cliffs, New Jersey.
- Steiger, R., Gehri, E., & Widmann, R., (2007), *Pull-Out Strength Of Axially Loaded Steel Rods Bonded In Glulam Parallel To The Grain*, *Materials and Structures*, 40(1), pp. 69–78.

- Yang, H.-F., Liu, W.-Q., Lu, W.-D., & Tang, J., (2014), *Experimental Study on The Bond And Anchorage Behaviors Of Glued-In Rod Sambungans In Glulam*, Auckland: New Zealand, World Conference on Timber Engineering,
- Yeboah, D., Taylor, S., McPolin, D., & Gilfillan, R., (2013), *Pull-Out Behaviour of Axially Loaded Basalt Fibre Reinforced Polymer (BFRP) Rods Bonded Perpendicular to The Grain Of Glulam Elements, Construction and Building Materials*, 38, pp. 962–969.