



DAFTAR PUSTAKA

- Alberti, K., DeFronzo, R. and Zimmet, P. (eds) (1997) *International textbook of diabetes mellitus*. 2nd edn. New York: J. Wiley.
- American Diabetes Association (2015) *Diabetes Symptoms*. Available at: <http://www.diabetes.org/diabetes-basics/symptoms/> (Accessed: 28 December 2016).
- American Diabetes Association (2017a) ‘2. Classification and Diagnosis of Diabetes’, *Diabetes Care*, 40(Supplement 1), pp. S11–S24. doi: 10.2337/dc17-S005.
- American Diabetes Association (2017b) *STANDARDS OF MEDICAL CARE IN DIABETES—2017, Diabetes Care Volume 40 Supplement 1*. Available at: care.diabetesjournals.org.
- Beckman, J. A., Findeiss, L. K., Golzarian, J., Gornik, H. L., Halperin, J., Hirsch, A. T., Jaff, M. R., Misra, S., Moneta, G. L., Olin, J., Rooke, T. W., Sidawy, A. N., Stanley, J. C., White, C. J., White, J. V. and Zierler, R. E. (2011) ‘ACCF/AHA Pocket Guideline November 2011 for The Management of Patients With Peripheral Artery Disease (Lower Extremity, Renal, Mesenteric, and Abdominal Aortic)’, *American College of Cardiology Foundation*, 2(November), pp. 11–33.
- Bhat, H. K., Hiatt, W. R., Hoppel, C. L. and Brass, E. P. (1999) ‘Unilateral Peripheral Arterial Disease’, *Circulation*, 16(99(6)), pp. 807–12.
- Bosiers, M. and Schneider, P. A. (2009) *Critical Limb Ischemia*. New York: Informa Healthcare.
- Bowers, B. L., Valentine, R. J., Myers, S. I., Chervu, A. and Clagett, G. P. (1993) ‘The natural history of patients with claudication with toe pressures of 40 mm Hg or less’, *Journal of Vascular Surgery*, 18(3), pp. 506–511. doi: 10.1016/0741-5214(93)90269-R.
- Brass, E. P., Hiatt, W. R., Gardner, A. W. and Hoppel, C. L. (2001) ‘Decreased NADH dehydrogenase and ubiquinol-cytochrome c oxidoreductase in peripheral arterial disease’, *Am J Physiol Heart Circ Physiol*, 280(2), pp. H603-9.
- Brass, E. P. and Hoppel, C. L. (1980) ‘Relationship between acid-soluble carnitine and coenzyme A pools in vivo’, *The Biochemical journal*, 190(3), pp. 495–504. Available at: <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC1162124/> (tool=pmcentrez&rendertype=abstract).
- Burger, H. and Maricek, C. (2007) ‘Disability and Rehabilitation: Return to work



- after lower limb amputation', 29(17), pp. 1323–1329. Available at: <http://web.ebscohost.com.ezproxy.turkuamk.fi/ehost/pdf>.
- Chu, S. G., Becker, R. C., Berger, P. B., Bhatt, D. L., Eikelboom, J. W., Konkle, B., Mohler, E. R., Reilly, M. P. and Berger, J. S. (2010) 'Mean platelet volume as a predictor of cardiovascular risk: A systematic review and meta-analysis', *Journal of Thrombosis and Haemostasis*, 8(1), pp. 148–156. doi: 10.1111/j.1538-7836.2009.03584.x.
- Coats, P. and Wadsworth, R. (2005) 'Marriage of resistance and conduit arteries breeds critical limb ischemia', *American journal of physiology. Heart and circulatory physiology*, 288(3), pp. H1044–H1050. doi: 10.1152/ajpheart.00773.2004.
- Coban, E., Bostan, F. and Ozdogan, M. (2006) 'The mean platelet volume in subjects with impaired fasting glucose.', *Platelets*, 17(1), pp. 67–69. doi: 10.1080/09537100500220729.
- Coban, E., Kucuktag, S. and Basyigit, S. (2007) 'Platelet activation in subjects with impaired glucose tolerance.', *Platelets*, 18(8), pp. 591–4. doi: 10.1080/09537100701609019.
- Criqui, M. H., Denenberg, J. O., Langer, R. D. and Fronek, A. (1997) 'The epidemiology of peripheral arterial disease: importance of identifying the population at risk', *Vasc.Med*, 2(3), pp. 221–226.
- Degerli, V., Ergin, I., Duran, F. Y., Ustuner, M. A. and Duran, O. (2016) 'Could Mean Platelet Volume Be a Reliable Indicator for Acute Mesenteric Ischemia Diagnosis? A Case-Control Study', *BioMed Research International*, 2016. Available at: <http://www.embase.com/search/results?subaction=viewrecord&from=export&id=L612965626%0Ahttp://dx.doi.org/10.1155/2016/9810280%0Ahttp://sf.x.library.uu.nl/utrecht?sid=EMBASE&issn=23146141&id=doi:10.1155%2F2016%2F9810280&atitle=Could+Mean+Platelet+Volume+Be+a>.
- Demirkol, S., Balta, S., Unlu, M., Yuksel, U. C., Celik, T., Arslan, Z., Kucuk, U. and Yokusoglu, M. (2012) 'Evaluation of the mean platelet volume in patients with cardiac syndrome X.', *Clinics (São Paulo, Brazil)*, 67(9), pp. 1019–22. doi: 10.6061/clinics/2012(09)06.
- Demirtunc, R., Duman, D., Basar, M., Bilgi, M., Teomete, M. and Garip, T. (2009) 'The relationship between glycemic control and platelet activity in type 2 diabetes mellitus', *Journal of Diabetes and its Complications*, 23(2), pp. 89–94. doi: 10.1016/j.jdiacomp.2008.01.006.
- Dormandy, J. A. and Murray, G. D. (2011) 'Reprinted Article "the fate of the claudicant - A prospective study of 1969 claudicants"', *European Journal of Vascular and Endovascular Surgery*. Elsevier Ltd, 42(SUPPL.1), pp. S4–S6. doi: 10.1016/j.ejvs.2011.06.014.



Dormandy, J. A. and Thomas, P. (1988) ‘What is the natural history of a critically ischemic patient with and without his leg?’, in Greenhalgh, R., Jamieson, C., and Nicolaides, A. (eds) *Limb Salvage and Amputation for Vascular Disease*. London: WB Saunders, pp. 11–26.

Erhart, S., Beer, J. H. and Reinhart, W. H. (1999) ‘Influence of aspirin on platelet count and volume in humans’, *Acta Haematologica*, 101(3), pp. 140–144. doi: 10.1159/000040940.

Estévez-Loureiro, R., Salgado-Fernández, J., Marzoa-Rivas, R., Barge-Caballero, E., Pérez-Pérez, A., Noriega-Concepción V, V., Calviño-Santos, R., Vázquez-Rodríguez, J. M., Vázquez-González, N., Castro-Beiras, A. and Kaski, J. C. (2009) ‘Mean platelet volume predicts patency of the infarct-related artery before mechanical reperfusion and short-term mortality in patients with ST-segment elevation myocardial infarction undergoing primary percutaneous coronary intervention’, *Thrombosis Research*, 124(5). doi: 10.1016/j.thromres.2009.03.012.

Fatimah, R. N. (2015) ‘Diabetes Melitus Tipe 2’, *Fakultas Kedokteran Universitas Lampung*, 4, pp. 93–101.

Ferroni, P., Basili, S. and Davi, G. (2003) ‘Platelet activation, inflammatory mediators and hypercholesterolemia.’, *Current vascular pharmacology*, 1(2), pp. 157–169.

Gasparyan, A. Y., Ayvazyan, L., Mikhailidis, D. P. and Kitas, G. D. (2011) ‘Mean platelet volume: a link between thrombosis and inflammation?’, *Current pharmaceutical design*, 17(1), pp. 47–58. doi: 10.2174/138161211795049804.

Gerassimidis, T., Karkos, C. D., Karamanos, D. and Kamparoudis, A. (2008) ‘Current endovascular management of the ischaemic diabetic foot’, *Hippokratia*, 12(2), pp. 67–73.

Greenstein, B. and Wood, D. F. (2011) *The Endocrine System at a Glance*. 3rd edn. Chichester, West Sussex: Wiley-Blackwell.

Gresele, P. (2008) *Platelets in hematologic and cardiovascular disorders*. 1st edn. Cambridge: Cambridge University Press.

Heart.org (2016a) *About Peripheral Artery Disease (PAD)*, American Heart Association. Available at: http://www.heart.org/HEARTORG/Conditions/VascularHealth/PeripheralArteryDisease/About-Peripheral-Artery-Disease-PAD_UCM_301301_Article.jsp#.WMwLKTt97Dc (Accessed: 4 February 2017).

Heart.org (2016b) *Atherosclerosis*, American Heart Association. Available at: <http://www.heart.org/HEARTORG/Conditions/Cholesterol/WhyCholesterol>



Matters/Atherosclerosis_UCM_305564_Article.jsp#.WMwCEzuGPDC
(Accessed: 5 January 2017).

Hiatt, W. R., Nawaz, D. and Brass, E. P. (1987) 'Carnitine metabolism during exercise in patients with peripheral vascular disease', *J Appl Physiol*, 62(6), p. 2383–7.

Hiatt, W. R., Wolfel, E. E., Regensteiner, J. G. and Brass, E. P. (1992) 'Skeletal muscle carnitine metabolism in patients with unilateral peripheral arterial disease.', *Journal of applied physiology (Bethesda, Md. : 1985)*, 73(1), pp. 346–53. Available at: <http://www.ncbi.nlm.nih.gov/pubmed/1506390>.

Hickman, P., Harrison, D. K., Hill, A., McLaren, M., Tamei, H., McCollum, P. T. and Belch, J. J. F. (1994) 'Exercise in Patients with Intermittent Claudication Results in the Generation of Oxygen Derived Free Radicals and Endothelial Damage', *Advances in Experimental Medicine and Biology*, pp. 565–570. doi: 10.1007/978-1-4615-1875-4_96.

Hirsch, A. T., Haskal, Z., Hertzer, N., Bakal, C., Creanger, M., Halperin, J., Hiratzka, L., Murphy, W., Olin, J., Puschett, J., Rosenfield, K. and Sacks, D. (2005) 'ACC/AHA 2005 practice Guidelines for the Management of Patients With Peripheral Arterial Disease (Lower Extremity, Renal, Mesenteric, and Abdominal Aortic)', *Circulation*, 113(11), pp. 1474–1547. doi: 10.1161/CIRCULATIONAHA.106.174526.

IDF (2015) *IDF Diabetes Atlas*. 7th Editio. doi: 10.1289/image.ehp.v119.i03.

Inui, Y., Suehiro, T., Kumon, Y. and Hashimoto, K. (1994) 'Platelet volume and urinary prostanoïd metabolites in non-insulin-dependent diabetes mellitus.', *Journal of atherosclerosis and thrombosis*, 1, pp. 108–112.

Irawan, B. (2015) 'Atherogenesis'.

LaMorte, W. (2016) *Pathogenesis of Atherosclerosis*, Boston University School of Public Health. Available at: http://sphweb.bumc.bu.edu/otlt/mph-modules/ph/ph709_heart/ph709_heart3.html (Accessed: 6 February 2017).

Lilly, L. S. (ed.) (2011) *Pathophysiology of Heart Disease*. 5th edn. Philadelphia: Lippincott Williams & Wilkins.

McCabe, D. J. H., Harrison, P., Sidhu, P. S., Brown, M. M. and Machin, S. J. (2004) 'Circulating reticulated platelets in the early and late phases after ischaemic stroke and transient ischaemic attack', *British Journal of Haematology*, 126(6), pp. 861–869. doi: 10.1111/j.1365-2141.2004.05137.x.

Mills, G., Gmbh, L. S., Jacobs, R. and Labucka, I. (2009) 'Pathophysiology and Treatment of Critical Limb Ischemia', *Regulation*, 2009(April 2008), pp. 1–14.



Minar, E. (2009) 'Critical limb ischaemia.', *Hamostaseologie*, 29(1), pp. 102–109.
doi: 09010102 [pii].

Ranjith, M. P., DivyaRaj, R., Mathew, D., George, B. and Krishnan, M. N. (2016)
'Mean platelet volume and cardiovascular outcomes in acute myocardial infarction', *Heart Asia*, 8(1), pp. 16–20. doi: 10.1136/heartasia-2015-010696.

Ross, M. H. and Pawlina, W. (2011) *Histology - A Text and Atlas, 6th Edition*
Lippincott Williams & Wilkins - Wolters Kluwer. doi:
10.1017/CBO9781107415324.004.

Rouslin, W. (1983) 'Mitochondrial complexes I, II, III, IV, and V in myocardial ischemia and autolysis', *The American Journal of Physiology*, 244(6), pp. H743-748. Available at: <http://www.ncbi.nlm.nih.gov/pubmed/6305212>.

Siracuse, J. J. and Chaikof, E. L. (2012) 'The Pathogenesis of Diabetic Atherosclerosis', in *Diabetes and Peripheral Vascular Disease: Diagnosis and Management*, pp. 13–27. doi: 10.1007/978-1-62703-158-5.

Teraa, M., Conte, M. S., Moll, F. L. and Verhaar, M. C. (2016) 'Critical Limb Ischemia: Current Trends and Future Directions', *Journal of the American Heart Association*, 5(2), p. 9. doi: 10.1161/JAHA.115.002938.

Varu, V. N., Hogg, M. E. and Kibbe, M. R. (2010) 'Critical limb ischemia', *Journal of Vascular Surgery*. Elsevier Inc., 51(1), pp. 230–241. doi: 10.1016/j.jvs.2009.08.073.

Wang, H., Hiatt, W., Barstow, T. and Brass, E. (1999) 'Relationships between muscle mitochondrial DNA content, mitochondrial enzyme activity and oxidative capacity in man: alterations with disease', *European Journal of Applied Physiology and Occupational Physiology*, 80(1), pp. 22–7.