

BIBLIOGRAPHY

- Aiuti, A., Webb, I.J., Bleul, C., Springer, T. and Gutierrez-Ramos, J.C. 1997, 'The chemokine SDF-1 is a chemoattractant for human CD34+ hematopoietic progenitor cells and provides a new mechanism to explain the mobilization of CD34+ progenitors to peripheral blood', *Journal of Experimental Medicine*, 185(1), pp.111-120.
- Allinen, M., Beroukhi, R., Cai, L., Brennan, C., Lahti-Domenici, J., Huang, H., & Schnitt, S. 2004, 'Molecular characterization of the tumor microenvironment in breast cancer'. *Cancer cell*, 6(1), pp. 17-32
- American Cancer Society 2017, 'Stages of Breast Cancer', Available at: <http://www.cancer.org/cancer/breastcancer/detailedguide/breast-cancer-staging>
- American Cancer Society 2013, 'Breast Cancer Facts & Figures 2013-2014', Atlanta: American Cancer Society.
- Arpino, G., Bardou, V.J., Clark, G.M. and Elledge, R.M. 2004, 'Infiltrating lobular carcinoma of the breast: tumor characteristics and clinical outcome', *Breast cancer research*, 6(3), p. R149.
- Bai, R., Zhao, H., Zhang, X. and Du, S. 2014, 'Characterization of sonic hedgehog inhibition in gastric carcinoma cells', *Oncology letters*, 7(5), pp.1381-1384.
- Batubara, J. R., Soesanti, F., & van de Waal, H. D. 2010, 'Age at menarche in Indonesian girls: a national survey'. *Acta Med Indones*, 42(2), pp.78-81.
- Berman, A. T., Thukral, A. D., Hwang, W. T., Solin, L. J., & Vapiwala, N. 2013, 'Incidence and patterns of distant metastases for patients with early-stage breast cancer after breast conservation treatment'. *Clinical breast cancer*, 13(2), pp.88-94.
- Berkman, R. A., Merrill, M. J., Reinhold, W. C., Monacci, W. T., Saxena, A., Clark, W. C., and Oldfield, E. H. 1993, 'Expression of the vascular permeability factor/vascular endothelial growth factor gene in central nervous system neoplasms'. *Journal of Clinical Investigation*, 91(1), pp. 153.
- Bian, X.W., Yang, S.X., Chen, J.H., Ping, Y.F., Zhou, X.D., Wang, Q.L., Jiang, X.F., Gong, W., Xiao, H.L., Du, L.L. and Chen, Z.Q. 2007, 'Preferential expression of chemokine receptor CXCR4 by highly malignant human gliomas and its association with poor patient survival', *Neurosurgery*, 61(3), pp.570-579.
- Billadeau, D.D., Chatterjee, S., Bramati, P., Sreekumar, R., Shah, V., Hedin, K. and Urrutia, R. 2006, 'Characterization of the CXCR4 signaling in pancreatic cancer cells', *Journal of Gastrointestinal Cancer*, 37(4), pp.110-119.
- Bleul, C.C., Wu, L., Hoxie, J.A., Springer, T.A. and Mackay, C.R. 1997, 'The HIV coreceptors CXCR4 and CCR5 are differentially expressed and regulated on human T lymphocytes', *Proceedings of the National Academy of Sciences*, 94(5), pp.1925-1930.

- Bonavia, R., Bajetto, A., Barbero, S., Pirani, P., Florio, T. and Schettini, G. 2003, 'Chemokines and their receptors in the CNS: expression of CXCL12/SDF-1 and CXCR4 and their role in astrocyte proliferation', *Toxicology letters*, 139(2), pp.181-189.
- Breastcancer.org 2013, 'What Mammograms Show: Calcifications, Cysts, Fibroadenomas', (2013, August 21), Available at: http://www.breastcancer.org/symptoms/testing/types/mammograms/mamm_show
- Busillo, J.M. and Benovic, J.L. 2007, 'Regulation of CXCR4 signaling', *Biochimica et Biophysica Acta (BBA)-Biomembranes*, 1768(4), pp.952-963.
- Busillo, J.M., Armando, S., Sengupta, R., Meucci, O., Bouvier, M. and Benovic, J.L. 2010, 'Site-specific phosphorylation of CXCR4 is dynamically regulated by multiple kinases and results in differential modulation of CXCR4 signaling', *Journal of Biological Chemistry*, 285(10), pp.7805-7817.
- Butler, L. M., Potischman, N. A., Newman, B., Millikan, R. C., Brogan, D., Gammon, M. D., and Brinton, L. A. 2000, 'Menstrual risk factors and early-onset breast cancer. *Cancer Causes & Control*', 11(5), pp.451-458.
- Central for Disease Control and Prevention 2016, 'What Is Breast Cancer Screening?', (2016, April 19), Available at: http://www.cdc.gov/cancer/breast/basic_info/screening.htm
- Cabioglu, N., Summy, J., Miller, C., Parikh, N.U., Sahin, A.A., Tuzlali, S., Pumiglia, K., Gallick, G.E. and Price, J.E., 2005, 'CXCL-12/stromal cell-derived factor-1 α transactivates HER2-neu in breast cancer cells by a novel pathway involving Src kinase activation', *Cancer research*, 65(15), pp.6493-6497.
- Cheng, Z.J., Zhao, J., Sun, Y., Hu, W., Wu, Y.L., Cen, B., Wu, G.X. and Pei, G., 2000, ' β -arrestin differentially regulates the chemokine receptor CXCR4-mediated signaling and receptor internalization, and this implicates multiple interaction sites between β -arrestin and CXCR4', *Journal of Biological Chemistry*, 275(4), pp.2479-2485.
- Chinni, S.R., Yamamoto, H., Dong, Z., Sabbota, A., Bonfil, R.D. and Cher, M.L. 2008, 'CXCL12/CXCR4 transactivates HER2 in lipid rafts of prostate cancer cells and promotes growth of metastatic deposits in bone', *Molecular Cancer Research*, 6(3), pp.446-457
- Choe, Y. and Pleasure, S.J. 2012, 'Wnt signaling regulates intermediate precursor production in the postnatal dentate gyrus by regulating CXCR4 expression', *Developmental neuroscience*, 34(6), pp.502-514.
- Chumlea, W. C., Schubert, C. M., Roche, A. F., Kulin, H. E., Lee, P. A., Himes, J. H., & Sun, S. S. 2003, 'Age at menarche and racial comparisons in US girls'. *Pediatrics*, 111(1), pp.110-113
- Chu, Q. D., Panu, L., Holm, N. T., Li, B. D., Johnson, L. W., & Zhang, S. 2010, 'High chemokine receptor CXCR4 level in triple negative breast cancer specimens predicts poor clinical outcome'. *Journal of Surgical Research*, 159(2), pp.689-695.

- Coleman, M.P. et al. 2008, 'Cancer survival in five continents: a worldwide population-based study (CONCORD)', *The Lancet Oncology*, 9(8), pp.730–756.
- Collaborative Group on Hormonal Factors in Breast Cancer. 2012, 'Menarche, menopause, and breast cancer risk: individual participant meta-analysis, including 118 964 women with breast cancer from 117 epidemiological studies'. *The Lancet Oncology*, 13(11), pp.1141-1151.
- Décaillot, F.M., Kazmi, M.A., Lin, Y., Ray-Saha, S., Sakmar, T.P. and Sachdev, P., 2011, 'CXCR7/CXCR4 heterodimer constitutively recruits β -arrestin to enhance cell migration', *Journal of Biological Chemistry*, 286(37), pp.32188-32197.
- Dewan, M.Z., Ahmed, S., Iwasaki, Y., Ohba, K., Toi, M. and Yamamoto, N. 2006, 'Stromal cell-derived factor-1 and CXCR4 receptor interaction in tumor growth and metastasis of breast cancer', *Biomedicine & pharmacotherapy*, 60(6), pp.273-276.
- De Falco, V., Guarino, V., Avilla, E., Castellone, M.D., Salerno, P., Salvatore, G., Faviana, P., Basolo, F., Santoro, M. and Melillo, R.M. 2007, 'Biological role and potential therapeutic targeting of the chemokine receptor CXCR4 in undifferentiated thyroid cancer', *Cancer research*, 67(24), pp.11821-11829.
- de Oliveira, K.B., Guembarovski, R.L., Guembarovski, A.M.F.L., do Amaral, A.C.D.S., Sobrinho, W.J., Ariza, C.B. and Watanabe, M.A.E. 2013, 'CXCL12, CXCR4 and IFN γ genes expression: implications for proinflammatory microenvironment of breast cancer', *Clinical and experimental medicine*, 13(3), pp.211-219.
- Dontu, G., Al-Hajj, M., Abdallah, W.M., Clarke, M.F. and Wicha, M.S. 2003, 'Stem cells in normal breast development and breast cancer', *Cell proliferation*, 36(s1), pp.59-72.
- Dwinell, M.B., Eckmann, L., Leopard, J.D., Varki, N.M. and Kagnoff, M.F. 1999, 'Chemokine receptor expression by human intestinal epithelial cells', *Gastroenterology*, 117(2), pp.359-367.
- Eccles, S.A., Aboagye, E.O., Ali, S., Anderson, A.S., Armes, J., Berditchevski, F., Blydes, J.P., Brennan, K., Brown, N.J., Bryant, H.E. and Bundred, N.J. 2013, 'Critical research gaps and translational priorities for the successful prevention and treatment of breast cancer. *Breast Cancer Research*, 15(5), p. R92.
- Eddleston, J., Christiansen, S.C. and Zuraw, B.L., 2002, 'Functional expression of the CXC chemokine receptor CXCR4 by human bronchial epithelial cells: regulation by proinflammatory mediators', *The Journal of Immunology*, 169(11), pp.6445-6451.
- Einstien, D., Omprakash, B.O., Ganapathy, H. and Rahman, S. 2014, 'Comparison of 3-tier cytological grading systems for breast carcinoma', *ISRN oncology*, 2014.
- Feil, C. and Augustin, H.G. 1998, 'Endothelial cells differentially express functional CXC-chemokine receptor-4 (CXCR-4/fusin) under the control of

- autocrine activity and exogenous cytokines', *Biochemical and biophysical research communications*, 247(1), pp.38-45.
- Ferlay, J., Soerjomataram, I., Dikshit, R., Eser, S., Mathers, C., Rebelo, M., Parkin, D.M., Forman, D. and Bray, F. 2015, 'Cancer and major patterns in GLOBOCAN 2012', *International journal of cancer*, 136(5), pp. E359-E386. incidence and mortality worldwide: sources, methods
- Fidler, I.J. and Kripke, M.L. 1977, 'Metastasis results from preexisting variant cells within a malignant tumor', *Science*, 197(4306), pp.893-895.
- Fredriksson, R., Lagerström, M.C., Lundin, L.G. and Schiöth, H.B. 2003, 'The G-protein-coupled receptors in the human genome form five main families. Phylogenetic analysis, paralogon groups, and fingerprints', *Molecular pharmacology*, 63(6), pp.1256-1272.
- Gangadhar, T., Nandi, S. and Salgia, R. 2010, 'The role of chemokine receptor CXCR4 in lung cancer', *Cancer biology & therapy*, 9(6), pp.409-416.
- Gibberd, R. J., Ferlay, D.M., Parkin, and P. Pisani. 2000, 'Globocan 1: Cancer Incidence and Mortality Worldwide', IARC Press, Lyon, 1999. Price: \$90. *Statistics in Medicine*, 19(19), pp.2714-2715.
- Han, M., Lv, S., Zhang, Y., Yi, R., Huang, B., Fu, H., Bian, R. and Li, X. 2014, 'The prognosis and clinicopathology of CXCR4 in gastric cancer patients: a meta-analysis', *Tumor Biology*, 35(5), pp.4589-4597.
- Hassan, S., Buchanan, M., Jahan, K., Aguilar Mahecha, A., Gaboury, L., Muller, W.J., Alsawafi, Y., Mourskaia, A.A., Siegel, P.M., Salvucci, O. and Basik, M. 2011, 'CXCR4 peptide antagonist inhibits primary breast tumor growth, metastasis and enhances the efficacy of anti-VEGF treatment or docetaxel in a transgenic mouse model', *International journal of cancer*, 129(1), pp.225-232.
- Heckmann, D. et al 2013, 'CXCR4 expression and treatment with SDF-1 α or Plerixafor modulate proliferation and chemosensitivity of colon cancer cells', *Transl Oncol*, 6, pp.124-132.
- Helbig, G., Christopherson, K.W., Bhat-Nakshatri, P., Kumar, S., Kishimoto, H., Miller, K.D., Broxmeyer, H.E. and Nakshatri, H. 2003, 'NF- κ B promotes breast cancer cell migration and metastasis by inducing the expression of the chemokine receptor CXCR4', *Journal of Biological Chemistry*, 278(24), pp.21631-21638.
- Hellman, S. and Harris, J.R. 2000, 'Diseases of the breast' J. R. Harris et al., eds., Philadelphia: Wolters Kluwer/Lippincott Williams & Wilkins Health.
- Hemminki, K., Mousavi, S., Sundquist, J. and Brandt, A. 2011, 'Does the Breast Cancer Age at Diagnosis Differ by Ethnicity? A Study on Immigrants to Sweden'. *The Oncologist*, 16(2), pp.146-154.
- Hinton, C.V., Avraham, S. and Avraham, H.K. 2010, 'Role of the CXCR4/CXCL12 signaling axis in breast cancer metastasis to the brain', *Clinical & experimental metastasis*, 27(2), pp.97-105.
- Hirata, H., Hinoda, Y., Kikuno, N., Kawamoto, K., Dahiya, A.V., Suehiro, Y., Tanaka, Y. and Dahiya, R. 2007, 'CXCL12 G801A polymorphism is a risk factor for sporadic prostate cancer susceptibility', *Clinical Cancer Research*, 13(17), pp.5056-5062.

- Hsieh, C., Trichopoulos, D., Katsouyanni, K. and Yuasa, S. 1990, 'Age at menarche, age at menopause, height and obesity as risk factors for breast cancer: Associations and interactions in an international case-control study'. *International Journal of Cancer*, 46(5), pp.796-800.
- IARC 2012, 'GLOBOCAN Cancer Fact Sheets: Breast cancer', Available at: <http://globocan.iarc.fr/old/factsheets/cancers/breast-new>.
- Ishikawa, T., Nakashiro, K., Hara, S., Klosek, S.K., Li, C., Shintani, S. and Hamakawa, H. 2006, 'CXCR4 expression is associated with lymph-node metastasis of oral squamous cell carcinoma', *International journal of oncology*, 28(1), pp.61-66.
- Jones, J., Marian, D., Weich, E., Engl, T., Wedel, S., Relja, B., Jonas, D. and Blaheta, R.A. 2007, 'CXCR4 chemokine receptor engagement modifies integrin dependent adhesion of renal carcinoma cells', *Experimental cell research*, 313(19), pp.4051-4065.
- Kalinkovich, A., Tavor, S., Avigdor, A., Kahn, J., Brill, A., Petit, I., Goichberg, P., Tesio, M., Netzer, N., Naparstek, E. and Hardan, I. 2006, 'Functional CXCR4-expressing microparticles and SDF-1 correlate with circulating acute myelogenous leukemia cells', *Cancer research*, 66(22), pp.11013-11020.
- Kajiyama, H., Shibata, K., Terauchi, M., Ino, K., Nawa, A. and Kikkawa, F. 2008, 'Involvement of SDF-1 α /CXCR4 axis in the enhanced peritoneal metastasis of epithelial ovarian carcinoma', *International Journal of Cancer*, 122(1), pp.91-99.
- Kang, H. et al. 2005, 'The elevated level of CXCR4 is correlated with nodal metastasis of human breast cancer', *Breast*, 14, pp. 360–367.
- Kato, M. et al. 2003, 'Expression pattern of CXC chemokine receptor-4 is correlated with lymph node metastasis in human invasive ductal carcinoma', *Breast Cancer Res* 5, pp.144–150.
- Kementrian Kesehatan Republik Indonesia. 2015, 'Data Penyakit Kanker', *InfoDATIN Kanker*, pp.2–4.
- Kennecke, H., Yerushalmi, R., Woods, R., Cheang, M. C. U., Voduc, D., Speers, C. H., and Gelmon, K. 2010, 'Metastatic behavior of breast cancer subtypes'. *Journal of clinical oncology*, 28(20), pp.3271-3277.
- Klevesath, M.B. et al. 2013, 'Patterns of metastatic spread in early breast cancer', *Breast*, 22, pp. 449–454.
- Kroman, N., Tutt, A., Jensen, M., Wohlfahrt, J., Mouridsen, H. and Ross, G. 2000, 'Factors influencing the effect of age on prognosis in breast cancer: population-based study'.
- Kumar, V., Abbas, A. K., and Aster, J. C. 2010, 'Robbins and Cotran Pathologic Basis of Disease (8th ed.)' Philadelphia, PA: Saunders.
- Kumar, V., Abbas, A. K., and Aster, J. C. 2012, 'Robbins Basic Pathology (9th ed.)', Philadelphia, PA: Saunders.
- Kucia, M., Reza, R., Miekus, K., Wanzeck, J., Wojakowski, W., Janowska-Wieczorek, A., Ratajczak, J. and Ratajczak, M.Z. 2005, 'Trafficking of Normal Stem Cells and Metastasis of Cancer Stem Cells Involve Similar

- Mechanisms: Pivotal Role of the SDF α 1–CXCR4 Axis’, *Stem cells*, 23(7), pp.879-894.
- Kwong, A., Cheung, P., Chan, S. and Lau, S. 2008, ‘Breast Cancer in Chinese Women Younger than Age 40: Are They Different from Their Older Counterparts?’. *World Journal of Surgery*, 32(12), pp.2554-2561.
- Lataillade, J.J. et al. 2002, ‘Stromal cell-derived factor 1 regulates primitive hematopoiesis by suppressing apoptosis and by promoting G(0)/G(1) transition in CD34(+) cells: evidence for an autocrine/paracrine mechanism’, *Blood*, 99, pp.1117–1129.
- Lee, Y. T. N. M. 1983, ‘Breast carcinoma: pattern of metastasis at autopsy. *Journal of surgical oncology*’, 23(3), pp.175-180.
- Liang, Z., Brooks, J., Willard, M., Liang, K., Yoon, Y., Kang, S. and Shim, H. 2007, ‘CXCR4/CXCL12 axis promotes VEGF-mediated tumor angiogenesis through Akt signaling pathway’, *Biochemical and biophysical research communications*, 359(3), pp.716-72
- Leong, S., Shen, Z., Liu, T., Agarwal, G., Tajima, T., Paik, N., Sandelin, K., Derossis, A., Cody, H. and Foulkes, W. 2010, ‘Is Breast Cancer the Same Disease in Asian and Western Countries?’. *World Journal of Surgery*, 34(10), pp.2308-2324
- Luker, K. E., and Luker, G. D. 2006, ‘Functions of CXCL12 and CXCR4 in breast cancer’. *Cancer letters*, 238(1), pp. 30-41
- Lv, S., Yang, Y., Kwon, S., Han, M., Zhao, F., Kang, H., Dai, C. and Wang, R. 2014, ‘The association of CXCR4 expression with prognosis and clinicopathological indicators in colorectal carcinoma patients: a meta-analysis’, *Histopathology*, 64(5), pp.701-712.
- Marchese, A., Raiborg, C., Santini, F., Keen, J.H., Stenmark, H. and Benovic, J.L., 2003, ‘The E3 ubiquitin ligase AIP4 mediates ubiquitination and sorting of the G protein-coupled receptor CXCR4’, *Developmental cell*, 5(5), pp.709-722.
- Matthys, P. et al. 2001, ‘AMD3100, a potent and specific antagonist of the stromal cell-derived factor-1 chemokine receptor CXCR4, inhibits autoimmune joint inflammation in IFN- γ receptor-deficient mice’, *J Immunol*, 167, pp.4686–4692.
- Mo, W. et al. 2013, ‘CXCR4/CXCL12 mediate autocrine cellcycle progression in NF1-associated malignant peripheral nerve sheath tumors’, *Cell*, 152, pp.1077–1090.
- Mukherjee, D. and Zhao, J. 2013, ‘The Role of chemokine receptor CXCR4 in breast cancer metastasis’, *Am J Cancer Res*, 3(1), pp.46-57.
- Murphy, P.M., Baggiolini, M., Charo, I.F., Hébert, C.A., Horuk, R., Matsushima, K., Miller, L.H., Oppenheim, J.J. and Power, C.A. 2000, ‘International union of pharmacology. XXII. Nomenclature for chemokine receptors’, *Pharmacological reviews*, 52(1), pp.145-176.
- Muller, A. et al. 2001, ‘Involvement of chemokine receptors in breast cancer metastasis’, *Nature*, 410, pp.50–56.

- Nobutani, K., Shimono, Y., Mizutani, K., Ueda, Y., Suzuki, T., Kitayama, M., and Azuma, T. 2015, 'Downregulation of CXCR4 in metastasized breast cancer cells and implication in their dormancy'. *PloS one*, 10(6), e0130032.
- Orimo, A., Gupta, P. B., Sgroi, D. C., Arenzana-Seisdedos, F., Delaunay, T., Naeem, R., & Weinberg, R. A. 2005, 'Stromal fibroblasts present in invasive human breast carcinomas promote tumor growth and angiogenesis through elevated SDF-1/CXCL12 secretion'. *Cell*, 121(3), pp. 335-348.
- Patanaphan, V., Salazar, O. M., & Risco, R. 1988, 'Breast cancer: metastatic patterns and their prognosis'. *Southern medical journal*, 81(9), pp.1109-1112.
- Palacios, S., Henderson, V. W., Siseles, N., Tan, D., and Villaseca, P. 2010, 'Age of menopause and impact of climacteric symptoms by geographical region'. *Climacteric*, 13(5), pp. 419-428.
- PDQ Screening and Prevention Editorial Board, P. S. and P. E. 2002, 'Breast Cancer Screening (PDQ®): Patient Version', Available at: <https://www.cancer.gov/types/breast/patient/breast-screening-pdq>.
- Peng, S.B., Peek, V., Zhai, Y., Paul, D.C., Lou, Q., Xia, X., Eessalu, T., Kohn, W. and Tang, S. 2005, 'Akt Activation, but not Extracellular Signal-Regulated Kinase Activation, Is Required for SDF-1 α /CXCR4-Mediated Migration of Epitheloid Carcinoma Cells', *Molecular Cancer Research*, 3(4), pp.227-236.
- Phillips, R.J., Burdick, M.D., Hong, K., Lutz, M.A., Murray, L.A., Xue, Y.Y., Belperio, J.A., Keane, M.P. and Strieter, R.M. 2004, 'Circulating fibrocytes traffic to the lungs in response to CXCL12 and mediate fibrosis', *The Journal of clinical investigation*, 114(3), pp.438-446.
- Porcile, C., Bajetto, A., Barbieri, F., Barbero, S., Bonavia, R., Biglieri, M., Pirani, P., Florio, T. and Schettini, G., 2005, 'Stromal cell-derived factor-1 α (SDF-1 α /CXCL12) stimulates ovarian cancer cell growth through the EGF receptor transactivation', *Experimental cell research*, 308(2), pp.241-253.
- Scala, S., Ottaiano, A., Ascierto, P.A., Cavalli, M., Simeone, E., Giuliano, P., Napolitano, M., Franco, R., Botti, G. and Castello, G. 2005, 'Expression of CXCR4 predicts poor prognosis in patients with malignant melanoma', *Clinical Cancer Research*, 11(5), pp.1835-1841.
- Schechter, A.D., Berman, A.B. and Taubman, M.B. 2003, 'Chemokine receptors in vascular smooth muscle', *Microcirculation*, 10(3-4), pp.265-272.
- Schimanski, C.C., Bahre, R., Gockel, I., Müller, A., Frerichs, K., Hörner, V., Teufel, A., Simiantonaki, N., Biesterfeld, S., Wehler, T. and Schuler, M. 2006, 'Dissemination of hepatocellular carcinoma is mediated via chemokine receptor CXCR4', *British journal of cancer*, 95(2), pp.210-217.
- Schioppa, T., Uranchimeg, B., Saccani, A., Biswas, S.K., Doni, A., Rapisarda, A., Bernasconi, S., Saccani, S., Nebuloni, M., Vago, L. and Mantovani, A., 2003, 'Regulation of the chemokine receptor CXCR4 by hypoxia' *Journal of Experimental Medicine*, 198(9), pp.1391-1402.
- Singh, A.K., Arya, R.K., Trivedi, A.K., Sanyal, S., Baral, R., Dormond, O., Briscoe, D.M. and Datta, D., 2013, 'Chemokine receptor trio: CXCR3, CXCR4 and CXCR7 crosstalk via CXCL11 and CXCL12', *Cytokine & growth factor reviews*, 24(1), pp.41-49.

- Sobolik, T. et al. 2014, 'CXCR4 drives the metastatic phenotype in breast cancer through induction of CXCR2 and activation of MEK and PI3K pathways', *Molecular Biology of the Cell*, 25(5), pp.566–582.
- Staller, P., Sulitkova, J., Lisztwan, J., Moch, H., Oakeley, E.J. and Krek, W., 2003, 'Chemokine receptor CXCR4 downregulated by von Hippel–Lindau tumour suppressor pVHL', *Nature*, 425(6955), pp.307-311.
- Song, Q., Wang, X., Zhou, X., Yang, H., Li, Y., Wu, J., Ren, J. and Lysterly, H. 2015, 'Breast Cancer Challenges and Screening in China: Lessons from Current Registry Data and Population Screening Studies'. *The Oncologist*, 20(7), pp.773-779.
- Su, Y.C. et al 2006, 'Expression of CXCR4 is associated with axillary lymph node status in patients with early breast cancer', *Breast*, 15, pp. 533–539.
- Sun, X., Cheng, G., Hao, M., Zheng, J., Zhou, X., Zhang, J., Taichman, R.S., Pienta, K.J. and Wang, J., 2010, 'CXCL12/CXCR4/CXCR7 chemokine axis and cancer progression', *Cancer and Metastasis Reviews*, 29(4), pp.709-722.
- Sun, Y., Cheng, Z., Ma, L. and Pei, G., 2002, ' β -arrestin2 is critically involved in CXCR4-mediated chemotaxis, and this is mediated by its enhancement of p38 MAPK activation', *Journal of Biological Chemistry*, 277(51), pp.49212-49219.
- Sun, Y., Mao, X., Fan, C., Liu, C., Guo, A., Guan, S., and Jin, F. 2014, 'CXCL12-CXCR4 axis promotes the natural selection of breast cancer cell metastasis', *Tumor Biology*, 35(8), 7765-7773.
- Suzuki, Y., Rahman, M., Mitsuya, H. 2001, 'Diverse transcriptional response of CD4(+) T cells to stromal cell-derived factor (SDF)-1: cell survival promotion and priming effects of SDF-1 on CD4(+) T cells', *J Immunol*, 167, pp.3064–3073.
- Toi, M., Ohashi, Y., Seow, A., Moriya, T., Tse, G., Sasano, H., Park, B., Chow, L., Laudico, A., Yip, C., Ueno, E., Ishiguro, H. and Bando, H. 2010, 'The Breast Cancer Working Group Presentation was Divided into Three Sections: The Epidemiology, Pathology and Treatment of Breast Cancer', *Japanese Journal of Clinical Oncology*, 40(Supplement 1), pp. i13-i18
- Vila-Coro, A.J., Rodríguez-frade, J.M., De Ana, A.M., MORENO-ORTÍZ, M.C., Martínez-a, C. and Mellado, M. 1999, 'The chemokine SDF-1 α triggers CXCR4 receptor dimerization and activates the JAK/STAT pathway', *The FASEB Journal*, 13(13), pp.1699-1710.
- Weigelt, B., Peterse, J.L. and van't Veer, L.J. 2005, 'Breast cancer metastasis: markers and models', *Nature Reviews Cancer*, 5, pp.591–602.
- WHO 2017, 'WHO | Breast cancer: prevention and control', Available at: <http://www.who.int/cancer/detection/breastcancer/en/index1.html>.
- WHO 2017, 'Breast cancer: prevention and control', Available at: <http://www.who.int/cancer/detection/breastcancer/en/index3.html>
- Wortzel, I. and Seger, R. 2011, 'The ERK cascade distinct functions within various subcellular organelles. *Genes & cancer*, 2(3), pp.195-209.

- Wu, J., Wu, X., Liang, W., Chen, C., Zheng, L. and An, H. 2014, 'Clinicopathological and prognostic significance of chemokine receptor CXCR4 overexpression in patients with esophageal cancer: a meta-analysis', *Tumor Biology*, 35(4), pp.3709-3715.
- Xie, J., Wang, W., Si, J.W., Miao, X.Y., Li, J.C., Wang, Y.C., Wang, Z.R., Ma, J., Zhao, X.C., Li, Z. and Yi, H. 2013, 'Notch signaling regulates CXCR4 expression and the migration of mesenchymal stem cells', *Cellular immunology*, 281(1), pp.68-75.
- Xu, C., Zhao, H., Chen, H. and Yao, Q. 2015, 'CXCR4 in breast cancer: oncogenic role and therapeutic targeting', *Drug design, development and therapy*, 9, p.4953.
- Yan, M., Jene, N., Byrne, D., Millar, E. K., O'Toole, S. A., McNeil, C. M., and Fox, S. B. 2011, 'Recruitment of regulatory T cells is correlated with hypoxia-induced CXCR4 expression, and is associated with poor prognosis in basal-like breast cancers'. *Breast Cancer Research*, 13(2), R47.
- Youlten, D., Cramb, S., Dunn, N., Muller, J., Pyke, C. and Baade, P. 2012, 'The descriptive epidemiology of female breast cancer: An international comparison of screening, incidence, survival and mortality'. *Cancer Epidemiology*, 36(3), pp.237-248.
- Youlten, D.R. et al. 2014, 'Incidence and mortality of female breast cancer in the Asia- Pacific region', *Cancer Biol Med* 2014, 11(2), pp.101–115.
- Zeelenberg, I.S., Ruuls-Van Stalle, L., Roos, E. 2003, 'The chemokine receptor CXCR4 is required for outgrowth of colon carcinoma micrometastases', *Cancer Res* 63., pp.3833–3839.
- Zhao, X.P., Huang, Y.Y., Huang, Y., Lei, P., Peng, J.L., Wu, S., Wang, M., Li, W.H., Zhu, H.F. and Shen, G.X. 2010, 'Transforming growth factor- β 1 upregulates the expression of CXCR4 chemokine receptor 4 (CXCR4) in human breast cancer MCF-7 cells', *Acta Pharmacologica Sinica*, 31(3), pp.347-354.
- Zlotnik, A. and Yoshie, O. 2000, 'Chemokines: a new classification system and their role in immunity', *Immunity*, 12(2), pp.121-127.
- Zlotnik, A., Burkhardt, A.M., Homey, B. 2011, 'Homeostatic chemokine receptors and organ-specific metastasis', *Nat Rev Immunol*, 11, pp.597–606.
- Zou, Y.R. et al. 1998, 'Function of the chemokine receptor CXCR4 in haematopoiesis and in cerebellar development' *Nature*, 393, pp.595–599.
- Zou, W., Machelon, V., Coulomb-L'Hermin, A., Borvak, J., Nome, F., Isaeva, T., & Pustilnik, T. 2001, 'Stromal-derived factor-1 in human tumors recruits and alters the function of plasmacytoid precursor dendritic cells'. *Nature medicine*, 7(12), pp. 1339-1346.
- Zhang, X. H. F., Wang, Q., Gerald, W., Hudis, C. A., Norton, L., Smid, M., and Massagué, J. 2009, 'Latent bone metastasis in breast cancer tied to Src-dependent survival signals'. *Cancer cell*, 16(1), pp. 67-78.