

VI. REFERENCES

- Abbott, Steven., 2014. "SPE (Surface Profile Explorer)". *AbbottApps*.
StevenAbbottTCNF Ltd. January .
- Alex G., 2008. Preparing porcelain surfaces for optimal bonding. *Compend Contin Educ Dent*. 29: 324-335.
- Addison O, Marquis PM, Fleming GJ., 2007. The impact of hydrofluoric acid surface treatments on the performance of a porcelain laminate restorative material. *Dent Mater*; 23:461-468.
- Anusavice K.J, Shen I, Rawls G., 2013 *Philips¹ Science of Dental Materials*. 12th. Elsevier science .USA 420.
- Apel E, Van't Hoen C, Rheinberger V, Hölland W., 2007. *J. Eur. Ceram. Soc.* 27;1571.
- Ayad MF, Farmy NZ, Rosenstiel SF., 2008. Effect of surface treatment on roughness and bond strength of a heat pressed ceramic. *J Prosthet Dent*; 99(2):123-30.
- Batal FH, Azooz MA, Hamdy YM., (2009). *Ceram. Int.* 35/ 1211–1218.
- Bailey LF, Bennet RJ., (1988). DICOR surface treatments for enhanced bonding. *J Dent Res* 67:925–931.
- Beall GH , Doman RC., (1989). *Glass-Ceramics in Corning Research, Corning Glass Works Scientists*, New York, NY, USA.
- Blatz MB, Sadan A, Kern M., 2003. Resin-ceramic bonding: a review of the literature. *J Prosthet Dent*; 89: 268-274.
- Borges GA, Sophr AM, de Goes MF, Sobrinho LC, Chan DC., 2003 Effect of etching and airborne particle abrasion on the microstructure of different dental ceramics. *J Prosthet Dent*; 89(5):479-88.
- Bottino MA, Salazar-Marcho SM, Leite FP, Vasquez VC, Valandro LF., 2009. Flexural strength of glass-infiltrated zirconia/alumina-based ceramics and feldspathic veneering porcelains. *J Prosthodont*; 18(5):417-2

- Bottino MC, Ozcan M, Coelho PG, Bressiani JC, Bressini AHA., 2008. Micro-morphological changes prior to adhesive bonding: high alumina and glassy-matrix ceramics. *Braz Oral Res*;22(2):158-63.
- Canay S, Hersek N, Ertan A., 2001. Effect of different acid treatments on a porcelain surface. *J Oral Rehabil*; 28: 95-101.
- Cattell MJ, Knowles JC, Clarke RL, Lynch E., 1999. The biaxial flexural strength of two pressable ceramic systems. *J Dent*;27:183-96
- Chen JH, Matsumura H, Atsuta M., (1998). Effect of different etching periods on the bond strength of a composite resin to a machinable porcelain. *J Dent* 26:53–58.
- Chen JH, Matsumura H, Atsuta M., (1998). Effect of etchant, etching period, and silane priming on bond strength to porcelain of composite resin. *Oper Dent* 23:250–257.
- Christensen G J., 2011. The ceramic restoration dilemma: where are we? *J Am Dent Assoc*, 142 pp. 668–671
- Chung Cherng Lin, Pouyan ShenH M, Chang Y J, Yang. J. Eur.,(2006), *Ceram. Soc.*, 26 pp. 3613–3620.
- Conrad HJ, Seong WJ, Pesun IJ., 2007. Current ceramic materials and systems with clinical recommendations: a systematic review. *J Prosthet Dent*;98(5):389-404.
- Cunha da TB, Wu JP, Peitl O, Fokin VM, Zanotto ED, Iannucci L, Boccaccini, AR., 2007. Mechanical Properties and Impact Resistance of a new Transparent Glass- Ceramic. *Adv. Eng. Mater.* 9; 191.
- Daniel, W.W., and Cross, C.L., 2013, *Biostatistics : A Foundation for Analysis in The Health Science*. 10th ed. *John Wiley and Sons, Inc. New York*. 189-190.
- Degarmo, E. Paul; Black, J.; Kohser, Ronald A., (2003). *Materials and Processes in Manufacturing* (9th ed.), Wiley, p. 223, ISBN 0-471-65653-4.
- Della Bona A, Anusavice K J, Shen C., 2000. Microtensile Strength of Composite Bounded to Hot- Pressed Ceramics. *J. Adhesive Dentistry* 2, 305.
- Della Bona A, Anusavice KJ, Hood JAA., 2002. Effect of ceramic surface treatment on tensile bond strength to a resin cement. *Int J Prosthodont*;15(3):248-53.
- Della Bona A, Donassollo T A, Demarco F, Barrett A, Mecholsky J.J., 2007. Characterization and surface treatment effects on topography of a glass-infiltrated alumina/ zirconia-reinforced ceramic. *Dental Mater.* 23, 769.

- Denry I, Holloway JA., 2010. Ceramics for dental applications: a review, *Materials*, vol. 3, no. 1, pp. 351–368.
- Fischer H, De Souza RA, Wätjen AM, Richter S, Edelhoff D, J. Mayer M, Martin R, Telle J., (2008). Chemical strengthening of dental lithium disilicate glass-ceramic material *Biomed Mater. Res.* 87(3)- 582.
- Gary W H, Jukka P M., 2011. Insights on Ceramics as Dental Materials. Part I: Ceramic Material Types in Dentistry, *Silicon* 3:109–115.
- Genuino HC, Opembe NN, Njagi EC, McClain S, and Suib SL., 2012. A review of hydrofluoric acid and its use in the car wash industry. *Journal of Industrial and Engineering Chemistry* 18 1529–1539.
- Goharian P, Nemati A, Shabanian M, Afshar A., 2010. Properties, crystallization mechanism and microstructure of lithium disilicate glass ceramic. *J. Non-Cryst. Solids* 356 208–214.
- Gonzaga CPF, Cesara CY, Okada C, Fredericci FB, Netob HN, Yoshimura B., 2013. Mechanical properties and porosity of dental glass-ceramics hot-pressed at different temperatures, *Materials Research*, vol. 11, no. 3, pp. 301–306.
- Green D. J., 1998. *An Introduction to the Mechanical Properties of Ceramics*, Cambridge University Press, Cambridge, UK.
- Griggs JA., 2007. Recent advances in materials for all-ceramic restorations. *Dent Clin North Am*, 51(3):713–727. viii. doi:10.1016/j.cden.2007.04.006.
- Guess PC, Schultheis S, Bonfante EA., 2011. All-ceramic systems: laboratory and clinical performance. *Dent Clin North Am*;55(2):333-52.
- Haluk B, Nilgun O, Filiz A, Ozlem K, Bora O., 2011. The effect of different surface treatments on roughness and bond strength in low fusing ceramics. *Lasers Med Sci* 26:599–604.
- Hayakawa T, Horie K, Aida M, Kanaya H, Kobayashi T, Murata Y., 1992. The influence of surface conditions and silane agents on the bond of resin to dental porcelain. *Dental Materials* ;8:238-240.
- Holland W, Beall G., 2002. *Glass–Ceramic Technology*, The American Ceramic Society, Westerville, OH.
- Holland W, Rheinberger V., Schweiger M., 2003. Control of nucleation in glass ceramics. *Phil Trans R Soc Lond A*;361:575–89.

- Hölland W., Schweiger M, Frank M, Rheinberger V., 2000. A comparison of the microstructure and properties of the IPS Empress 2 and IPS Empress glass ceramic. *J. Biomed Mater. Res.(Appl. Biomater.)* 53 297(4):297-303.
- Holland W, Beall G.,2002. *Glass–Ceramic Technology American Ceramic Society*, Westerville, OH.
- Hölland W., 2000.comparison of the microstructure and properties of the IPS Empress 2 and the IPSEmpress glass-ceramics. *J Biomed Mater Res*;53:297-303
- Ivoclar-Vivadent IPS e.max Zirpress Scientific Documentation.2011. n.d.:World WideWebPage:
http://communityconnectioncenter.com/.../IPSemax/zirpress_doc.pdf.
"http://communityconnectioncenter.com/DYNOTECH/ProductInfo/IPSemax/zirpress_doc.pdf".
- Cheng J, XiongD, LiH, WangH.,2010. Crystallization behaviors of R₂O-AL₂O₃-SiO₂ glass ceramics for use an anodic bonding materials. *JAlloysCompd.*531-534.
- James PF., (1985). Kinetics of crystal nucleation in silicate glasses, *Journal of Non-Crystalline Solids*, vol. 73, no. 1-3, pp. 517–540.
- Jardel V, Degrange M, Picard B, Derrien G.,1999. Surface energy of etched ceramic. *Int J Prosthodont*;12:415-418.
- Junpoom P, Kukiattrakoon B, Hengtrakool C., 2011. Flexural strength of fluorapatite-leucite and fluorapatite porcelains exposed to erosive agents in cyclic immersion. *J Appl Oral Sci*;19(2):95-9.
- Kang SH, Chang J, Son HH., 2013. Flexural strength and microstructure of two lithium disilicate glass ceramics for CAD/CAM restoration in the dental clinic. *Restor Dent Endod*, 38(3):134–140. doi:10.5395/rde.2013.38.3.134
- Kelly JR, Benetti P., 2011. Ceramic materials in dentistry: historical evolution and current practice. *Aust Dent J*;56 Suppl 1:84-96.
- Matcham J, Dreiser P.,1982.*The Techniques of Glass Engraving*; London, England: Larousse Art Craft Series, B.T. Bratsford LTD.
- Milleding P, Haraldsson C, Karlsson S., 2002. Ion leaching from dental ceramics during static in vitro corrosion testing. *J Biomed Mater Res*; 61(4): 541-50.
- McMillan PW., (1979). *Glass-Ceramics*, Academic Press, London, UK.
- McMillan PW., 1979. *Glass-Ceramics*, 2nd ed., Academic Press, London., G.H. Beall, A.R. Gurney.2002. *Glass Ceramic Technology*, The American Ceramic Society , 385 pp.

- MeliegyE, NoortR., (2012). *Glasses and Glass Ceramics for Medical Applications*, Springer, B, New York, NY, USA. e-ISBN 978-1-4614-1228-1
- Malament KA, Socranski SS., 2001. Survival of Dicor glass-ceramic dental restoration over 16 years. Part III. effect of luting agent and tooth or tooth-substitute core structure. *Journal of Prosthetic Dentistry*; 86: 511-519.
- Naves L, Soares C, Moraes R., 2010. Surface interface morphology and bond strength to glass ceramic etched for different periods. *Oper Dent*; 35(4):420-27.
- Oden A, Andersson M, Krystek-Ondracek I, Magnusson D., 1998. Five-year clinical evaluation of AllCeram crowns. *J. Prosthet. Dent.*, 80: pp. 450–456.
- Oh W, Shen C, Alegre B, Anusavice K., 2002. Wetting characteristic of ceramic to water and adhesive resin. *J Prosthet Dent*; 88(6):616-21.
- Pulpdent Inc. July 07, 2015: <<http://www.pulpdent.com/product-category/category/etching/pulpdent-etch-gel>.
- Perdigão J, Ballarin A, Lopes GC., 2015. FESEM analysis of lithium disilicate treated with three HF concentrations. *J Dent Res* 94 (Spec Iss A): Abstract #2324.
- Pinckney LR, in: Kirk-Othmer (Ed.), 1994. *Encyclopedia of Chemical Technology (Fourth ed)*, Vol. 12 John Wiley & Sons Inc, New York, pp. 627–644.
- Shintome LK, Uemura ES, Araujo JEJ., 2006. Effect of surface treatment on the shear bond strength of a resin-based cement to porcelain. *Braz Dent J*; 17(4):290e5.
- Schweiger M, Hölland W, Frank M, Drescher H, Rheinberger V., (1999). IPS Empress 2, a new pressable high strength glass-ceramic for esthetic all ceramic restoration. *Quint. Dent. Technol.* 22; 143-152.
- Technical Committee 028., 2004. Advanced technical ceramics. Monolithic ceramics. General and texture properties. Part 4. Determination of surface roughness. *The European Standard EN 623-4*.
- Torres SM, Borges GA, Spohr AM, et al., 2009. The effect of surface treatments on the micro-shear bond strength of a resin luting agent and four all-ceramic systems. *Oper Dent*; 34(4):399-40.
- Tylka DF, Stewart GP., 1994. Comparison of acidulated phosphate fluoride gel and hydrofluoric acid etchants for porcelain-composite repair. *J Prosthet Dent*; 72(2):121-27.

- Vult Von Steyern. P, Jonsson O, Nilner K., 2001. Five-year evaluation of posterior all-ceramic three-unit (In-Ceram) FPDs *Int. J. Prosthodont.*, 14 , pp. 379–384.
- Whitehouse, David., (2012). *Surfaces and their Measurement*. Boston: Butterworth-Heinemann. ISBN 978-0080972015.
- Wolf DM, Powers JM, O’Keefe KL., 1993. Bond strength of composite to etched and sandblasted porcelain. *Am J Dent*; 6:155-158. 9.
- XiaoZJ, ZhouY, Wang M., 2011. Microstructure and properties of $\text{Li}_2\text{O}-\text{Al}_2\text{O}_3-\text{SiO}_2-\text{P}_2\text{O}_5$ glass-ceramics, *Open Materials Science Journal*, vol. 5, pp. 45–50.
- Yen TW, Blackman RB, Baez RJ., 1993. Effect of acid etching on the flexural strength of a feldspathic porcelain and a castable glass ceramic. *J Prosthet Dent*; 70: 224-233.
- Zogheib LV, Bona AD, Kimpara ET, McCabe JF., 2011. Effect of hydrofluoric acid etching duration on the roughness and flexural strength of a lithium disilicate-based glass ceramic. *Braz Dent J*; 22(1):45-5.