

## DAFTAR PUSTAKA

- Alsuwadia, A. O., Farag, Y. M., Sayyari, A. A., Mousa, D. H., Alhejaili, F.F., Al-Harbi, A. S., Houssavi, A. A, Mittal, B. V., & Singh, A. K. 2013. Prefalence of Vitamin D deficiency in Saudi Adults. *Saudi Medicine Journal*.34(8):814-8.
- Anuurad, E., Shiwaku, K., Nogi, A., Kitajima, K., Enkhmaa, B., Shimono, K., & Yamane, Y. 2003. The New BMI Criteria for Asians by the Regional Office for the Wetern Pacific Region of WHO are Suitable for Screening of Overweight to Prevent Metabolic Syndrome in Elder Japanese Workers. *Journal Occup Health*, 45: 335-343.
- Aryana,I., Kuswardhani, T., Swastika, K., Santoso, A. 2011. Korelasi antara Obesitas Sentral dengan Adiponektin pada Lansia dengan Penyakit Jantung Koroner .*Jurnal Penyakit Dalam*,. 12(2): 81-6
- Arya, V., Bhambri, R., Godbole, M., & Mithal, A. 2004. Vitamin D Status and Its Relationship with Bone Mineral Density in Healthy Asian Indians. *Osteoporos International Journal*, 15:56-61.
- Ashwell, M. 2011. Charts Based on body Mass Index and Waist-to-Height Ratio to Assess The Health Risks of Obesity: A Review. *WHO.2000. Obesity: Preventing and Managing the Global Epidemic. Report of a WHO consultation. Geneva, Switzerland: WHO, 2000: 78-84.*
- Ashwell, M., Gunn, P., & Gibson, S. 2012. Waist-to-height Ratio is Better Screening Tool than Waist Circumference and BMI for Adult Cardiometabolic Risk Factors: Systematic Review and Meta-Analysis. *International Association for*

*Study Obesity: 275-288.*

Atkinsons, R.L., (ed)., 2005. Etiology of Obesity. *The Management of Eating Disorder and Obesity*. USA:Humana Press

Bhatt, S. P., Misra, A., & Sharma, M. 2014. Vitamin D Insufficiency is Associated with Abdominal Obesity in Urban Asian Indian Without Diabetes in North India. *Diabetes Technology & Therapeutics* ,16 (6) : 392-7

Bogacka, G., Syrenicz, M.G.J., Krupta, B., & Syrenicz, A. 2011. Serum 25-hydroxyvitamin D 25-OH-D in Obese Adolescents. *Polish journal of Endocrinology* , 62(6):506-11

Brambilla, P., Bedogni, G., Heo, M., & Pietrobelli, A. 2013. Waist Circumference-to-Height Ratio Predicts Adiposity Better than Body Mass Index in Children and Adolescents. *International Journal of Obesity*.37:943-6

Braunhweh, C.L., Gomez, S., Liang, H., Tomey, K., Doerfler, B., Wang, Y., Beebe, C., & Lipton, R. 2005. Obesity and Risk Factors for The Metabolic Syndrome among Low –Income, Urban, African American Schoolchildren: The Rule Rather Than The Exception. *The American Journal of Clinical Nutrition*.81:970-5

Cintra, I.D.P., Passos, M.A.Z., Santos, L.C.D., Machado, H.C., & Fisberg, M. 2014. Waist-to Height Ratio Percentiles and Cutoffs for Obesity: A Cross-sectional Study in Brazilian Adolescents. *Journal Health Population of Nutrition*.32(3): 411-9

Cobayashi, F. Oliveira, F.L.C.O., Escrivao, M.A.M.S., Silveira, D., Taddei, J.A.A.C. 2010. Obesity and Cardiovascular Risk Factors in Adolescents Attending Public

Schools. *Arquivos brasileiros de cardiologia*, 952:.200–5.

Curdy, C.M. 2014. Fully Automated Segmentation and Qualification of Abdominal Adipose Tissue Compartments in Mouse MRI. *Electronic Thesis and Disertasi Repository*, Paper.2366.

Després, J.P. 2012. Body fat distribution and risk of cardiovascular disease: An update. *Circulation*, 12610:1301–1313.

Ford, E.S., Ajani, U.A., McGuire, L.C., & Liu, S. 2005. Concentrations of Serum Vitamin D and The Metabolic Syndrome Among U.S. Adults. *Diabetes care*.285:1228-0

Garnett, S.P., Baur, L.A., & Cowell, C.T. 2008. Waist-to Height ratio: a Simple Option for Determining Excess Central Adiposity in Young People. *International Journal of Obesity*. 32: 1028-0

Giovannucci, E., Liu, Y., Hollis, B., & Rimm, E. 2008. 25-hydroxyvitamin D and Risk of Myocardial Infarction in Men: a Prospective Study. *Arch Internal of Medicine*, 168:1174 – 80.

Glass, D., Lens, M., Swaminathan, R., Spector, T.D., & Bataille, V. 2009. Pigmentation and Vitamin D Metabolism in Caucasians: Levels of Vitamin D Serum in Fair Skin Types in The UK. *Plos one*.4(8): 1-5

Goldsmith, J. R. 2015. Vitamin D as Immunomodulator: Risks with Deficiencies and Benefits of Supplementation. *Review Journal of Healthcare*.3:219-32

Hara, M., Saitou, E., Iwata, F., Okada, T., & Harada, K. 2002. Waist-to-Height Ratio is Best Predictor of Cardiovascular Diseases Risk Factor in Japanese

Schoolchildren. *Journal of Atheroscler and Thromb.* 9:127-32

Hsieh, S., & Yoshinaga, H. 1955. Abdominal Fat Distribution and Coronary Heart Disease Risk Factors in Men-Waist/Height Ratio as a Simple and Useful Predictor. *International Journal of Obesity Related Metabolism Disorder*, 19:585-9.

Hollick. 2007. Vitamin D Deficiency. *The New England Journal of Nutrition*, 357:266-81.

Hollick. 2009. Vitamin D Status: Measurement, Interpretation and Clinical Application. *The American Journal of Epidemiol*, 192:73-8.

Huriyati, E., Luglio, H. F., Ratrikaningtyas, P. D., Tsani, A. F., Sadewa, A. H., & Juffrie, M. Dyslipidemia, Insulin Resistance and Dietary Fat Intake in Obese and Normal Weight Adolescents: The Role Uncoupling Protein 2-866G/A gene Polymorphism. *International Journal of Molecular Epidemiological Genetic*.7(1):67-73

Jari, M., Qobani, M., Moafi, M., Motlagh, M.E., Keikha, M., Ardalan, G., & Kelishadi, R. 2015. Association of 25-hydroxy Vitamin D levels with indexes of General and Abdominal Obesity in Iranian Adolescents: The CASPIAN-III Study. *Journal of Research in Medical Sciences*.15(20):122-6

Kanis, J. A. 1982. Vitamin D Metabolism and Its Clinical Application. *The Journal of Bone and Joint Surgery*.82:542-60

Kemenkes, 2010. Standar Antropometri Penilaian Status Gizi Anak., p.40. tersedia di: [www.depkes.go.id](http://www.depkes.go.id). Kiranmai, M., Renuka, P., Brahmalah, B., & Chandu, B. R.

Vitamin D as Promising Anticancer Agent. *International Journal of Research in Pharmacy and Chemistry*.2(3):652-60

Klein, S. Allison, D.B. Heymisfield, S.B. Kelley, D.E. Leibel, R.L. Nonas, C. Kahn, R. 2007. Waist circumference and cardiometabolic risk: a consensus statement from Shaping America's Health: Association for Weight Management and Obesity Prevention. *Obesity*, 155:1061–7.

Kosti, R.I., & Panagiotakos, D.B. 2006. The Epidemic of Obesity in Children and Adolescents in The World. *Central Europe Journal Public Health*, 144: 151-9.

Kulie, T., Goff, A., Redmer, J., Hounshell, J., & Scharger, S. 2009. Vitmin D: an Evidence- Based Review. *Journal American Board Farmation Medicine*.22(6):698-706

Kuriyan, R., Thomas, T., Lokesh, D.P., Sheth, N.R., Mahendra, A., Joy, R., Sumithra, S., Bhat, S., & Kurpad, A.V. 2011. Waist Circumference and Waist for Height Percentiles in Urban South Indian Children Aged 3-16 Years. *Indian Pediatrics*.48: 765-71

Kuba, V.M., Leone, C., & Damiani, D. Is Waist-to Height Ratio a Usefeul Indicator of Cardio-Metabolic Risk in 6-10-Year-Old Children. *BMC Pediatrics*.13:91

Lee, J., Aoki, K., & Kawakubo, K. 1995. A Study on Indices of Body Fat Distribution for Screening for Obesity. *Journal of Occup Health*, 37:9-18.

Li, J., Byrne, M.E., Chang, E., Jiang, Y., Donkin, S.S., Buhman, K.K., Burgess, J.R., Teegarden, D. 2008. 1-alfa-25-Dihydroxyvitamin D Hydroxylase in Adipocytes. *Journal of Steroid Biochem Molecular Biology*, 1121-3:122-126.

- Liu, A., Byrne, N. M., Kagawa, M., Ma, G., Kijboonchoo, K., Nasreddine, L., Poh, B., K., Ismail, M. N., & Hills, A. P. 2011. Ethnic Differences in Body Fat Distribution Among Asian Pre-Pubertal Children: A Cross-Sectional Multicenter Study. *Public Health*.11:1-7
- Lu, Q., Iseli, T.J., Yin, F.Z., Ma, C.M., Liu, B.W., Lou, D.H., & Liu, X.L. 2010. Relationship Between The Waist-to-Height Ratio and Glucose and Lipid Metabolism in Han dolescents. *Indian Journal of Pediatrics*.77: 547-0
- Martini, L., & Wood, R. 2006. Vitamin D Status and The Metabolic Syndrome. *Nutrition Rev*, 6411:479-86.
- McCharty H.D., Jarrett, K.V., Crawley, H.F. 2001. The Development of Waist Circumference Percentiles in British Children Aged 5.0-16.9y. *Europe Journal Clinical Nutrition*.55:902-7
- Mccune, Damon. 2014. *25-hydroxyvitamin D, IGF-1, and Waist Circumference A Cross-Sectional Study*. University of Nevada :Las Vegas
- Michalsky, M., Thomas, M., & Simmons, M. 2015. Cardiovascular Risk Factors in Severely Obese Adolescents: The Teen Longitudinal Assesment of Bariatric Surgery Teen-LABS Study. *JAMA Pediatrics*. 1695:438-44.
- Mithal, A., Wahl, D.A., Bonjour, J.P., Burckhardt, P., Dawson-Hughes, B., Eisman, J.A., El-Hajj, F.G., Josse, R.G., Lips, P., Morales-Torres, J. 2009. Global Vitamin D Status and Determinants of Hypovitaminosis D. *Osteoporosis International*, 20:1807-1820.
- Moore, C.E & Liu, Yan. 2015. Low Serum 25-hydroxyvitamin D concentrations are

Associated with Total Adiposity of Children | United States: National Health and Examination Survey 2005 to 2006. *Nutrition Research*. 3616:72-9

Moussavi, M., Heidarpour, R., & Aminorroaya, A. 2005. Prevalence of Vitamin D Deficiency in Isfahani High School Students in 2004. *Horm Res*, 64:144-8.

Pacifico, L; Anania, C; Osborn, J.F; Ferraro, F; Bonci, E.; Olivero, E. & Chisea. 2011. Low 25OHD3 Levels are Associated with total Adiposity Metabolic Syndrome, and Hypertension in Caucasian Children and Adolescents. *European Journal of Endocrinology*. 165 603-11

Poh, B.K., Jannah, A.N., Chong, L.K., Ruzita, A.T., Ismali, M.N., & McCharthy, D. 2011. Waist Circumference Percentile Curves for Malaysian Children and Adolescents Aged 6.0-16.9 Years. *International Journal of Pediatric Obesity*. 6:229-35

Puri, S., & Marwaha, N. 2008. Vitamin D Status of Apparently Healthy Schoolgirls from Two Different Socioeconomic Strata in Delhi: Relation to Nutrition and Lifestyle. *Br J Nutr*, 99:876-82.

Rahimi, O., Zarghami, N., Shadighi, A. 2006. Relationship Between Vitamin D and Nutritional Status in Healthy Reproductive Age Women. *Int J Endocrinol Metab*, 4:1-7.

Riset Kesehatan Dasar. 2013, Desember 1. *Riset Kesehatan Dasar Tahun 2013*. 222-223.

Rosenstreich, S., Rich, C., & Volwilwer, W. 1971. Deposition in and Release of Vitamin D3 from Body Fat: Evidence for Storage Site in The Rat. *The Journal*

*of Clinical Investigation*, Vol.50.

Sachan, A., Gupta, R., & Das, V. 2005. High Prevalence of Vitamin D Deficiency Among Pregnant Women and Their Newborns in Northern India. *Am J Clin Nutr*, 81:1060-4.

Sandjaja, S., Budiman, B., Harahap, H., Ernawati, F., Soekatri, M., Widodo, Y., Sumedi, E., Rustan, E., Sofia, G., Syarif, S. N., & Khou, I. 2013. Food Consumption and Nutritional and Biochemical Status of 5-12-Year-Old Indonesian Children: The SEANUTS Study. *British Journal of Nutrition*.110:11-20

Savva, SC., Tornaritis, M., Savva, M.E., Kourides, Y., panagi, A., Silikiotoi, N., Georgiou, C., & Kafatos, A. 2000. Waist Circumference and Waist-to-Height Ratio are Better Predictor of Cardiovascular Diseases Risk in Children than Body Mass Index. *International Journal of Obesity Related Metabolism Disorder*.24:1453-8

Seppala, L., Vehkavaara, S., & Hakkinen, A. 2002. Fat Accumulation in The Liver is Associated with Defects in Insulin Suppression of Glucose Production and Serum Free Fatty Acids Independent of Obesity in Normal Men. *J Clin Endocrinol Metab*, 87:3023-8.

Sugianti, E., Hardinsyah., Afriansyah, N. 2009. Faktor Risiko Obesitas Sentral pada Orang Dewasa DI DKI Jakarta: Analisis Lanjut Data RISKESDAS 2007. *Gizi Indonesia*, 32 2: 105-16.

Sulistyoningrum, D.C., Green, T.J., Lear, S.A., & Devlin, A.M. 2012. Ethnic-Specific

Differences in Vitamin D Status is Associated with Adiposity. *PLOS ONE*, Vol.7 e43159.

Taylor, R. W., Grant, A. M., Williams, S. M. & Goulding, A. 2010. Sex Differences in Regional Body Fat Distribution from Pre-to-Postpuberty. *Article of Epidemiology. Nature Publishing Group*.18:1410-18

Torun, E., Gonulu, E., Ozgen, I.T., Cindemir, E., & Oktem, F. 2013. Vitamin D Deficiency and Insufficiency in Obese Children and Adolescents and Its Relationship with Insulin Resistance. *International Journal of Endocrinology*. 13:1-5

Tsiaras, W.G. & Weinstock, M.A., 2011. Factors influencing vitamin d status. *Acta Dermato-Venereologica*, 912, pp.115–24.

Via, Michael. 2012. The Malnutrition of Obesity: Micronutrient Deficiencies That Promote Diabetes. *ISRN Endocrinol*. Review Artikel: 1-10

Wajchenberg B.L. 2000. Subcutaneous and visceral adipose tissue: Their relation to the metabolic syndrome. *Endocr Rev*.216:697–738

Wakayo, T., Whiting, S.J. & Belachew, T. 2016. Vitamin D Deficiency is Associated with Overweight and or Obesity Among Schoolchildren in Central Ethiopia: a Cross-Sectional Study. *Nutrients*.8(4):190

Wallace, A., Gibson, S., de la Hunty, A., Lamberg Allardt, C., Ashwell, M. 2010. Measurement of 25-hydroxyvitamin D in the Clinical Laboratory: Current Procedures, Performance Characteristics and Limitations. *J. Steroids*, 75(7):477-88.

- Wang, T., Pencina, M., Booth, S., Jacques, P.F., Ingelsson, E., Lanier, K., Benjamin, E.J., D'Agostino, R.B., Wolf, M., Vasan, R.S. 2008. Vitamin D Deficiency and Risk of Cardiovascular Disease. *Circulation*, 117:503–11.
- Weiss, R., Dziura, J., Burgent, T. S., Tamborlane, W. V., Taksali, S. E., Yeckel, C. W., Allen, K., Lopes, M., Savoye, M., Morrison, J., Sherwin, R. S., & Caprio, S. 2004. Obesity and The Metabolic Syndrome in Childrem and Adolescents. *The New England Journal of Medicine*.350(2): 362-74
- Wijayanti, D.N. 2013. Analisis Faktor Penyebab Obesitas dan Cara Mengatasi Obesitas pada Remaja Putri Studi Kasus Pada Siswi SMA Negeri 3 Temanggung. *Skripsi Jurusan Ilmu Keolahragaan, Fakultas Ilmu Keolahragaan, UNNES*, 56-63.
- Willey, J., & Sons. 2002. *International Textbook of Obesity*. New York: ISBN 0-471-98870-7.
- World Health Organization. 2011. *Waist Circumference and Waist-Hip Ratio Report of a WHO Expert Consultation*. Geneva: WHO.
- World Health Oranization.2012. *Childhood Obesity*. Geneva: ISBN 978 92 4 150327 3
- Wortsman, J., Matsuoka, L.Y., Chen, T.C., Lu, Z., Hollick, M.F. 2000. Decreased Bioavailability of Vitamin D in Obesity. *Am J Clin Nutr* , 72:690-3.
- Yosephin, B., Khomsan, A., Briawan, D., & Rimbawan. 2014. Peranan Ultraviolet B Sinar Matahari terhadap Status Vitamin D dan Tekanan Darah pada Wanita USia Subur. *Jurnal Kesehatan Masyarakat Nasional* , Vol. 8, No. 6

Zhang, Y., Zhang, Z., & Wang, F. 2015. Relationship between Obesity Indices and Serum Vitamin D Levels in Chinese Adults from Urban Settings. *APJCN*, 25.2.15