

## DAFTAR PUSTAKA

- [1] Gabor, Jonathan Y., Cooper, Andrew B., Dkk. 2003. Contribution of the intensive care environmental to Sleep Disruption in Mechanically Ventilated Patients and Healthy Subjects. *ATS Journals*. Vol.167 No. 5, pp. 708-715.
- [2] Brown, Brian and Peter Rutherford and Paul Crawford. 2015. The Role of Noise in Clinical Environments with particular reference to mental health care : A Narrative review. Elsevier.. VOL.52. pp:1514-1524.
- [3] Johansson,Lotta., Dkk. 2012. The Sound Environment in an ICU Patient room- A Content analysis of sound levels and patient experiences. Elsevier. Vol.28 pp:269-279.
- [4] Memoli, G. Dawson, D. Barham, R. Grounde. 2012. Distributed Noise Monitoring in Intensive Care Unit.HAL. 00811377.
- [5] Park, Munhum, Armin Kohlrausch, Werner de Bruijn, Peter de Jager, and Koen Simons. "Analysis of the soundscape in an intensive care unit based on the annotation of an audio recording)." *The Journal of the Acoustical Society of America* 135, no. 4 (2014): 1875-1886.
- [6] Sarwono, Joko, Ezra Tandian, Andika Rizki, Sentagi Utami, and Ressy Yanti. "Characterizing the hearing comfort in intensive care unit using objective and subjective evaluation." In 2015 4th International Conference on Instrumentation, Communications, Information Technology, and Biomedical Engineering (ICICI-BME), pp. 323-326. IEEE, 2015.
- [7] Mackrill, J., Rebecca Cain, and P. Jennings. "Experiencing the hospital ward soundscape: Towards a model." *Journal of Environmental Psychology* 36 (2013): 1-8.
- [8] kementerian Kesehatan RI, Pedoman Teknis Bangunan Rumah Sakit Ruang Perawatan Intensif. Jakarta: Direktorat Bina Pelayanan Penunjang Medik dan Sarana Kesehatan Direktorat Bina Upaya Kesehatan. 2012.
- [9] Menteri Negara Lingkungan Hidup. Keputusan Menteri Negara Lingkungan

Hidup No.48 Tahun 1996 Tentang: Baku Mutu Kebisingan. Dokumen

Teknik, Kementerian Lingkungan Hidup, Jakarta, 1996.

[10] Berglund, B., T. Lindvall, and D. H. Schwela. "Guidelines for Community Noise (World Health Organization, Geneva, Switzerland)." (1999): 159.

[11] Kementrian Kesehatan RI. Keputusan menteri kesehatan republik Indonesia nomor 1204. MENKES/SK/X/2004 Tentang Persyaratan Kesehatan Lingkungan Rumah Sakit. Direktorat Jenderal Pemberantasan, 2004.

[12] Psychology & Language Science. Acoustic of Speech and Hearing "Lecture: Sound Pressure Level Scale". University College London.

[13] "Noise Descriptors for Environmental Noise" [online] available: [http://www.epd.gov.hk/epd/noise\\_education/web/ENG\\_EPD\\_HTML/m2/types\\_3.html](http://www.epd.gov.hk/epd/noise_education/web/ENG_EPD_HTML/m2/types_3.html).

[14] ASTM International, —E 1686 - 03: Standard Guide for Selection of Environmental Noise Measurements and Criteria.pdf. West Conshohocken, pp. 1166–1167, 2003.

[15] Zhao, Jianqiang, Zhenzhen Ding, Bo Hu, Ying Chen, and Wenjuan Yang. "Assessment and improvement of a highway traffic noise prediction model with L<sub>eq</sub> (20s) as the basic vehicular noise." *Applied Acoustics* 97 (2015): 78-83.

[16] R. Budd, C. Holme, N. Boulter, D. Rowley, T. Redmore, D. Howe, P. Hammond, P. Freeborn, T. Spencer, J. Bassett, P. Young, and P. Hicks, —Specialist Services Health Technical Memorandum 08-01: Acoustics, 2013.

[17] Dwi P. Sasongko, A. Hardiyanto, A. Subagyo, S.P Hadi, dan N, Asmorohadi. *Kebisingan Lingkungan*. Badan Penerbit Universitas Diponegoro, Semarang, 2000.

[19] "A-Weighting" [online]  
<http://www.diracdelta.co.uk/science/source/a/w/aweighting/source.html#.V9j4gv1>  
TLIU diakses pada 14 September 2016 pukul 15.00 WIB

- [20] L. E. Kinsler, A. R. Frey, A. B. Coppens, and J. V. Sanders, Fundamentals of Acoustics, 4th Edition. United State of America: John Wiley & Sons, Inc., 2000.
- [21] Pijanowski, Bryan C., Almo Farina, Stuart H. Gage, Sarah L. Dumyahn, and Bernie L. Krause. "What is soundscape ecology? An introduction and overview of an emerging new science." Landscape ecology 26, no. 9 (2011): 1213-1232.
- [22] Dumyahn, Sarah L., and Bryan C. Pijanowski. "Soundscape conservation." Landscape Ecology 26, no. 9 (2011): 1327-1344.
- [23] International-Organization-for-Standardization-2013-Draft-BS-ISO-12913-1-Acoustics-Soundscape.-Part-1.
- [24] Brown, A. L., Jian Kang, and Truls Gjestland. "Towards standardization in soundscape preference assessment." Applied Acoustics 72, no. 6 (2011): 387-392.
- [25] Tor Erik Vigran. Building Acoustics. Taylor and Francis, New York, United States of America, 2008.
- [26] Rifqi Ikhwanuddin. Analisi Pengaruh Geometri Kubah Atap Terhadap Kondisi Akustik Masjid A.R Fachrussin UMM Munggunakan CATT-Acoustid. Jurusan Teknik Fisika, Universitas Gadjah Mada, Yogyakarta, 2014.
- [27] Meriläinen, Merja, Helvi Kyngäs, and Tero Ala-Kokko. "24-hour intensive care: an observational study of an environment and events." Intensive and Critical Care Nursing 26, no. 5 (2010): 246-253.
- [28] MacKenzie, D. J., and L. Galbrun. "Noise levels and noise sources in acute care hospital wards." Building Services Engineering Research and Technology 28, no. 2 (2007): 117-131.