

## DAFTAR PUSTAKA

- Aak, 1992. *Sayuran Petunjuk Praktis Hidup Sehat dan Kaya Berkat Sayuran*. Kanisius. Yogyakarta. Hal: 20.
- Abirami, A., G. Nagarani and P. Siddhuraju. 2014. The Medicinal And Nutritional Role of Underutilized Citrus Fruit-*Citrus hystrix* (Kaffir Lime): A Review. *Drug Invention Today*. 6(1),1-5.
- Afra, N. 2014. Ekspresi mRNA Caspase-3 pada Sel Kanker Payudara T47D (*Human Breast Cancer Cell Line*) yang Diinduksi Ekstrak Daun Jeruk Purut (*Citrus hystrix* D.C.). Skripsi. Universitas Gadjah Mada. Yogyakarta.
- Afoulous, S., H. Ferhout., E. G. Reoelison., A. Valentin., B. Moukarzel., F. Couderc and J. Bouajila. 2011. Helichrysum gymnocephalum Essential Oil: Chemical Composition and Cytotoxic, Antimalarial and Antioxidant Activities, Attribution of the Activity Origin by Correlations. *Journal of Molecules*. 16: 8273-8291.
- Akpuaka, A., M. M. Ekwenchi., D. A. Dashak and A. Dildar. 2013. Biological Activities of Characterized Isolates of n-Hexane Extract of Azadirachta Indica A.Juss (Neem) Leaves. *New York Science Journal*. 6 (6): 119-124.
- Alexander, M. 2001. How Theories of Motivation Apply to Olfactory Aromatherapy. *The International Journal of Aromatherapy*. 10 (3/4): p 135.
- Anggraini, D. R. 2014. Aktivitas Sitotoksik dan Induksi Apoptosis Ekstrak Daun Jeruk Purut (*Citrus hystrix* DC.) terhadap Sel T47D (*Human Breast Cancer Cell Line*). Skripsi. Universitas Gadjah Mada. Yogyakarta.
- Anonim. 2015. Infodatin Kanker. [online]. <http://www.depkes.go.id/resources/download/pusdatin/infodatin/infodatin-kanker.pdf> (diakses 15 Februari 2016).
- Arasada, B. L., A. Bommareddy, X. Zhang, K. Bremmon, and C. Dwivedi. 2008. Effects of --Santalol on Proapoptotic Caspases and p53 Expression in UVB Irradiated Mouse Skin. *Journal of Anticancer Research*. 28: 129-132.
- Bayala, B., I. H. N. Bassole., R. Scifo., C. Gnoula., L. Morel., J. M. A. Lobaccaro., and J. Simpo. 2014. Anticancer activity of essential oils and their chemical components - a review. *American Journal of Cancer Research*. 4(6): 591-607.
- Baser, K. H. C and G. Buchbauer. 2010. *Essential Oils Science, Technology, and Applications*. CRC Press. USA. pp: 5, 904.
- Braganhol, E., Zamin, L.L., and Canedo, D., et al. 2006. Antiproliferative effect of quercetin in the human U138MG glioma cell line. *Anti-Cancer Drugs*. 17(6), 663–671.
- Burdall, E.S., Hanby M.A., Landsdown, R.J.M., and Speirs, V. 2003. Breast Cancer Cell Line. *Breast Cancer Res*. 5(2): 89-95.
- Capasso F, Gaginella TS, Grandolini G, and Izzo AA. 2003. *Phytotherapy: A Quick Reference to Herbal Medicine*. Berlin: Springer-Verlag.
- Choi, W. I., E. H. Lee, B. R. Choi, H. M. Park and Y. J. Ahn. 2003. Toxicity of plant essential oils to *Trialeurodes vaporariorum* (Homoptera: Aleyrodidae). *J. Econ. Entomol*. 96:1479-1984.
- Csokay, B., Prajda, N., Weber, G., and Olah, E. 1997. Molecular mechanisms in the antiproliferative action of quercetin. *Life Sciences* 60(24), 2157–2163.

- Dalimartha, S. 2008. *Tanaman Obat di Lingkungan Sekitar*. Puspa Swara. Hal: 15.
- Dharmawan, J., Kasapis, S., and Curran, P. 2008. Characterization of volatile compounds in selected citrus fruits from Asia. Part II: Peel oil . *Journal of Essential Oil Research*. 20: 21 – 24.
- Dugo, G. and L. Mondello. 2011. *Citrus Oils Composition, Advanced Analytical Techniques, Contaminants, and Biological Activity*. CRC Press. USA. p: 201.
- Duke, J. A., M. J. Bogenschutz-Godwin, J. duCellier, and P-A.K. Duke. 2003. *CRC Handbook of Medical Spices*. CRC Press. Florida.
- Fessenden R. J. and Fessenden J. S. 1993. *Organic Laboratory Techniques*. Brooks/ Cole. US. p: 96.
- Fontham, E.T. *Vitamin C, Vitamin C-Rich Foods and Cancer: Epidemiologic Studies*. pp: 157-197.
- Fortin H, Vigora C, Lohezic-Le F, RobinaV, Le Bosse B, Boustiea J and Arnoros M. 2002. *In vitro* antiviral activity of thirty-six plants from La Reunion Island. *Fitoterapia*. 3: 346-350.
- Gao, X., Xu, Y.X., Divine, G., Janakiraman, N., Chapman, R.A., and Gautam, S.C. 2002. Disparate *in vitro* and *in vivo* antileukemic effects of resveratrol, a natural polyphenolic compound found in grapes. *Journal of Nutrition*. 132, 2076–2081.
- Gautam, N., A. K. Mantha., and S. Mittal. 2014. Essential Oils and Their Constituents as Anticancer Agents: A Mechanistic View. *BioMed Research International*. <http://dx.doi.org/10.1155/2014/154106> (diakses pada 20 Mei 2016).
- Ghareeb, M.A., L. A. Refahy., A. M. Saad., and W. S. Ahmed. 2016. Chemical composition, antioxidant and anticancer activities of the essential oil from *Eucalyptus citriodora*(Hook.) leaves. *Der Pharma Chemica*. 8(1):192-200
- Haag, J.D., Lindstrom, M.J., and Gould, M.N. 1992. Limonene-induced regression of mammary carcinomas. *Cancer Research*. 52, 4021–4026.
- Hadi, S.M., Asad, S.F., Singh, S., and Ahmad, A. 2000. Putative mechanism for anticancer and apoptosis-inducing properties of plant-derived polyphenolic compounds. *IUBMB Life*. 50, 167–171.
- Hennisa. 2014. Ekspresi Caspase-3 pada Sel Kanker Payudara T47D (*Human Breast Cancer Cell Line*) yang Diinduksi Ekstrak Daun Jeruk Purut (*Citrus hystrix* D.C.). Skripsi. Universitas Gadjah Mada. Yogyakarta.
- Hofmann, C.S. and Sonenshein, G.E. 2003. Green tea polyphenol epigallocatechin-3 gallate induces apoptosis of proliferating vascular smooth muscle cells via activation of p53. *FASEB Journal*. 17, 702–704.
- Hsu, S., Lewis, J., Singh, B., and Schoenlein, P. 2003. Green tea polyphenol targets the mitochondria in tumor cells inducing caspase 3-dependent apoptosis. *Anticancer Research*. 23, 1533–1539.
- Hutami, R., W. Haryati, U. Amalia, I. D. Rachmani, N. Tannia, dan Wirasuwasti. 2012. Analisis komponen asam lemak dalam minyak goreng dengan instrumen gc-ms (Gas chromatography-mass spectrometer). [www.academia.edu](http://www.academia.edu). (diakses 26 Juni 2016).

- Jain, S. M. and P. K. Saxena. 2009. *Protocols for in vitro cultures and secondary metabolite analysis of aromatic and medicinal plants*. Humana Press. New York. p: v.
- Julianto, T. S. 2016. *Minyak Atsiri Bunga Indonesia*. Deepublish. Yogyakarta. Hal: 32-33.
- Katzer, G. 1998. Kaffir lime (*Citrus hystrix* DC.). [http://www.-ang.khfunigras.ac.at/-katzer/engl/Citr\\_hys.html](http://www.-ang.khfunigras.ac.at/-katzer/engl/Citr_hys.html) .
- Keawsa-ard, S., B. Liawruangrath, S. Liawruangrath, A. Taerawutgulag, and S. G. Pyne. 2015. Chemical constituents and antioxidant and biological activities of the essential oil from leaves of *Solanum spirale*. *Natural Product Communications: An International Journal for Communication and Review*. 7(7): 955-958.
- Ketaren, S. 1989. *Pengantar Minyak Atsiri*. Balai Pustaka. Jakarta.
- Koswara, S. 2011. *Menyuling dan Menepungkan Minyak Atsiri Daun Jeruk Purut*. <http://www.ebookpangan.com/ARTIKEL/MENYULING%20DAN%20MENEPUNGGAN%20MINYAK%20ATSIRI.pdf>. (Diakses pada 1 April 2016).
- Langdon, S. P. 2004. *Methods In Molecular Medicine Cancer Cell Culture Methods and Control*. New Jersey. Humana Press Inc. pp: 5-7, 163, 313, 328.
- Legault, J and A. Pichette. 2007. Potentiating effect of beta-caryophyllene on anticancer activity of alpha-humulene, isocaryophyllene and paclitaxel. *Journal of Pharmacol*. 59(12): 1643-7.
- Lertworasirikul, S. and Saetan, S. 2010. Artificial neural network modeling of mass transfer during osmotic dehydration of kaffir lime peel. *Journal of Food Engineer*. 98: 214–223.
- Ma'mun, B.S., dan Shinta, S. 2009. *Karakteristik Minyak Atsiri Potensial*. Balai Penelitian Tanaman Obat dan Aromatik. Bogor.
- Manosroi, J., P. Dhumtanom., and A. Manosroi. 2006. Anti-proliferative activity of essential oil extracted from Thai medicinal plants n KB and P388 cell lines. *Cancer Lett*. 235: 114-120.
- Manthey JA, Grohmann K, Guthrie N. Biological properties of citrus flavonoids pertaining to cancer and inflammation. *Current Medical Chemistry*. 2001; 8(2):135–53.
- Martins, P., J. Jesus., S. Santos., L. R. Raposo., C. R. Rodrigues., P. V. Baptista., and A. R. Fernandes. 2015. Heterocyclic Anticancer Compounds: Recent Advances and the Paradigm Shift towards the Use of Nanomedicine's Tool Box. *Molecules*. 20:16852-16891.
- Minagawa, A., Otani, Y., Kubota, T., et al. 2001. The citrus flavonoid, nobiletin, inhibits peritoneal dissemination of human gastric carcinoma in SCID mice. *Japanese Journal of Cancer Research*. 92, 1322–1328.
- Miyake, Y., A. Murakami., Y. Sugiyama., M. Isobe., K. Koshimizu., and H. Ohigashi. 1999. Identification of Coumarins from Lemon Fruit (*Citrus limon*) as Inhibitors of in Vitro Tumor Promotion and Superoxide and Nitric Oxide Generation. *Journal of Agricultural and Food Chemistry*. 47(8): 3151-3157.
- Naumovski, L., J.P Quinn., D. Miyashiro., M. Patel., K. Bush., S. B. Singer., D. Graves., T. Palzkill., and A. M. Arvin. 1992. Outbreak of ceftazidime

- resistance due to a novel extended-spectrum beta-lactamase in isolates from cancer patients. *Antimicrobial Agents and Chemotherapy*. 36 (9): 1991-1996.
- Nayak, S., A. K. Jena., D. K. Mittal and D. Joshi. 2013. GC-MS Analysis of Phytocostituents of Some Wild Zingiberaceae Plants Methanolic Rhizome Extracts. *Research in Plant Sciences* 2. no. 1 (2014): 1-5. doi: 10.12691/plant-2-1-1.
- Newmark, H.L. 1984. A hypothesis for dietary components as blocking agents of chemical carcinogenesis: plant phenolics and pyrrole pigments. *Nutrition and Cancer*. 6, 58–70.
- Nugraheni, K.S. 2012. *Pengaruh Perlakuan Pendahuluan dan Metode Destilasi terhadap Karakteristik Mutu Minyak Atsiri Daun Kayu Manis*. Fakultas Pertanian. Universitas Sebelas Maret Surakarta. Surakarta.
- Parthasarathy, V.A., B. Chempakam., and T. J. Zachariah. 2008. *Chemistry of Spices*. CAB International. UK. p: 182.
- Purwanto, A. W. 2006. *Euphorbia Tampil Prima dan Semarak Berbunga*. Kanisius. Yogyakarta. Hal: 25.
- Quintans, J. S., B.M. Soares., R. P. Ferraz., A. C. Oliveira., T. B. da Silva., L. R. Menezes., M. F. Sampaio., A. P. Prata., M. O. Moraes., C. Pessoa., A. R. Antonioli., E. V. Costa., and D. P. Bezerra. 2013. Chemical constituents and anticancer effects of the essential oil from leaves of *Xylopiia laevigata*. *Journal of Planta Med*. 79(2):123-30.
- Reineccius, G. 1994. *Flavor Chemistri*. Di dalam: Hidayat, F. K. 1999. *Ekstraksi Minyak Atsiri Dari Daun Jeruk Purut (Citrus hystrix DC) pada Skala Pilot-Plant*. Sripsi. Jurusan Teknologi Pangan dan Gizi Fakultas Teknologi Pertanian Institut Pertanian Bogor. Bogor.
- Ririn, M. 2010. *Perbandingan Rendemen Minyak Atsiri pada Daun Jeruk Purut (Citri hystricis folium) Kering dan Basah dengan Destilasi Air*. Poltekkes Bakti Mulia. Sukoharjo.
- Sarwono, B. 1994. *Jeruk dan Kerabatnya (7th ed)*. Jakarta: Penebar Swadaya.
- Sawamura, M. 2010. *Citrus Essential Oils Flavor and Fragrance*. John Wiley & Sons. Canada. pp:ix, 239-240.
- Shiono, Y., Shiono, N., Seo, S., Oka, S., and Yamazaki, Y. 2002. Effects of polyphenolic anthrone derivatives, Resistomycin and hypercin, on apoptosis in human megakaryoblastic leukemia CMK-7 cell line. *Zeitschrift fur Naturforschung. C, Journal of Biosciences*. 57, 923–929.
- Sobral, M. V., A. L. Xavier., T. C. Lima., and D. P. de Sousa. 2014. Antitumor Activity of Monoterpenes Found in Essential Oils. *Scientific World Journal*. 953451:35.
- Spandidos, D.A. 1992. *Breast Cancer: Biological and Clinical progress*. Springer Science+Business Media, LCC. Itali. p: 7.
- Stenis, C. G. G. J. 2003. *Flora Untuk Sekolah di Indonesia*. PT. Pradnya Paramita. Jakarta Pusat.
- Stewart T. H. M and G. H. Heppner. 1998. *Advances In Oncobiology Brest Cancer Volume 2 Immune Facilitation of Breast Cancer*. Jai press inc. Stamford. pp: 204-206.



- Stone, SC. F. A. Vasconcellos., E. J. Lenardao., R. C. do Amaral., R. G. Jacob., and L. F. P. Leivas. 2013. *International Journal of Applied Research in Natural Products*. 6(4):11-15.
- Supriyatna, M.W. Moelyono., Y. Iskandar., and R. M. Febriyanti. 2014. *Prinsip Obat Herbal Sebuah Pengantar untuk Fitoterapi*. Deepublish. Yogyakarta. Hal: 48-52.
- Suranto, A. 2004. *Khasiat dan Manfaat Madu Herbal*. Agromedia Pustaka. Depok. p: 89.
- Tunjung, W. A. S., J. Cinatl jr., M. Michaelis and C. M. Smales. 2015. Anti-Cancer Effect of Kaffir Lime (*Citrus hystrix* DC) Leaf Extract in Cervical Cancer and Neuroblastoma Cell Lines. *Procedia Chemistry*. 14( 2015 ):465-468.
- Watson, R. R and V. R. Preesy. 2011. *Bioactive Foods and Extracts Cancer Treatment and Prevention*. CRC Press. Amerika. p: 151.
- Wei, L.S., W. Wei., J. Y. F. Siong., and D. F. Syamsumir. 2011. Characterization of Antimicrobial, Antioxidant, Anticancer Property and Chemical Composition of *Michelia champaca* Seed and Flower Extracts. *Stamford Journal of Pharmaceutical Sciences*. 4(1): 19-24.
- Well, B. 2014. Terpenes and Terpenoids. <http://www.bloomwellbend.com/terpenes-terpenoids/>. (Diakses pada 23 Juni 2016).
- Yeh, C.W., Chen, W.J., Chiang, C.T., Lin-Shiau, S.Y., and Lin, J.K. 2003. Suppression of fatty acid synthase in MCF-7 breast cancer cells by tea and tea polyphenols: A possible mechanism for their hypolipidemic effects. *Pharmacogenomics Journal*. 3, 267–276.