

DAFTAR PUSTAKA

- Acamovic T. dan J. D. Brooker. 2005. Biochemistry of plant secondary metabolites and their effects in animals. *Proceeding Nutrition Society*. 64: 403-412.
- Ainsworth S. J., R. L. Stanley, dan D. J. R. Evans. 2010. Developmental stages of the Japanese quail. *Journal of Anatomy*. 16: 3-15.
- Akram, M., S. Uddin, A. Ahmed, K. Usmanghani, A. Hannan, E. Mohiuddin, dan M. Asif. 2010. *Curcuma longa* and curcumin: A review article. *Romanian Journal of Biology - Plant Biology*. 55: 65-70.
- Alcicek, A., M. Bozkurt, dan M. Cabuk. 2003. The effect of an essential oil combination derived from selected herbs growing wild in Turkey on broiler performance. *South African Journal of Animal Science*. 33: 89-94.
- Aligiannis N., E. Kalpoutzakis, S. Mitaku, dan I. B. Chinou. 2001. Composition and antimicrobial activity of the essential oils of two *Origanum* species. *Journal of Agricultural and Food Chemistry*. 49: 4168-4170.
- Ammon, H. P. T. dan M.A. Wahl. 1991. Pharmacology of *Curcuma longa*. *Planta Medical*. 57: 1-7.
- Anand, P. A., A. B. Kunnumakkara, R. A. Newman, dan B. B. Aggarwal. 2007. Bioavailability of curcumin: Problems and Promises. *Molecular Pharmaceutics*. 4: 807-818.
- Anggorodi, R. 1985. Kemajuan Mutakhir dalam Ilmu Makanan Ternak Unggas. Universitas Indonesia Press. Bogor.
- Anggorodi, R. 1995. Nutrisi Aneka Ternak Unggas. PT. Gramedia Pustaka. Jakarta.
- Araújo, C.A.C. dan L. L. Leon. 2001. Biological activities of *Curcuma longa* L. *Memórias do Instituto Oswaldo Cruz*. 96: 723-728
- Arslan, C. dan M. Saatci. 2004. Effect probiotic administration as aditif pakan or by drinking water on performance and blood parameters of Japanese quail. *Archiv für Geflügelkunde*. 68: 160-163.
- Astuti, M. 1980. Pengantar Ilmu Statistik untuk Peternakan dan Kesehatan Hewan. Binasti Publisher. Bogor.
- Attia Y. A., A. E. A. El-Hamid, H. F. Ellakany, F. Bovera, M. A. Al-Harthi, dan S. A. Ghazaly. 2013. Growing and laying performance of Japanese quail fed diet supplemented with different concentrations of acetic acid. *Egyptian Journal of Animal Production*. 12: 159-166.

- Bachmeier B. E., V. Mirisola, F. Romeo, L. Generoso, A. Esposito, R. Dell'Eva, F. Blengio, P. H. Killian, A. Albini dan U. Pfeffer. Reference profile correlation reveals estrogen like transcriptional activity of curcumin. *Cell Physiology and Biochemical*. 26: 471-482.
- Bakrie B., E. Manshur, dan I. M. Sukadana. 2012. Pemberian berbagai level tepung cangkang udang ke dalam ransum anak puyuh dalam masa pertumbuhan (umur 1 sampai 6 minggu). *Jurnal Penelitian Pertanian Terapan*. 12: 58-68.
- Bedford, M. 2000. Removal of antibiotic growth promoters from poultry diets: implications dan strategies to minimise subsequent problems. *World's Poultry Science Journal*. 56: 347-365.
- Bintang, I. A. K., A.P. Sinurat dan T. Purwadaria. 2007. Penambahan ampas mengkudu sebagai senyawa bioaktif terhadap performans ayam broiler. Balai penelitian ternak. *Jurnal Ilmu Ternak dan Veteriner*. 12: 1-5.
- Botsoglou, N. A., E. Christaki, P. Florou-Paneri, I. Giannenas, G. Papageorgiou, dan A. B. Spais. 2004. The effect of a mixture of herbal essential oils or α -tocopheryl acetate on performance parameters and oxidation of body lipid in broilers. *South African Journal of Animal Science*. 34. 52-61.
- Burt, S. 2004. Essential oils: Their antibacterial properties and potential applications in foods-a review. *International Journal of Food Microbiology*. 94: 223-253.
- Cowan M. M. 1999. Plant products as antimicrobial agents. *Clinical Microbiology Reviews*. 12: 564-582.
- Delespaul Q., V. G. De Billerbeck, C. G. Roques, G. Michel, C. Marquier-Vinuales, dan J. M. BessiFre. 2000. The antifungal activity of essential oils as determined by different screening methods. *Journal of Essential Oil Research*. 12: 256-266.
- Djulardi, A. 2006. *Nutrisi Aneka Ternak dan Satwa Harapan*. Andalas University Press. Padang.
- Engberg, R. M. , M.S. Hedemann, T. D. Leser, dan B.B Jensen. 2000. Effect of zinc bacitracin and salinomycin on intestinal microflora and performance of broilers. *Poultry Science*. 79: 1311–1319.
- Ezieshi, V.E., M.J. Nworu, F.O. Bandele, R.O. Suleman, B.C. Ojurongbe, dan J.M. Olomu. 2003. Laying hen productivity in the tropics as affected by stage of egg production, feed restriction, stocking density and time of day. *Archivos de Zootecnia*. 52: 475-482.
- Goodarzi, M. dan S. Nanekarani. 2014. Effect of onion extract in drink water on performance and carcass traits in broiler chickens. *International Conference on Agricultural and Biosystem Engineering*. 8: 107-112.

- Hashemi S. R. dan H. Davoodi . 2010. Phytochemicals as new class of feed aditif in poultry industry. *Journal of Animal and Veterinary Advances*. 9: 2295-2304.
- Hassan, S. M., M. E. Mady, A. L. Cartwright, H. M. Sabri, dan M. S. Mobarak. 2003. Effect of feeding time on the reproductive performance of japanese quail (*Coturnix coturnix japonica*). *Poultry Science*. 82: 1188-1192.
- Huang, M. T., R. C. Smart, C. Q. Wong, dan A. H. Conney. 1988. Inhibitory effect of curcumin, chlorogenic acid, caffeic acid, and ferulic acid on tumor promotion in mouse skin by 12-O-tetradecanoylphorbol-13-acetate. *Cancer Research*. 48: 5941-5946.
- Hosick, H. L. 1966. The influence of light intensity oviposition of the coturnix quail. *The Wilson Bulletin*. 78: 433-443.
- Iqbal M, S. D. Sharma, Y. Okazaki, M. Fujisawa, dan S. Okada. 2003. Dietary supplementation of curcumin enhances antioxidant and phase II metabolizing enzymes in male mice: Possible role in protection against chemical carcinogenesis and toxicity. *Pharmacology and Toxicology*. 92: 33-38.
- Janice, P. 2002. "Coturnix japonica" (On-line), Animal Diversity Web. http://animaldiversity.ummz.umich.edu/site/accounts/information/Coturnix_japonica.html. [24 Juni 2016].
- Kamel, C. 2000. Natural plant extracts: Classical remedies bring modern animal production solutions. In: *Proceedings of the III Conference of Feed Manufacturers of the Mediterranean: Feed manufacturing in the Mediterranean region improving safety: From feed to food*, (ed. J. Brufau). Pp. 31–38
- Kaselung, P. S., M. E. K Montong, C. L. K. Sarayar dan J. L. P. Saerang. 2014. Penambahan rimpang kunyit (*Curcuma domestica* Val), rimpang temulawak (*Curcuma xanthorrhiza* Roxb.) dan rimpang temu putih (*Curcuma zedoaria* Rosc.) dalam ransum komersial terhadap performans burung puyuh (*Coturnix-coturnix japonica*). *Jurnal Zootek*. 1: 114-123.
- Khumaini, A., R. E. Mudawaroch, dan H. D. Arifin. 2012. Pengaruh penambahan sari kunyit (*Curcuma domestica* Val.) dalam air minum terhadap konsumsi pakan dan konsumsi air minum ayam broiler. *Surya Agritama*. 1: 85-93.
- Knight P. G., S.L. Al-Musawi, T.M. Lovell dan R.T. Gladwell. 2009. *Biology of Breeding Poultry: Control of follicular development: Intra-ovarian actions of transforming growth factor- β (TGF- β) superfamily members*. Eds: Paul Hocking. University of Edinburgh. Carfax Publishing Company. Abingdon, Oxfordshire. Pp 90-91.

- Kodimalar K., R. A. Rajini, S. Ezhilvalavan, dan G. Sarathchandra. 2014. A survey of chlortetracycline concentration in feed and its residue in chicken egg in commercial layer farms. *Journal of Biosciences*. 39: 425-431.
- Kohanski, M. A., D. J. Dwyer, dan J. J. Collins. 2010. How antibiotics kill bacteria: from targets to networks. *Nature Reviews Microbiology*. 8: 423-435.
- Kokkini S., R. Karousou, dan D. Vokou. 1994. Pattern of geographic variations of *Origanum vulgare* trichomes and essential oil content in Greece. *Biochemical Systematics and Ecology*. 22: 517-528.
- Kumar, K. R. 2012. Quail eggs production and productivity. Tersedia pada: Poultry Technology. <http://poultrytechnology.com/technology/59-quailegg-production-and-productivity.html>. Diakses tanggal 2 September 2016.
- Lambert R. J. W., P. N. Skandamis, P. J. Coote, dan G. J. E. Nychas .2001. A study of the minimum inhibitory concentration and mode of action of oregano essential oil, thymol and carvacrol. *Journal of Applied Microbiology*. 91: 453-462.
- Luthfi M., H. Nur dan Anggraeni. 2015. Pengaruh penambahan larutan ekstrak kunyit (*Curcuma domestica*) dalam air minum terhadap produksi telur burung puyuh (*Coturnix coturnix japonica*). *Jurnal Peternakan Nusantara*. 2: 81-87.
- Maheshwari R. K., A. K. Singh, J. Gaddipati, dan R. C. Srimal. Multiple biological activities of curcumin: A short review. *Life Science*. 78: 2081-2087.
- Mahi, M., Achmanu dan Muharliem. 2012. Pengaruh bentuk telur dan bobot telur terhadap jenis kelamin, bobot tetas dan lama penetasan. Fakultas Peternakan. Universitas Brawijaya. Malang.
- Magdalena, S., G. H. Natadiputri, F. Nailufar, dan T. Purwadaria. 2013. Pemanfaatan produk alami sebagai pakan fungsional. *Wartazoa*. 23: 1-10.
- McGimpsey J. A., M. H. Douglas, J. W. Van Klink, D. A. Beauregard, dan N. B. Perry. 1994. Seasonal variation in essential oil yield and composition from naturalized *Thymus vulgaris* L. in New Zealand. *Flavour and Fragrance Journal*. 9: 347-352.
- Miles R. D. G. D. Butcher, P. R. Henry, dan R. C. Littell .2006. Effect of antibiotic growth promoters on broiler performance, intestinal growth parameters, and quantitative morphology. *Poultry Science*. 85: 476-485.
- Murdiati, T. B. 1997. Pemakaian antibiotika dalam usaha peternakan. Balai Penelitian Veteriner. Bogor.

- Motterlini, R., R. Foresti, R. Bassi, dan C. J. Green. 2000. Curcumin, an antioxidant and anti-inflammatory agent, induces heme oxygenase-1 and protects endothelial cells against oxidative stress. *Free Radical Biology and Medicine*. 28: 1303-1312.
- Naderi, M., M. R. Akbari, A. Khoeshoei, K. Khaksar, dan F. Khajali. 2014. Effects of dietary inclusion of turmeric (*Curcuma longa*) and Cinnamon (*Cinnamomum verum*) powders on performance, organs relative weight and some immune system parameters in broiler chickens. *Poultry Science Journal*. 2: 153-163.
- Nanjwade, B. K., K. A. Bellad, A. S. Mohamied, M. S. Nwaji, dan T. Srichana. 2015. Curcumin: nutraceutical and pharmaceutical applications. *Advances in Pharmacognosy and Phytomedicine*. 1: 17-26.
- Nataamijaya, A. G. 2008. Karakteristik dan produktivitas ayam kedu hitam. *Buletin Plasma Nutfah*. 14: 85-89.
- Negi, P. S., G. K. Jayaprakasha, L. J. R. Mohan, dan K. K. Sakariah. 1999. Antibacterial activity of turmeric oil: A by product from curcumin. *Journal of Agricultural and Food Chemistry*. 47: 4297-4300.
- Nouzarian R, S. A. Tabeidian, M. Toghyani, G. Ghalamkariand, dan M. Toghyani. 2011. Effect of turmeric powder on performance, carcass traits, humoral immune response, and serum metabolites in broiler chickens. *Journal of Animal and Feed Sciences*. 20: 389-400.
- NRC. 1994. *Nutrient Requirements of Poultry*. 9th ed. National Academy of Science. National Research Council, Washington DC.
- O'Lone R., M. C. Frith, E. K. Karlsson, dan U. Hansen. 2004. Genomic targets of nuclear estrogen receptors. *Molecular Endocrinology*. 18: 1859-1875.
- Owen, O. J. dan U. A. Dike. 2013. Japanese quail (*Coturnix coturnix japonica*) Husbandry: A means of increasing animal protein base in developing countries. *Journal of Environmental Issues and Agriculture in Developing Countries*. 5: 1-4.
- Permana, D, H. 2005. Performa produksi burung puyuh (*Coturnix coturnix japonica*) umur 8-11 minggu pada perbandingan jantan dan betina yang berbeda. Skripsi. Institut Pertanian Bogor. Bogor.
- Petek, M. 2006. Effect of feeding time on laying and reproductive performance of Pharaoh quail (*Coturnix coturnix pharaoh*) housed in different cage systems. Department of Zootechnics. Faculty of Veterinary Medicine. University of Uludag. Bursa.
- Priadi, A. dan L. Natalia. 2007. *Clostridial necrotic enteritis* dan koksidiosis pada ayam sebagai penyebab gangguan pertumbuhan. Seminar Nasional Teknologi Peternakan dan Veteriner. Bogor.

- Rahayu, H. D. I. 2010. Pengaruh pelarut yang digunakan terhadap optimasi ekstraksi kurkumin pada kunyit (*Curcuma domestica* Vahl.) Skripsi. Fakultas Farmasi. Universitas Muhammadiyah Surakarta. Surakarta.
- Rahmawati N, E. Sudjarwo, dan E. Widodo. 2015. Uji aktivitas antibakteri ekstrak herbal terhadap bakteri *Eschericia coli*. Jurnal Ilmu-Ilmu Peternakan. 24: 24-31.
- Randall, M. dan B. Gerry. 2008. Raising Japanese Quail. Primefact 602 second edition. Department of Primary Industry. New South Wales.
- Rondonuwu C., J. L. P. Saerang, F. J. Nangoy, dan S. Laatung. 2014. Penambahan rimpang kunyit (*Curcuma domestica* Val.), temulawak (*Curcuma xanthorrhiza* Roxb.), dan temu putih (*Curcuma zedoaria* Rosc.) dalam ransum komersil terhadap kualitas telur burung puyuh (*Coturnix-coturnix japonica*). Jurnal Zooteknologi. 34: 106-113.
- Salgueiro L. R., R. Vila, F. Tomi, A. C. Figueiredo, J. G. Barroso, S. Cagigual, J. Casanova, A. da Cunha, dan T. Adzet. 1997. Variability of essential oils of *Thymus caespititius* from Portugal. Phytochemistry. 45: 307-311.
- Saputro, V. T. 2011. Skripsi: Manajemen pemeliharaan burung puyuh (*Coturnix-coturnix japonica*) di peternakan Agri Bird Jaten Karanganyar. Fakultas Pertanian. Universitas Sebelas Maret. Surakarta.
- Saraswati. 2013. The role of turmeric powder in lipid metabolism and its effect on quality of the first quail's egg. Journal of the Indonesian Tropical Animal Agriculture. 38: 123-130
- Saraswati T. R., W. Manalu, D. R. Ekastuti, dan N. Kusumorini. 2013. Increased egg production of Japanese quail (*Cortunix japonica*) by improving liver function through turmeric powder supplementation. International Journal of Poultry Science. 12: 601-614.
- Siajadi, Y. 2014. Pemberian ekstrak etanol kunyit mencegah kenaikan berat badan dan berat lemak abdominal pada tikus jantan yang diberi diet tinggi karbohidrat dan lemak. Program Pasca Sarjana. Universitas Udayana. Denpasar.
- Soeparno, 1992. Ilmu dan Teknologi Daging. Gadjah Mada University Press. Yogyakarta.
- Stankovic, I. 2004. Curcumin: Chemical and Technical Assessment. Food Agricultural Organization. Rome.
- Sudrajat D., D, Kardaya, E. Dihansih, dan S. F. S. Puteri. 2014. Performa produksi telur burung puyuh yang diberi ransum mengandung kromium organik. Jurnal Ilmu Ternak dan Veteriner. 19: 257-262.

- Sujata, P., P. K. Mohanty, dan B. K. Mallik. 2014. Haematological analyses of Japanese quail (*Coturnix coturnix japonica*) at different stages of growth. *International Research Journal of Biological Sciences*. 3: 51-53.
- Sulaeman, D., I. Y. Asmara, dan E. Sujana. 2015. Pengaruh pemberian tepung ampas kunyit (*Curcuma domestica* Val.) dalam ransum terhadap performa produksi telur puyuh (*Coturnix-coturnix japonica*). Universitas Padjajaran. Bandung.
- Swastike, W. 2012. Efektifitas antibiotik herbal dan sintetis pada pakan ayam broiler terhadap performance, kadar lemak abdominal dan kadar kolesterol darah. Fakultas Peternakan. Universitas Sebelas Maret. Surakarta.
- Tillman A.D., H. Hartadi, S. Reksohadiprodjo, S. Prawirokusumo, dan S. Lebdosoekojo. 1991. Ilmu Makanan Ternak Dasar. Cetakan ke-5. Gadjah Mada University Press. Fakultas Peternakan UGM. Yogyakarta.
- Vidanarachchi J. K., L. L. Mikkelsen, I. Sims, P. A. Iji dan M. Choct. 2005. Phytobiotics: Alternatives to antibiotic growth promoters in monogastric animal feed. *Recent Advances in Animal Nutrition in Australia*. 15: 130-144.
- Wahyu, J. 2004. Ilmu Nutrisi Unggas. Gadjah Mada University Press. Yogyakarta.
- Warnaini, C. 2002. Uji efektivitas ekstrak kunyit sebagai antibakteri terhadap pertumbuhan bakteri *Bacillus sp* dan *Shigella dysenteriae* secara in vitro. Universitas Padjajaran. Bandung.
- Wenk, C. 2003. Herbs dan botanicals as feed additive in monogastric animals. *Asian-Australasian Journal of Animal Science*. 16: 282-289.
- Widyastuti W., S.M. Mardiaty, dan T. R. Saraswati. 2014. Pertumbuhan puyuh (*Coturnix coturnix japonica*) setelah pemberian tepung kunyit (*Curcuma longa* L.) pada pakan. *Buletin Anatomi dan Fisiologi*. 22: 12-20.
- Williams, J. B. dan P. J. Sharp. 2007. Ovarian morphology and rates of ovarian follicular development in laying broiler breeders and commercial egg-producing hens. *Journal of British Poultry Science*. 19: 387-395.
- Windisch W., K. Schedle, C. Plitzner, dan A. Kroimayr. 2007. Use of phyto-genic products as feed additives for swine and poultry. *Journal of Animal Science*. 86: 140-148.
- Wiradimaja R., W.G. Piliang, M.T. Suhartono, dan W. Manalu. 2007. Age maturity of female *Japanese quails* fed diets containing katuk leave meal *Sauropus androgynus*. *Animal Production*. 9: 67-72.

- Yuwanta, T. 2004. Dasar Ternak Unggas. Kanisius. Yogyakarta.
- Zainudin, S. dan Syahrudin. 2012. Pemanfaatan tepung keong mas sebagai substitusi tepung ikan dalam ransum terhadap performa dan produksi telur puyuh. Laporan penelitian. Fakultas Ilmu Pertanian. Universitas Gorontalo. Gorontalo.
- Zomrawi W. B., KA. A. Abdel Atti, B. M. Dousa, dan A. G. Mahala. 2013. The effect of dietary ginger root powder (*zingiber officinale*) on broiler chicks performance, carcass characteristic and serum constituents. *Journal of Animal Science Advances*. 3: 42-47.
- Zuprizal. 2004. Antibiotik, probiotik, dan fitobiotik dalam pakan unggas. *Ilmiah Populer. Majalah Poultry Indonesia*. Edisi No. 284. Jakarta.