

## DAFTAR PUSTAKA

- AHA & AACPR. 2000. Core component of cardiac rehabilitation/secondary prevention programs. *Journal of Cardiopulmonary Rehabilitation Circulation*. 102:1069-1073
- Arita, Y. Kihara, S. Ouchi, N. Maeda, K. Kuriyama, H. Okamoto, Y. Kumada, M. Hotta, K. Nishida, M. Takahashi, M. Nakamura, T. Shimomura, I. Muraguchi, M. Ohmoto, Y. Funahashi, T. Matsuzawa, Y. 2002. Adipocyte Derived Plasma Protein Adiponectin Acts as a Platelet-Derived Growth Factor-BB-Binding Protein and Regulates Growth Factor Induced Common Postreceptor Signal in Vascular Smooth Muscle Cell. *Circulation*. 105:2893-2898.
- Awada, R. Avinash, P. Lefebvre d'Helencourt, C. 2013. Influence of Obesity on Neurodegenerative Diseases. French. InTech
- Benevolensky, D. Belikova, Y. Mohammadzadeh, R. Trouve', P. Marotte, F. Russo Marie, F. Samuel, J-L. Chaelemagne, D. 2000. Expression and localization of annexins II, V, and VI in myocardium from patients with end-stage heart failure. *Laboratory Investigation*. 80(2);123-133.
- Berg, A.H. Combs, T.P. Du, X. Brownlee, M. Scherer, P.E. 2001. The Adipocyte Secreted Protein Acrp30 Enhance Hepatic Insulin Action. *Nat Med*. 7:947-953.
- Boudou, P. Sobngwi, E. Mauvais-Jarvis, F. Vexiau, P. Gautier, J-F. 2003. Absence of exercise-induced variation in adiponectin levels despite decrease abdominal adiposity and improved insulin sensitivity in type 2 diabetic men. *European Journal of Endocrinology*. 149: 421-424.
- Chandran, M. Phillips, S. Ciaraldi, T. Henry, R. 2003. Adiponectin: More Than Just Another Fat Cell Hormone. *Diabetes Care*. 8:2442-2450.
- Chen, H. Montagnani, M. Funahashi, T. Shimomura, I. Quon, M. J. 2003. Adiponectin Stimulates Production of Nitric Oxide in Vascular Endothelial Cells. *The Journal of Biological Chemistry*. Vol. 278, No. 4: 45021-4026.
- Chen, Yi-Wen. Hubal, J.M. Hoffman, Eric. Thompson, P. Clarkson, P. 2003. Molecular responses of human muscle to eccentric exercise. *Journal of Applied Physiology*. 95: 2485-2494.
- Chen, X. Zhang, H. McAfee, S. Zhang, C. 2010. The reciprocal relationship between adiponectin and LOX-1 in the regulation of endothelial dysfunction ApoE

knockout mice. *American Journal Physiology Heart and Circulatory Physiology* . 299: H605–H612

- Chiang, Y. Rizzino, A. Sibenaller, Z.A. Wold, M.S Vishwanatha, J.K. 1999. Specific down-regulation of annexin II expression in human cells interferes with cell proliferation. *Molecular and Cellular Biochemistry*. 199: 139–147,.
- Cohen, J.C. Boerwinkle, E. Mosley, T.H, Jr. Hobbs, H.H. 2006 Sequence variations in PCSK9, low LDL, and protection against coronary heart disease. *The New England Journal of Medicine*. 354:1264-72
- Combs, T.P. Wagner, J.A. Berger, J. Doebber, T. Wang, W.J .2002. Induction of adipocyte complement-related protein of 30 kilo daltons by PPAR gamma agonists: a potential mechanism of insulin sensitization. *Endocrinology*. 143:998-1007
- Dai, H. Yu, Z. Fan, X. Liu, N. Yan, Min. Chen, Z. Lo, E.H. Hajjar, K. Wang, X. 2013. Dysfunction of annexin A2 contributes to hyperglycaemia induced loss of human endothelial cell surface fibrinolytic activity. *Thrombosis and Haemostasis*. 109(6): 1070–1078.
- Ding, Z. Liu, S. Wang, X. Deng, X. Fan, Y. Shahanawaz, J. I. 2015 Cross-talk between lox-1 and pcsk9 in vascular tissues. *Cardiovascular Research*. 107:556-67
- Dwiputra, Bambang. 2016 . Efek Latihan Resistensi terhadap kadar *Pro-protein Convertase Subtilisin Kexin-9 (PCSK-9)* dan *Lectin-like Ox-LDL Receptor-1 (LOX-1)* pada pasien pasca bedah pintas arteri koroner. PPDS Departemen Kardiologi dan Kedokteran Vaskular FKUI. Jakarta. (*unpublished*).
- Friedman, J.E. Sherman, W.M. Reed, M.J. Elton, C.W. Dohm, G.L. 1990 Exercise training increases glucose transporter protein GLUT-4 in skeletal muscle of obese Zucker (fa/fa) rats. *FEBS Letters*. 268:13–16
- Gassert, C. Burrow, S. 2009. *Moving Right Along After Heart Surgery*. Pritchett & Hull Associates Inc. Atlanta. p: 10,15-16
- Ghashghaei, F. Sadeghi, M. Marandi, S. Ghashghaei, S. 2012. Exercise-based cardiac rehabilitation improves hemodynamic responses after coronary artery bypass graft surgery. *ARYA Atherosclerosis Journal*. 7(4): 151-156
- Gurluler, E. Osman, S. Latif, V. Nurten, T. Banu, H. 2014. Serum annexin A2 levels in patients with colon cancer in comparison to healthy control and in relation to tumor pathology. *Medical Science Monitor*. 20;1801-1807.
- Hajjar, K.A. Mauri, L. Jacovina, A.T. Zhong, F. Mirza, U.A. Padovan, J.C. 1998. Tissue plasminogen activator binding to the annexin II tail domain. Direct

modulation by homocysteine. *Journal of Biological Chemistry*. 273:9987–93.

- Hotta,K. Arita,Y. Takahashi,M. Motsuda,M. Okamoto,Y. Iwahashi,H. Kuriyama,H. Ouchi,N. Maeda,K. Nishida,M. Kihara,S. Sakai,N. Nakajima,T. Hasegawa,K. Muraguchi,M. Ohmoto,Y. Nakamura,T. Yamashita,S. Hanafusa,T. Matsuzawa,Y. 2000. Plasma concentrations of a novel, adipose-specific protein, adiponectin, in type 2 diabetic patients. *Arteriosclerosis Thrombosis and Vascular Biology*. 20:1595–1599.
- Huang,H. Iida,K. Sone,H. Yokoo,T. Yamada,N. Ajisaka,R. 2006. The effect of exercise training on adiponectin receptor expression in KKAY obese/diabetic mice. *Journal of Endocrinology*. 189: 643–653
- Hulver,M. Zheng,D. Tanner,C.Houmard,J. Kraus,W. Slentz,C. Sinha, M. Pories,W. MacDonald,K. Dohm,G.L. 2002. Adiponectin is not altered with exercise training despite enhance insulin action. *American Journal Physiology Endocrinology and Metabolism*. 283: E861–E865.
- Hurley,BF. Kokkinos, PF. 1987. Effects of weight training on risk factors for coronary artery disease. *Sports Medicine* .4(4):231–238
- Iacobellis, G. Di Gioia, C. Petramala, L. Chiappetta,C. Serra,V.Laura, Z. Marinelli,C. Ciardi, A. De Toma, G. Letizia, C.2013. Brown Fat Expresses Adiponectin in Humans. *International Journal of Endocrinology*. Volume 2013, Article ID 126751.
- J. G. Yu, *et al* .2002. The effect of thiazolidinediones on plasma adiponectin levels in normal, obese, and type 2 diabetic subjects. *Diabetes*. 51, 2968
- Kelm, M. 2002. Flow-mediated dilatation in human circulation: diagnostik and therapeutics aspects. *American Journal of Physiology*.282:1-5
- Kern,M. Dolan,PL. Mazzeo,RS. Wells,JA. Dohm,GL. 1992. Effect of aging and exercise on GLUT-4 glucose transporters in muscle. *American Journal of Physiology*. 263 E362–E367.
- Kim, Hye-Jeong. Oh,J-K. Kim,C. Jee,H. Shin,Kyung-A. Kim,Young-Joo. 2013. Effects of six-week cardiac rehabilitation and exercise on adiponectin ini patients with acute coronary syndrome. *Kardiologia Polska*. 71(9) : 924 930
- Kim,Y.J. Shin,Y.O. Bae,J.S. 2008. Beneficial effects of cardiac rehabilitation and exercise after percutaneous coronary intervention on hsCRP and inflammatory cytokines in CAD patients. *Pflügers Archiv European Journal of Physiology*. 455: 1081–1088 .

- Kumada,M. Kihara,S. Sumitsuji,S. 2003. Association of hypoadiponectinemia with coronary artery disease in men. *Arteriosclerosis Thrombosis and Vascular Biology*. 23: 85–89.
- Ling,Q. Jacovina,A.T. Deora,A. 2004. Annexin II regulates fibrin homeostasis and neoangiogenesis in vivo. *Journal of Clinical Investigation*.113(1): 38 48.
- Lou,Min. Dan Hajjar, K. 2013. Annexin A2 system in human biology: cell surface and beyond. *Seminar in Thrombosis and Hemostasis*. 39(4):doi:10.1055/s 0033-1334143.
- Maeda,N. Takashi,M. Funahashi,T. Kihara,S. Nishizawa,H. 2001. PPAR gamma ligands increase expression and plasma concentrations of adiponectin, an adipose-derived protein. *Diabetes*:50
- Matsuda, M. Shimomura, I. Sata, M. Arita, Y. Nishida, M. Maeda, N. Kumada, M. Okamoto, Y. Nagaretani, H. Nishizawa, H. Kishida, K. Komuro, R. Ouchi, N. Kihara, S. Nagai, R. Funahashi, T. Matsuzawa, Y. 2002. Role of Adiponectin in Preventing Vascular Stenosis: The Missing Link of Adipovascular Axis. *The Journal of Biochemistry*. 277 No 40:37487-37491.
- Mehta JL, Chen J, Hermonat PL, Romeo F, Novelli G. 2006. Lectin-like, oxidized low density lipoprotein receptor-1 (LOX-1): a critical player in the development of atherosclerosis and related disorders. *Cardiovascular Research*.69:36–45.
- Morawietz,Henning. 2007. LOX-1 and atherosclerosis : proof of concept in LOX 1-Knockout Mice. *Circulation research*. 100: 1534-1536.
- Mullany, C. 2003. Cardiology Patiance Page : Coronary Artery Bypass Surgery. American Heart Association, Inc. America.*Circulation*. 107:e21-e22.
- Okamoto,Y. Kihara,S. Funahashi,T. Matsuzawa,Y. Libby,P. 2006. Adiponectin: a key adipocytokine in metabolic syndrome. *Clinical Science*. 110: 267-278.
- Ouchi, N. Kihara, S. Arita, Y. Maeda, K. Kuriyama, H. Okamoto, Y. Hotta, K. Nishida, M. Takahashi, M. Nakamura, T. Yamashita, S. Funahashi, T. Matsuzawa, Y. 1999. Novel Modulator for Endothelial Adhesion Molecules:Adipocyte-derived Plasma Protein Adiponectin. *Circulation*. 100:2473-2476.
- Pinto,B. Goldstein,M.G. Papandonatos,G. Farrell,N. Tilkemeier,P. Marcus,B. Todaro,J.F. 2011. Maintenance of exercise after phase II cardiac rehabilitation: a randomized contolled trial. *American Journal of Preventive Medicine*. 41(3): 274-283.

- Pollock,M. Franklin,B. Balady,G.A. Chaitman,B.L, Fleg,J.L. Fletcher,B. Limacher,M. Piña,I.L. Stein,R. Williams,M. Bazzare,T. 2000. Resistance exercise in individuals with and without cardiovascular disease. *Circulation*. 101:828-833.
- Qatanani, M. dan Lazar, M.A., 2007, Mechanisms of obesity-associated insulin resistance: many choices on the menu, *Genes*.
- Radi,B. Joesoef,A.H. Kusmana,D. 2009. Rehabilitasi kardiovaskular di Indonesia. *Jurnal Kardiologi Indonesia*.30: 43-45.
- The National Heart, Lung, and Blood Institute (NHLBI). 2012. *Coronary Artery Bypass Grafting*.[www.nhlbi.nih.gov](http://www.nhlbi.nih.gov). p :2-4.
- Sacks, H. Symond, M. 2013.Anatomical Locations of Human Brown Adipose Tissue Functional Relevance and Implications in Obesity and Type 2 Diabetes.*Diabetes Journal*.62:1783-1790.
- Sanchez-Delgado, G.Martinez-Tellez, B. Olza, J. Aguilera, C. Gil, A. Ruiz, J.2015. Role of Exercise in the Activation of Brown Adipose Tissue. *Annals of Nutrition & Metabolism*. 67:21–32
- Sayed, A.S. Zhao, Z. Guo, L. Li,Fei. Deng,X. Deng, H. Xia,K. Yang,T. 2014. Serum lectinlike oxidized-low density lipoprotein receptor-1 and adiponectin levels are associated with coronary artery disease accompanied with metabolic syndrome. *Iran Red Crescent Medical Journal*. 16(8):e12106.
- Scherer,PE. Williams,S. Fogliano,M. Baldini,G. Lodish,HF. 1995. A novel serum protein similar to C1q produced exclusively in adipocytes. *Journal of Biology Chemistry*.270:26746–26749.
- Song,G. Campos,B. Wagoner,L.E. Dedman,J.R. and Walsh,R.A.1998. Altered cardiac annexin mRNA and protein levels in the left ventricle of patients with end-stage heart failure. *Journal of Molecular and Cellular Cardiology*. 30:443–451.
- Trouve´ P, Legot S, Belikova I, Marotte F, Benevolensky D,Russo-Marie F, Samuel JL, and Charlemagne D.1999. Localization and quantification of cardiac annexins II, V, and VI in hypertensive guinea pigs. *American Journal Physiology*.276:1159 -1166.
- Valapala M, Thamake SI, Vishwanatha JK. 2011. A competitive hexapeptide inhibitor of annexin A2 prevents hypoxia-induced angiogenic events. *Journal of Cell Science*.124( 9):1453–1464.

- Wang, Chi-Yun. Lin, Chiou-Feng. 2014. Annexin A2: Its Molecular Regulation and Cellular Expression in Cancer Development. *Disease Marker*. 2014: 308976
- Winder, WW. Hardie, DG. 1996. Inactivation of acetyl-CoA carboxylase and activation of AMP-activated protein kinase in muscle during exercise. *American Journal of Physiology*. 270 E299–E304.
- Young Kwon-So, Jin-Deok Joo, Jung Hyun Kim, and Jong-Tae Jeong. 2013. Sympathetically mediated upper back pain after coronary artery bypass graft surgery. *The Korean Society of Anesthesiologists*. Vol 65: 6