

## DAFTAR PUSTAKA

- Adams, S., Green, P., Claxton, R., Simcox., Williams, M. V., Walsh, K., (2001). Reactive carbonyl formation by oxidative and non-oxidative pathways. *Frontiers in Bioscience*, 6: 17-24
- Adnan, M. (1980). Lipid Properties and Stability of Partially Defatted Peanuts. Doctor Thesis, Department of Food Science, *University of Illinois, Urbana-Champaign*.
- Akoh, C.C., Min, B.D. (2008). Food Lipids. Chemistry, Nutrition, and Biotechnology. *Food Science and Technology*. New York. p.1005.
- Allais, I., Perrot, N., Curt, C., Trystram, G. (2007). Modelling the operator know-how to control sensory quality in traditional processes. *Journal of Food Engineering* **83** : 156–166.
- Andersen, H.J dan Skibsted, L.H.(2001). Oxidative stability of frozen pork patties. Effect of light and added salt. *J. Food Sci.* **56**:1182–1184.
- Andersen, H.J., dan Odal, H. (2001). *Protein oxidation in foods: Mechanism and implications*. Dept. of Animal. Product Quality. Danish Institute of Agriculture Science. Denmark.
- AOAC. (2006). “Official Methods of Analysis of the Association of Official Analytical Chemistry”, *Association of Official Analysis Chemistry, Washington, DC*.
- Aranda, M., Mendoza, N., & Villegas, R. (2005). Lipid damage during frozen storage of whole jack mackerel (*Trachurus symmetricus murphyi*). *Journal of Food Lipids*, 13, 155–166.
- Aitken, A., Mackie, M.I., Merritt, J.H., Windsor, M.L. (1983). Fish Handling and Processing. Second Edition. *Ministry of Agriculture, Fisheries and Food*. Torry Research Station.
- Aubourg, S.P., Álvarez, V., Pena, J. (2010). Lipid hydrolysis and oxidation in farmed gilthead seabream (*Sparus aurata*) slaughtered and chilled under different icing conditions. *Food Technology Department, Instituto de Investigaciones Marinas (CSIC)*. Vigo (Spain).

- Aubourg, S.P., Piñeiro, C., González, M.J., (2004). Quality Loss Related to Rancidity Development During Frozen Storage of Horse Mackerel (*Trachurus trachurus*) . *Instituto de Investigaciones Marinas Consejo Superior de Investigaciones Científicas*, 36208-Vigo, Spain
- Batifoulier, F., Mercier, Y., Gatellier, P., Renner, M. (2002). Influence of vitamin E on lipid and protein oxidation induced by H<sub>2</sub>O<sub>2</sub>-activated MetMb in microsomal membranes from turkey muscle. *Meat Science*. **61**:389–395.
- Baron, C.P., Skibsted, L.H., Andersen, H.J., (2000). Peroxidation of linoleate at physiological pH: hemichrome formation by substrate binding protects against metmyoglobin activation by hydrogen peroxide. *Free Radic. Biol. Med.* **28**:549–558.
- Boran, G., Karach., Boran, M. (2006). Changes In The Quality Of Fish Oils Due To Storage Temperature And Time. *Food Chemistry*. **98**: 693–698.
- Baron, P.C., Kjaesgrad, I.V.H., Jessen, F., Jacobsen, C., (2007). Protein and lipid oxidation during frozen storage of rainbow trout (*oncorhynchus mykiss*). *Journal of Agricultural and Food Chemistry* **55**: 8118–8125.
- Beltran, A dan Moral, A. (2008). Gas chromatographic estimation of oxidative deterioration in sardine during frozen storage. *Lebensm. Wiss. Technol* **23**:499–504.
- Berkel, M, B., Van den Boogard, B., dan Heijnen, C., (2004). “Preservation of fish and Meat”, *Agromisa Foundation, Wageningen, the Netherlands*.
- Berlett, B.S., Stadman, E.R. (1997). Protein oxidation in aging, disease and oxidative stress. *Journal Biological Chemistry*. **272** : 20319–20316.
- Bimbenet, J.J., Schubert, H., Trystram, G., (2007). Advances in research in food process engineering as presented at ICEF9. *Journal of Food Engineering* **78**, 390–404.
- Biridgewater, J.D., Lim, J., and Vachet, R. W. (2006). Transition metal-peptide binding studied by metal-catalyzed oxidation reactions and mass spectrometry. *Analytical Chemistry* **78**: 2432–2438.
- Biswas, K., Jyrwa, M.L., Haussinger, D., Saha, N. (2008). Influence of cell volume changes on protein synthesis in isolated hepatocytes of air-breathing walking catfish (*Clarias batrachus*). *Department of Internal Medicine, Division of Gastroenterology, Hepatology and Infectiology, Heinrich-Heine University, 40225 Du'sseldorf, Germany*.

- Blazek, J. (2001). Computational fluid dynamics: Principles and applications. *Elsevier Science*.
- Brenner, S. C., & Scott, L. R. (2008). The mathematical theory of finite element methods. (3rd ed.). NY, USA: *Springer Publisher*.
- Bronshtein, I., Smith, K.M., Ehrenberg, B., (2005). The effect of pH on the topography of porphyrins in lipid membranes. *Photochem. Photobiol.* **81**:446–451.
- Byrne, D. V., Bredie, W. L. P., Mottram, D. S., & Martens, M. (2002). Sensory and chemical investigations on the effect of oven cooking on warmed-over flavour development in chicken meat. *Meat Science* **61**: 127–139.
- Carrillo-Domínguez, S., Avila, G, E., Vásquez, P, C., Fuente, B., Calvo, C, C., Carranco, J, M, E, dan Pérez-Gil, Romo, F., (2011). “Effects of adding vitamin E to diets supplemented with sardine oil on the production of laying hens and fatty- egg acid composition”, *African Journal of Food Science* **6**: 12-19.
- Chaijan, M., Benjakul, S., Visessanguan, W., & Faustman, C. (2006). Changes of lipids in sardine (*Sardinella gibbosa*) muscle during iced storage. *Food Chemistry* **99**: 81–83.
- Chayasit, W., Elias, R, J., McClements, D, J., dan Decker, D, A., (2007). ‘Role of Physical Structures in Bulk Oils on Lipid Oxidation”, *Critical Reviews in Food Science and Nutrition* **47**: 299–317.
- Cheng, J.H., Sun, D.W., Pu, H.B., Wang, Q.J., Chen, Y.N. (2014). Suitability of hyperspectral imaging for rapid evaluation of thiobarbituric acid (TBA) value in grass carp (*Ctenopharyngodon idella*) fillet. *Food Chemistry* **171**: 258–265.
- Choe, E., Min, D.B. (2005). Chemistry and reactions of reactive oxygen species in food. *Journal of Food Science*. 70.Nr.**9**:142-159.
- Colquhoun, D., Ferreira-Jardim, A., Udell, T., Eden, B., (2008). Fish, fish oils, n-3 polyunsaturated fatty acids and cardiovascular health”, Review of evidence, National Heart Foundation of Australia.
- Cortesi, M.L., Panebianco, A., Giuffrida, A., Anastasio, A. (2009). Innovations in seafood preservation and storage. *Dipartimento di Sanità Pubblica Veterinaria*, Università degli Studi di Messina, Messina, Italy.

- Cosgrove, J.D., Church, D.F dan Pryor, W.A. (2007) The kinetics of the utoxidation of polyunsaturated fatty acids. *Lipids* **22**:299–304.
- Czerniak, A., Kubiak, P., Białas, W., Jankowski, T., (2015). Improvement of oxidative stability of menhaden fish oil by microencapsulation within biocapsules formed of yeast cells. *Journal of Food Engineering* **167**: 2–11.
- Dalle-Done, I., Rossi, R., Giustarini, D., Milzani, A., & Colombo, R. (2003). Protein carbonyl groups as biomarkers of oxidative stress. *Clinica Chimica Acta*, **329**: 23–38.
- Deane, E.E., Woo, N.Y.S. (2010). Advances and perspectives on the regulation and expression of piscine heat shock proteins. *Department of Biology, The Chinese University of Hong Kong, Shatin, New Territories, Hong Kong SAR, China*.
- Davies, K.J., Delsignore, M.E., Lin, S.W. (1987). Modification of protein damage and degradation by oxygen radical . I. General aspects. *Journal Biological Chemistry* **262**: 9885-9901.
- Davies, M.J.,Fu, S.,Dean.R.T.(1995). Protein Hydroperoxides can give rise to ractive free radicals. *Journal Biochemical* **305**: 643-649.
- Davies, M.J., Hawkins, C.L., Wright, A. (2000). *Singlet oxygen induced protein oxidation*.
- Davies, M.J., (2003). Singlet oxygen-mediated damage to proteins and its consequences. *Biochemical and Biophysical Research Communications* **305**: 761-770.
- Davies, M.J., (2005). The oxidative envioronment and protein damage. *Biochemica et Biophysica Acta* **1703**: 93-109.
- Decker, E.A dan B. Welch, B. (2007). Role of ferritin as a lipid oxidation catalyst in muscle food. *J. Agric. Food Chem.* **38**:674–677.
- Dominguez-Vidal,A., Pantoja-de la Rosa, J.,Cuadros-Rodríguez, L., Ayora-Cañada, J.M., (2016). Authentication of canned fish packing oils by means of Fourier transform infrared spectroscopy. *Food Chemistry* **190**:122–127.
- Du, M., Ahn, U.D., Nam, C.K., Sell, L.J. (2000). Infuence of dietary conjugated linoleic acid on volatile proiles, color and lipid oxidation of irradiated raw chicken meat. *Meat Science* **56**: 387-395.

- El-Faer, M.Z., Rawdah, T.N., Attar, K.M., Arab, M., (2012). Mineral and proximate composition of some commercially important fish of the arabian gulf. *Food Chemistry* **45**: 95-98.
- Erickson, M.C. (2009). Compositional parameters and their relationship to oxidative stability of channel catfish. *J. Agric. Food Chem.* **41**:1213–1218.
- Eyo, A. A., (2001) “Textbook on Fish Processing Technology in the Tropics”, *National Institute for Freshwater Fisheries Research*, New Bussa: University of Ilorin Press, Nigeria. ISBN 978 177 0457. 403.
- Frankel, E.N., (2005). *Chemistry of free radical and singlet oxidation of lipids*. Progress. Lipid Res **23**: 197-221.
- Fito, P., LeMaguer, M., Betoret, N., Fito, P.J., (2007). Advanced food process engineering to model real foods and processes: The SAFES methodology. *Journal of Food Engineering* **83**: 390–404.
- Gardner, H.W. (2009). Oxygen radical chemistry of polyunsaturated fatty acids. *Free Rad.Biol. Med.* **7**:65–86 (1989).
- Garrison, W.M. (1987). Reaction mechanism in radiolysis of peptides, polypeptides and protein. *Chemical Review* **97**:381-398.
- Gatellier, P., Kondjoyan, A., Portanguen, S., Grève, E., Yoon, K., & Santé-Lhoutellier, V. (2009). Determination of aromatic amino acid content in cooked meat by derivative spectrophotometry: implication in nutritional quality of meat. *Food Chemistry* **114**:1074–1078.
- Gatellier, P., Mercier, Y., Rock, E., & Renerre, M. (2000). Influence of dietary fat and vitamin E supplementation on free radical production and on lipid and protein oxidation in turkey muscle extracts. *Journal of Agricultural and Food Chemistry* **48**: 1427–1433.
- Ghaly, A.E., Dave, D., Budge, S., Brooks, M.S. (2010). Fish Spoilage Mechanisms and Preservation Techniques: Review Department of Process Engineering and Applied Science, *Dalhousie University Halifax*, Nova Scotia, Canada.
- Giménez, B., Gómez-Guillén, C.M., Pérez-Mateos, M., Montero, P., Márquez-Ruiz, G. (2011). Evaluation of lipid oxidation in horse mackerel patties covered with borage-containing film during frozen storage. *Food Chemistry* **124**: 1393–1403.

- Gooch, J.A., Hale, M.B., Brown, T.Jr., Bonnet, J.C., Brand, C.G., Regier, L.W., (2013). Proximate and fatty acid composition of 40 southeastern U.S. finfish species. *U.S. Department of Commerce National Oceanic and Atmospheric Administration National Marine Fisheries Service*.
- Grande, S., Monnier, V.M. (1991). Mechanism of formation of Maillard protein cross-link pentosidine. *Journal Biological Chemistry* **266**:11640-11653.
- Grunwald, W.E, dan Richards, P.M. (2006). Studies with Myoglobin Variants Indicate that Released Hemin Is the Primary Promoter of Lipid Oxidation in Washed Fish Muscle. *Journal Agricultural Food Chemistry* **54**: 4452-4460.
- Guillén, M. D., & Cabo, N. (2000). Some of the most significant changes in the Fourier transform infrared spectra of edible oils under oxidative conditions. *Journal of the Science of Food and Agriculture* **80**: 2028–2036.
- Guillén, M. D., & Cabo, N. (2004). Study of the effects of smoke flavourings on the oxidative stability of the lipids of pork adipose tissue by means of Fourier transform infrared spectroscopy. *Meat Science* **66**: 647–657.
- Gurzella, A.E., Teagueb, H., Duriancika,D., Clinthornea,J., Harrisb,M., Shaikhb, R.S., Fentona,I.J.,(2015). Marine fish oils are not equivalent with respect to B-cell membrane organization and activation. *Journal of Nutritional Biochemistry* **26**: 369–377.
- Hamilton, R.J. (2004). The chemistry of rancidity in foods, *Rancidity in Foods*. Pp. 1-22.
- Haraldsson, G.G., Kristinsson, B., Sigurdardottir, R., Gudmundsson, G.G dan Breivik, H. (2007). The Preparation of Concentrates of Eicosapentaenoic Acid and Docosahexaenoic Acid by Lipase-Catalyzed Transesterification of Fish Oil with Ethanol. *JAACS*, Vol. 74, no. 11.
- Hensley, K.,Floyd, R.A. (2004). Reactive oxygen species and proteins oxidation in aging: alook back, a look ahead. *Journal Arc. Biochemical. Biophysical* **397**: 377-383.
- Hogg, P.J. (2003). *Disulfide bonds as switches for protein function*. Trends Biochem Sciences. Volume 28.No.4.
- Höhn, A., König, J., Grune, T. (2013). Protein oxidation in aging and the removal of oxidized proteins. *Journal of Proteomics* **92**: 132-159.

- Honkatukia, M., Reese, K., Presinger, R., Tuiskula-Haavisto, M., Weigend, S., Roito, J., Maki-Tanila, A., dan Vilkki, J., (2005). “*Fishy taint in chicken eggs is associated with a substitution within a conserved motif of the FMO3 gene*”, *Genomics* **86**: 225-232.
- Huss, H.H. (2005). *Quality and quality change in fresh fish*. FAO. Fisheries technical paper no.348, Food and Agriculture Organization of The United Nation, Rome.
- Huss, H.H. (1988). *Fresh fish quality and quality changes*. Rome, Italy: FAO.
- Igene, J.O., King, J.A., Pearson, A.M dan Gray, J.I. (2011). Influence of heme pigments, nitrite, and non-heme iron on development of warmed-over flavor (WOF) in cooked meat. *J. Agric. Food Chem.* **27**:838–842.
- Iglesias, J., dan Medina, L. (2008). Solid-phase microextraction method for the determination of volatile compounds associated to oxidation of fish muscle . *Journal of Chromatography A* **1192**: 9-16.
- International Fismel and Oil Manufacturers Association (2014). *Guidelines for characterizing food grade fish oil*. p.473-483.
- Ioannou, I., Mauris, G., Trystram, G., Perrot, N., (2006). Back-propagation of imprecision in a cheese ripening fuzzy model based on human sensory evaluations. *Fuzzy Sets and Systems* **157**: 1179–1187.
- Ismail. (2013). Update on the omega-3 market. GOED omega-3. AOCS, Australasian section biennial Meeting, 6-8 november 2013. <http://aocs.files.cms-plus.com/Meetings/Affiliated/AAOCS%20%26%20O3C%20Omega%20%20symposium%20Program.pdf>.
- Ivanov, G.Y., Staykov, A.S., Balev, D.K., Dragoev, S.G., Filizov, E.H., Vassilev, K.P., Grozdeva, T.G. (2010). Effect of Treatment with Natural Antioxidant on the Chilled Beef Lipid Oxidation IDepartment of Food Preservation and Refrigerated Technology. *Technological Faculty, University of Food Technologies, Plovdiv, Bulgaria*.
- Jena, S.D., Behera, M., Dandapat, J., Mohanty, N. (2008). Non-enzymatic antioxidant status and modulation of lipid peroxidation in the muscles of *Labeo rohita* by sub lethal exposure of CuSO<sub>4</sub>. *Department of Biotechnology, North Orissa University, Takatpur, Baripada-757003 Orissa, India*.

- Jho, D.H., Cole, S.M., Lee, E.M., and Espat, N.J. (2004). Role of omega-3 fatty acid supplementation in inflammation and malignancy. *Integrative Cancer Therapies* **3**: 98–111.
- Karami, B., Moradi, Y., Motallebi, A.A., Hosseini, E., Solatni, M. (2013). Effect of frozen storage on fatty acid profile, chemical quality indices and sensory properties of red tilapia fillets. *Iranian Journal of Fisheries Science* **12**: 378–388.
- Kaw, A., & Kalu, E. E. (2011). Numerical methods with applications: Abridged. <http://www.autarkaw.com>.
- Kendrick, J dan Watts, B.W. (2007). Acceleration and inhibition of lipid oxidation by heme compounds. *Lipids* **4**:454–458.
- Khan, Z, I., Ashraf, M., Ahmad, K., Valeem, E, E and Mcdowell, L, R. (2009). “Mineral status of forage and its relationship with that of plasma farm animals in southern Punjab, Pakistan”, *Journal Pak* **41**: 67-72.
- Khantaphant, S., Benjakul, S., & Ghomi, M. R. (2011). The effects of pretreatments on antioxidative activities of protein hydrolysate from the muscle of brownstripe red snapper (*Lutjanus vitta*). *LWT Food Science and Technology* **44**: 1139–1148.
- Kilcast, D., dan Subramanian, P., (2000). “*The stability and shelf-life of food*”, Woodhead Publishing Series In Food Science, Technology and Nutrition, Cambridge, UK.
- Kim, H.J., Hohn, T.S dan Min, D.B. (2007). Hidroperoxide as a prooxidant in the oxidative stability of sayben oil. *Journal of American Oil Chemists’ Society* **84**: 349-355.
- Kjaersgard, I.V.H., Norrelykke, M.R., Baron, C.P.,Jessen, F. (2006). Identification of carbonylated protein in frozen rainbow trout (*oncorhynchus mykiss*) fillets and development of protein oxidation during frozen storage. *Journal Agricultural and Food Chemistry* **54**: 9437-9446.
- Konusu, S., Yamaguchi, K., (2013). The flavor components in fish and shellfish. Chemistry and Biochemistry of Marine Food Product. *The AVI Publishing Company. Inc. Westport. Connexitcut*.
- Labuza,T.P. dan Riboh, D. (1982). Theory and application of kinetics to the prediction of nutrient losses in food. *Journal Food Technology* **62**: 66-74.

- Lappin, G.R., and Clark, L.C., (1951). Colorimetric methods for determination of trace carbonyl compound. *Analytical Chemistry* **23**: 541-542.
- Livingston, D.J dan Brown, W.D. (2001) The chemistry of myoglobin and its reactions. *Food Technol.* **35**:244–252.
- Lewis, J.M., Driedzic, W. R. (2009). Protein synthesis is defended in the mitochondrial fraction of gill but not heart in cunner (*Tautoglabrus adspersus*) exposed to acute hypoxia and hypothermia. Ocean Sciences Centre, Memorial University of Newfoundland, St. John's A1C 5S7, NL, Canada.
- Lorente, R.F., Lo'pez, J.A.F., Alemany, M. (2006). *Estimation of the metabolizable energy equivalence of dietary proteins*. Dept. of Nutrition & Food Science Faculty of Biology, University of Barcelona Av. Diagonal, 645 08028 Barcelona, Spain.
- Losada, V., Barros-Velazquez, J., Aubourg, S.P. (2013). Rancidity development in frozen pelagic fish: influence of slurry ice as preliminary chilling treatment. *International Food Research journal.* **56**: 126-135.
- Love, R.M. (200). *The Chemical Biology of Fishes*, Academic Press, London 2: 1968–1977.
- Lynch, M.P., Faustman, C. (2000). Effect of aldehyde lipid oxidation products on myoglobin. *Journal Agricultural Food Chemistry* **48**:600–604.
- Mahmoudzadeh, M., Motallebi, A., Hosseini, H., Khaksar, R., Ahmadi, H., Jenab, E. (2010). Quality change of fish burgers prepared from deep flounder with and without coating during frozen storage. *International Journal of Food Science and Technology* **45**: 374-379.
- Makawa, Z., Kapute, F., dan Valeta, J., (2014) “ Effect of delayed processing on nutrient composition, pH and organoleptic quality of pond raised Tilapia (*Oreochromis shiranus*) stored at ambient temperature”, *Ajfund.*, **14**: 8872-8884.
- Malaguti, M. (2008). High-Protein-Pufa Supplementation, Red Blood Cell Membranes, and Plasma Antioxidant Activity in Volleyball Athletes. *International Journal of Sport Nutrition and Exercise Metabolism*, **18**. Retrieved September 14, 2009, from <http://hk.humankinetics.com/eJournalMedia/pdfs/15840.pdf>.

- Maqsood, S., & Benjakul, S. (2011). Oxidation of lipid and protein in horse mackerel (*Trachurus trachurus*) mince and washed minces during processing and storage. *Food Chemistry* **124**: 875–883.
- Márquez-Ruiz, G., & Dobarganes, M. C. (2005). *Analysis of non-volatile lipid oxidation compounds by high-performance size-exclusion chromatography*. In A. Kamal-Eldin & J.
- Márquez-Ruiz, G., & Dobarganes, M. C. (2006). *HPSEC in lipid analysis*. In M. M. Mossoba, J. K. ÇG. Kramer, J. T. Brenna, & R. E. McDonald (Eds.), *Lipid analysis and lipidomics: new techniques and applications* (pp. 205–238). Champaign, IL, USA: American Oil Chemists Society.
- Márquez-Ruiz, G., Velasco, J., & Dobarganes, C. (2000). Evaluation of oxidation in dried microencapsulated fish oils by a combination of adsorption and size exclusion chromatography. *European Food Research and Technology* **211**: 13–18.
- Masniyom, P., (2011). “Deterioration and shelf-life extension of fish and fishery products by modified atmosphere packaging”, *Songklanakarin Journal Science Technology* **33** : 181-192.
- Mbarki, R., Sadok, S., & Barkallah, I. (2009). Quality changes of the Mediterranean horse mackerel (*Trachurus mediterraneus*) during chilled storage: The effect of low-dose gamma irradiation. *Radiation Physics and Chemistry* **78**: 288–292.
- McClements, D.J dan Decker, E.A. (2000). Lipid oxidation in oil-in-water emulsions: Impact of molecular environment on chemical reaction in heterogeneous food system. *Journal of Food Science* **65**: 1270-1282.
- Ndiaye, A., Valle.G.D., Roussel, P. (2009). Qualitative modelling of a multi-step process: The case of French breadmaking. *Journal Expert Systems with Applications* **36**: 1020-1038.
- Medina, I., González, M.J., Iglesias, J., Hedges, D.N. (2009). Effect of hydroxycinnamic acids on lipid oxidation and protein changes as well as water holding capacity in frozen minced horse mackerel white muscle. *Food Chemistry* **114**: 881–888.
- Melton, S. (2003). Methodology for following lipid oxidation in muscle foods. *Food Technology* **37**: 105-116.

- Mercier, Y., Gatellier, P., Vincent, A., & Renerre, M. (2001). Lipid and protein oxidation in microsomal fraction from turkeys: influence of dietary fat and vitamin E supplementation. *Meat Science* **58**: 125–134.
- Min, D. B., Boff, J.M. (2002). Chemistry and Reaction of Singlet Oxygen in Food. Comprehensive. *Reviewsin Food Science & Food Quality*. Vol I.
- Nalinanon, S., Benjakul, S., Kishimura, H., & Shahidi, F. (2011). Functionalities and antioxidant properties of protein hydrolysates from the muscle of ornate threadfin bream treated with pepsin from skipjack tuna. *Food Chemistry* **124**: 1354–1362.
- Nauser, T., Koppenol, W, H., Gebichki, J, M. (2005). The kinetics of oxidation of GSH by protein radicals. *Journal Biochemistry* **392**: 693-701.
- Nazemroaya, S., Sahari, M.A., Rezaei, M. (2011). Identification of fatty acid in mackerel and shark fillets and their changes six month of frozen storage at -18°C. *Journal Agricultural Science and technology* **13**: 553-566.
- Nawar, W.W. (2005). Lipids. Dalam: O.R. Fennema (ed). *Food Chemisrty*. Marcel Dekker. Inc., New York.
- Nichols, P., Elliot., Nick., Bakes., Michael dan Mooney, B., (2007) *Marine Oils from Australian Fish: Characterization and Value Added Products*, FRDC Project 94/115 Final Report, CSIRO, Australia.
- Nurnadia, A.A., Azrina, A dan Amin, I. (2011). Proximate composition and energetic value of selected marine fish and shellfish from the West coast of Peninsular Malaysia. *International Food Research Journal* **18**: 137-148.
- Okada, M. (2010). Fish and raw material. In science of processing marine food product. Vol. I. editor. T. Motohiro, H. Kadota. K. Hashimoto. M. Katayama and T. Tokunaga. *Japan International Cooperation Agency. Hyoga International Centre Japan*.
- Oliver, C.N., Ahn, B.W., Moerman, E.J., Goldstein, S., Stadman, E.R. (1987). *Journal Biological Chemistry* 261: 5488-5491.
- Oxford Biomedical Research, (2012) “Fluorometric Microplate Assay for 2-Thiobarbituric Acid Reactive Substances (TBARS)”, Oxford Biomedical Research Inc., 1-5.

- Pan, X.Q., Ushio.H, dan Ohshima, T. (2005a). Effects of food colorants on photooxidation of lipids added to Alaska Pollack *Theragra chalcogramma* surimi. Department of Food Science and Technology, *Tokyo University of Marine Science and Technology*, Tokyo 108-8477, Japan.**71** : 397–404.
- Pan, X.Q., Ushio, H., dan Ohshima, T. (2005b). Effects of molecular configurations of food colorants on their efficacies as photosensitizers in lipid oxidation. *Food Chemistry* **92**: 37–44.
- Pak, C. S., (2005). Stability and Quality Of Fish Oil During Typical Domestic Application, Fisheries Training Programme, *The United Nations University*, Iceland.
- Pazos, M., Medina, I., & Hultin, H. O. (2005). Effect of pH on hemoglobin-catalyzed lipid oxidation in cod muscle membranes in vitro and in situ. *Journal of Agricultural Food Chemistry* **53**: 3605–3612.
- Perrot, N., Agioux, L., Ioannou, I., Mauris, G., Corrieu, G., Trystram, G. (2004). Decision support system design using the operator skill to control chesse ripening – application of the fuzzy symbolic approach. *Journal of Food Engineering* **64**: 321-333.
- Perrot, N., Ioannou, I., Allais, I., Curt, C., Hossenlopp, J., Trystram, G. (2006). Fuzzy concepts applied to food product quality control: a review. *Fuzzy Sets and Systems* **157**: 1145–1154.
- Peter, J. B., Mead, J.F., Fiehn, J. B dan Gan-Elepano, M. (2001). Lipids and fatty acids of sarcolemma, sarcoplasmic reticulum, and mitochondria from rat skeletal muscle. *J.Biol. Chem.* **246**:5617–5620.
- Pipingas, A., Sinclair, A., Croft, D.K. (2014). Fish oil and multivitamin supplementation reduces oxidative stress but not inflammation in healthy older adults: A randomised controlled trial. *Journal of Functional Foods.* **7**: 1-9
- Pokorny (Eds.), Analysis of Lipid Oxidation (pp. 40–69). Champaign, IL, USA: *American Oil Chemists Society*.
- Polvi, S.M., Ackman, R.G., Lall, S.P dan Saunders, R.L. (2009). Stability of lipids and omega-3 fatty acids during frozen storage of Atlantic salmon. *J. Food Process. Preserv.* **15**:167–181.

- Populin, T., Moret, S., Truant, S., dan Conte, S. (2007). A survey on the presence of free glutamic acid in foodstuff, with and without added monosodium glutamate. *Journal Food Chemistry* **104**: 1712-1717.
- Pourashouri, P., Shabanpour, B., Aubourg, S. P., Rohi, J. D dan Shabani, A. (2009). An investigation of rancidity inhibition during frozen storage of Wels catfish (*Silurus glanis*) fillets by previous ascorbic and citric acid treatment. *International Journal of Food Science and Technology* **44**: 1503–1509.
- Pirestani, S., Sahari, M.A., Barzegar, M. (2010). Fatty acid changes during storage in several fish species from South Caspian Sea. *Journal Agricultural Science and Technology* **12**: 321-329.
- Quitral, V., Donoso, M. L., Ortiz, J., Herrera, M. V., Araya, H., & Aubourg, S. P. (2009). Chemical changes during the chilled storage of Chilean jack mackerel (*Trachurus murphyi*): Effect of a plant-extract icing system. *LWT–Food Science and Technology* **42**: 1450–1454.
- Radi, R., Beskman, J.S., Bush, K.M., Freeman, B.A. (1991). Peroxynitrite Oxidation of Sulphydryls. The Cytotoxic Potensial of Superoxide and Nitric Oxide. *Journal Biological Chemistry* **266**: 4244-4250.
- Raghavan, S., Kristinsson, H. G., & Leeuwenburgh, C. (2008). Radical scavenging and reducing ability of tilapia (*Oreochromis niloticus*) protein hydrolysates. *Journal of Agricultural and Food Chemistry* **56**: 10359–10367.
- Ranade, V. V. (2002). Computational flow modeling for chemical reactor engineering. *Academic Press*.
- Renerre, M. (2000). *Oxidative processes and myoglobin*. In E. A. Decker, C. Faustman, & C. J. Lopez-Bote (Eds.), *Antioxidants in muscle foods* (pp. 113–134). OECD, New York: John Wiley & Sons.
- Restuccia, D., Spizzirri, U.G., Bonesi, M., Tundis, R., Menichini, F., Picci, N., Loizzo, M.R. (2015). Evaluation of fatty acids and biogenic amines profiles in mullet and tuna roe during six months of storage at 4°C. *Journal of Food Composition and Analysis* **40**: 52–60.
- Rice-Evans, C., Burton, R. (1993). Free radical-lipid interactions and their pathological consequences. *Prog. Lipid. Res* **32**: 71-110.

- Richards, M. P., & Hultin, H. O. (2002). Contribution of blood and blood components to lipid oxidation in fish muscle. *Journal of Agricultural and Food Chemistry*, **50**: 555–564.
- Richards, M. P., Østdal, H., & Andersen, H. J. (2002). Deoxyhemoglobinmediated lipid oxidation in washed fish muscle. *Journal of Agricultural Food Chemistry* **50**: 1278–1283.
- Richards, M.P., Hultin, H.O. (2000). Effect of pH on lipid oxidation using trout hemolysate as a catalyst: a possible role for deoxyhemoglobin. *Journal Agricultural Food Chemistry* **48**:3141–3147.
- Robin, J., Cravedi, J. P., Hillenweck, A., Deshayes, C., & Vallod, D. (2006). Off flavour characterization and origin in French trout farming. *Journal Aquaculture* **260**: 128–138.
- Rodriguez-Fernandez, M., Balsa-Canto, E., Egea, J.A., Banga, J.R. (2007). Identifiability and robust parameter estimation in food process modeling: Application to adrying model. *Journal of Food Engineering* **83**: 374-383.
- Ross, C.F., dan Smith, D.M. (2006). Use of volatiles as indicators of lipid oxidation in muscle food. *Comprehensive Reviews in Food Science and Food Safety* **5**: 18-25.
- Rossell, J. B. (2009). Measurement of rancidity. *Rancidity in Foods*. Pp.23-52.
- Ruiz-Capillas, C., Moral, A. (2004). Free amino acid and biogenic amines in red and white muscle of tuna stored in controlled atmospheres. *Journal Amino Acid*. **26**: 125-132.
- Sablani, S., Datta, A.K., Rahman, M.S., Mujumdar, A.S., (2007). *Handbook of Food and Bioprocess Modelling Techniques*. CRC Press, Bocca Raton Fla.
- Sahidi, F., Miraliakkabri, H. (2004). Omega-3 (n-3) fatty acid in health and disease: Part 1-Cardiovascular disease and cancer. *Journal of Medicinal Food* **7**: 387-401.
- Salam, I.K. (2007). Antimicrobial and antioxidant effect of sodium acetate, sodium lactate, and sodium citrate in refrigerated sliced salmon. *Journal Food Control* **18** : 566-567.
- Santé-Lhoutellier, V., Astruc, T., Marinova, P., Grève, E., & Gatellier, P. (2008). Effect of meat cooking on physicochemical state and in vitro digestibility of myofibrillar proteins. *Journal of Agricultural and Food Chemistry* **56**: 1488–1494.

- Sayd, T., Chambon, C., Laville, E., Lebrete, B., Gilbert, H., Gatellier, Ph. (2012). Early post-mortem sarcoplasmic proteome of porcine muscle related to lipid oxidation in aged and cooked meat. *Food Chemistry* **135**: 2238–2244.
- Sarzala, M.G dan Michalak, M. (2008). Studies on the heterogeneity of sarcoplasmic reticulum vesicles. *Biochim. Biophys. Acta* **513**:221–235.
- Selli, S., Prost, C., & Serot, T. (2009). Odour-active and off-odour components in rainbow trout (*Oncorhynchus mykiss*) extracts obtained by microwave assisted distillation–solvent extraction. *Food Chemistry* **114**: 317–322.
- Secbecic, N dan Beutelspecher, S.C. (2005). Anti-oxidative vitamins prevent lipid-peroxidation and apoptosis in corneal endothelial cell. *Cell tissue Res* **320**: 465-475.
- Seed, S., Howell, N.K. (2002). Effect of lipid oxidation and frozen storage on muscle proteins of Atlantic mackerel. *Journal of the Science of Food and Agriculture* **82**: 579-586.
- Semb, T, N. (2012). Analytical Methods for determination of the oxidative status in oils. *Department of Biotechnology, Norwegian University of Science and Technology*.
- Shacter, E. (2000). Quantification and significance of protein oxidation in biological samples. *Drug Metabolism Reviews* **32**: 307-326.
- Shahidi, F., Miraliakbari. (2004). *Omega-3 fatty acid composition and stability of seal lipids*. *Lipid in Food Flavors* 16: 233-243.
- Shanthilal, J & Anandharamakrishnan, C. (2013). Computational and numerical modeling of rice hydration and dehydration: A review. *Trends in Food Science & Technology* **31**: 100-117.
- Shaviklo, G.R. (2006). Quality assessment of ash protein isolates using surim standard methods. *Reykjavik, Iceland: The United Nations University*.
- Sikorski, Z. E., (2011). Seafood: Resource, nutritional composition and preservation. *CRC Press Inc., Boca Rotan Florida*. P:39.
- Simpson, J.A., Narita, S., Gieseg, S., Gebicki, S., Dean, R.T. (1992). Long-lived reactive species on free radicals damaged protein. *Journal Biochemical* **282**:621-624.

- Sista, R.V., Erickson, M.C., Shewfelt, R. L. (2000). Lipid oxidation in a chicken muscle model system: oxidative response of lipid classes to iron ascorbate or methemoglobin catalysis. *Journal Agricultural Food Chemistry* **48**:1421–1426.
- Sohn, J. H., Taki, Y., Ushio, H., Kohata, T., Shioya, I., & Ohshima, T. (2005). Lipid oxidations in ordinary and dark muscles of fish: Influences on rancid off-odor development and colour darkening of yellowtail flesh during ice storage. *Journal of Food Science* **70**: 490–496.
- Soyer, A., Hultin, H. O., (2000), Kinetics of oxidation of the lipids and proteins of cod sarcoplasmic reticulu. *Journal Agricultur and Food Chemistry* **48**: 2127-2134.
- Sprague, M., Walton, J., Campbell, J.P., Strachan, F., Dick, R.J., Bell, G.J. (2015). Replacement of fish oil with a DHA-rich algal meal derived from *Schizochytrium* sp. on the fatty acid and persistent organic pollutant levels in diets and flesh of Atlantic salmon (*Salmo salar*, L.) post-smolts. *Food Chemistry*. **185** : 413–421.
- Stadman, E.R., Levine, R.L. (2003). Free radical-mediated oxidation free amino acids residues in proteins. *Amino Acids* **25** : 207-218.
- Sugeng, H. S., Saraswati., Srihayati dan Ayu, F. I. S. (2014). “ Fatty Acid Composition of Some Potential Fish Oil from Production Centers in Indonesia”, *Oriental Journal of Chemistry* **30**: 975-980.
- Tan, C.P., Che Man, Y.B., Jinap, S dan Yussof, M.S.A. (2001). Effect of microwave heating on changes in chemical and thermal properties of vegetables oils. *Journal of American Oil Chemists’ Society* **78** : 1227-1232.
- Thanonkaew, A., Benjakul, S., Vissessanguan, W., Decker, E.A. (2006). The effect of metal ions on lipid oxidation, colour, and physicochemical properties of cuttlefish (*Sepia pharaonis*) subjected to multiple freeze-thaw cycles. *Food Chemistry* **95**:591–599.
- Theodore, L., Brown, H., LeMay, E., Bursten, B. E. (2000). Chemistry: the central science, 8th Edition. *Prentice Hall College Div.*
- Thiansilakul, Y., Benjakul, S., & Richards, M. P. (2011). Effect of myoglobin from eastern little tuna muscle on lipid oxidation of washed Asian seabass mince at different pH conditions. *Journal of Food Science*, **76**: 242–249.

- Thiansilakul, Y., Benjakul, S., & Richards, M. P. (2010). Changes in heme proteins and lipids associated with off-odour of seabass (*Lates calcarifer*) and red tilapia (*Oreochromis mossambicus* \_ *O. Niloticus*) during iced storage. *Food Chemistry* **121**: 1109–1119.
- Tien, M., Berlet, B.S., Livine, R.L., Chock, P.B., Stadman, E.R. (1999). Peroxynitrite-mediated modification of protein physiological carbon dioxide concentrations:pH dependence of carbonyl formation, tyrosine nitration, and methionine oxidation. *Pro.Natl.Acad.Scia.USA* **96**:7809-7814.
- Tijsskens, L.M.M., Hertog, M.L.A.T.M dan Nicolai, B.M. (2001). *Food process modeling*. Woodhead's food science, technology and nutrition. New York Washington, DC.
- Tijsskens, G. (2012). Modelling of food and food processes. *Journal of Food Engineering* **110**: 269-277.
- Todgham, A.E., Hoaglund, E.A., Hofmann, G.E. (2007). Is cold the new hot? Elevated ubiquitin-conjugated protein levels in tissues of Antarctic Wsh as evidence for cold-denaturation of proteins in vivo. *Department of Ecology, Evolution and Marine Biology, University of California-Santa Barbara, Santa Barbara, CA 93106-9610, USA*.
- Tokur, B., Korkmaz, K. (2007). The effects of an iron-catalyzed oxidation system on lipids and proteins of dark muscle fish. *Journal Food Chemistry* **104**: 754–760.
- Trembley, S., (2014). “Tuna Vs Sardines”, [www.livestrong.com/article/436464-tuna-vs-sardines/](http://www.livestrong.com/article/436464-tuna-vs-sardines/)[Nopember/17/14].
- Trevisan, M., Browne, M., Ram, P. M., Freudenheim, J., Carosella, A. N., dan Armstrong, D. (2001). “Correlates of markers of oxidative status in the general population”, *Am. J. Epidemiol* **154** : 348–356.
- Trystram, G. (2012). Modelling of food and food processes. *Journal of Food Engineering* **110**: 269–277.
- Trystram, G., Courtois, F. (1996). Food process modelling and simulation. Computerized Control Systems in the Food Industry. *Marcel Dekker*, New York, pp. 55–85.

- Ucida, K., Stadman, E.R. (1997). Covalent attachment of  $\alpha$ -hydroxynonenal to glyceraldehyde-3-phosphate dehydrogenase. *Journal Biological Chemistry* **268**: 6388-6393.
- Undeland, I., Kristinsson, H. G., & Hultin, H. O. (2004). Hemoglobin-mediated oxidation of washed minced cod muscle phospholipids: effect of pH and hemoglobin source. *Journal of Agricultural and Food Chemistry* **52**: 4444–4451.
- Undeland, I., Hall, G dan Lingnert, H., (2009). Lipid oxidation in fillets of herring (*Clupea harengus*) during ice storage. *Journal Agricultural Food Chemistry* **47**:524–532.
- Undeland, I., Stading, M dan Lingnert, H. (2008). Influence of skinning on lipid oxidation in different horizontal layers of herring (*Clupea harengus*) during frozen storage. *Journal Science Food Agricultural* **78**:441–450.
- Undeland, I., Ekstrand, B dan Lingnert, H (2010). Lipid oxidation in herring (*Clupea harengus*) light muscle, dark muscle, and skin, stored separately or as intact fillets. *J. Am.Oil Chem. Sci.* **75**:581–590.
- Ursini, F., Maiorino, M dan Sevanian, A. (2001) Membrane hydroperoxides. In: *Oxidative Stress: Oxidants and Antioxidant* (H. Sies, ed.). Academic Press, New York, pp.319–336.
- Vareltzis, P., Hultin, H.O., Autio, W.R. (2008). Hemoglobin-mediated lipid oxidation of protein isolates obtained from cod and haddock white muscle as affected by citric acid, calcium chloride and pH. *Journal Food Chemistry* **108**: 64-74.
- Velten, K. (2009). Mathematical modeling and simulation: Introduction for scientists and engineers. Weinheim: Wiley-VCH Verlag GmbH & Co. KGaA.
- Xing, Y., Yoo, Y., Kelleher, S.D., Nawar, W.W dan Hultin, H.O. (2009). Lack of changes in fatty acid composition of mackerel and cod during iced and frozen storage. *J. Food Lipids* **1**:1–14.
- Zhang, Y., Tan, C., Abbas, S., Eric, K., Xia, S., Zhang, X. (2015). Modified SPI improves the emulsion properties and oxidative stability of fish oil microcapsules. *Food Hydrocolloids* **51**: 108-117.
- Walker, M.R., Decker, A.E., McClements, J.D. (2015). Physical and oxidative stability of fish oil nanoemulsions produced by spontaneous emulsification: Effect of surfactant concentration and particle size. *Journal of Food Engineering* **164**: 10–20.

- Wagner, B.A., Buettner, G.R dan Burns, C.P. (2004). Free radical-mediated lipid peroxidation in cells: Oxidizability is a function of cell lipid bis-allylic hydrogen content. *Biochemistry* **33**:4449–4453.
- Wang, T., Jónsdóttir, R., Kristinsson, G.H., Thorkelsson, G., Jacobsen, C., Hamaguchi, Y.P., Ólafsdóttir, G.(2010). Inhibition of haemoglobin-mediated lipid oxidation in washed cod muscle and cod protein isolates by *Fucus vesiculosus* extract and fractions. *Journal Food Chemistry* **123**: 321–330.
- WFLO, (2012) “ Rancidity and Antioxidants”, World Food Logistics Organization Commodity Storage manual.
- Whang, K dan Peng, I.C., (1988). Electron Paramagnetic Resonance Studies of Effectiveness of Mioglobin and its Derivatives as Photosensitizer in Singlet Oxygen Generation. *Journal Food Science* **53**: 1863-1865.
- Worawattanamatekul, W. (2010). Improved utilization of fish oils as potential nutraceuticals and functional foods, International Seminar, Faculty Of Fisheries, Kasetsart University, Bangkok, Thailand, *Food and Fertilizer Technology Center*, Taiwan.
- Wu, H. C., Chen, H.M., & Shiau, C.Y. (2003). Free amino acids and peptides as related to antioxidant properties in protein hydrolysates of mackerel (*Scomber austriasicus*). *Food Research International* **36**: 949–957.
- Yan, L.J., Levine, R.L., Sohal, R.S., (1997). Oxidative damage during aging targets mitochondrial aconitase. *Proc Natl Acad Sci USA* **94**: 11168–11172.
- Yan, L.J., Lodge, J.K., Traber, M.G., Matsugo, S., Packer, L.(2007). Comparison between copper-mediated and hypochlorite-mediated modifications of human low density lipoproteins evaluated by carbonyl formation. *Journal Lipid Research* **38**: 992-1001.
- Yerlikaya, P., Gokoglu, N. (2010). Inhibition effects of green tea and grape seed extract on lipid oxidation in bonito fillet during frozen storage . *International Journal of Food Science and Technology* **45**: 252-257.