

## REFERENCES

- Aguilar, M-I., 2004, Reversed-Phase High-Performance Liquid Chromatography, in Aguilar, M-I. (Ed), *Methods in molecular biology*, vol. 251, *HPLC of peptides and proteins: Methods and Protocols*, Humana Press Inc., Totowa, 9-22.
- Bai, Z. Q., Lin, X., Wang, Y., Wang, J., Zhou, X., Bin, Y., Liu J., Yang X., Wang, Y., and Liu, Y., 2014, New Phenyl Derivatives From Endophytic Fungus *Aspergillus flavipes* AIL8 Derived of Mangrove Plant *Acanthus ilicifolius*, *Fitoterapia*, 95, 194-202.
- Boots, A. W., Haenen, G. R. M. M., and Bast, A., 2008, Health Effects of Quercetin: from Antioxidant to Nutraceutical, *Eur. J. Pharmacol.*, 585, 325-337.
- Carroll, J., Jonsson, E. N., Ebel, R., Hartman, M. S., Holman, T. R., and Crews, P., 2001, Probing Sponge-Derived Terpenoids for Human 15-Lipoxygenase Inhibitors, *J. Org. Chem.*, 21 (66), 6847-6851.
- Chomcheon, P., Wiyakrutta, S., Sriubolmas, N., Ngamrojanavanich, N., Kengtong, S., Mahidol, C., Ruchirawat, S. and Kittakoop, P., 2009, Aromatase inhibitory, radical scavenging, and antioxidant activities of depsidones and diaryl ethers from the endophytic fungus *Corynespora cassiicola* L36, *Phytochemistry*, 70 (3), 407-413.
- Conrad, M., and Sato, H., 2012, The Oxidative Stress-Inducible Cystine/Glutamate Antiporter, System X<sub>c</sub><sup>-</sup>: Cystine Supplier and Beyond, *Amino Acids*, 42, 231-246
- Cui, H., Liu, Y., Nie, Y., Liu, Z., Chen, S., Zhang, Z., Lu, Y., He, L., Huang, X., and She, Z., 2016, Polyketides from the Mangrove-Derived Endophytic Fungus *Nectria* sp. HN001 and Their  $\alpha$ -Glucosidase Inhibitory Activity, *Mar. Drugs*, 14, 86.
- El-nakeeb, M. A., and Lechevalier, H. A., 1962, Selective Isolation of Aerobic Actinomycetes, *Appl. Microbiol.*, 11, 75-77.
- Faust, B., 1997, *Modern Chemical Techniques : An Essential Reference for Students and Teachers*, Royal Society of Chemistry, London.
- Gutiérrez, M., Theoduloz, C., Rodríguez, J., Lolas, M., and Schmeda-Hirschmann, G., 2005, Bioactive Metabolites from the Fungus *Nectria galligena*, the Main Apple Canker Agent in Chile, *J. Agric. Food Chem.*, 53, 7701-7708.
- Higgins, K. L., Arnold, A. E., Coley, P. D., and Kursara, T. A., 2014, Communities of Fungal Endophytes in Tropical Forest Grasses: Highly

Diverse Host- and Habitat Generalists Characterized by Strong Spatial Structure, *Fungal ecol.*, 8, 1-11.

- Hoffman, M. T., and Arnold, A. E., 2008, Geographic Locality and Host Identity Shape Fungal Endophyte Communities in Cupressaceous Trees, *Mycol. Res.*, 112, 331-344.
- Hostettmann, K., and Terreaux, C., 2000, *Medium-Pressure Liquid Chromatography*, III, Academic Press, Laussane.
- Ibrahim, A., Sørensen, D., Jenkins, H. A., McCarry, B. E., and Sumarah, M. W., 2014, New Diplosporin and Agistatine Derivatives Produced by the Fungal Endophyte *Xylaria* sp. Isolated from *Vitis labrusca*, *Phytochem. Lett.*, 9, 179–183.
- Kis, Z., Closse, A., Sigg, H. P., Hruban, L., and Snatzke, G., 1970, Die structur von panepoxydon und verwandten pilzmetaboliten, *Helv. Chim. Acta*, 53, 1577-1597.
- Kobayashi, S., Kuwata, K., Sugimoto, T., Igarashi, K., Osaki, M., Okada, F., Fujii, J., Bannai, S., and Sato, H., 2012, Enhanced Expression of Cystine/Glutamate Transporter in The Lung Caused by The Oxidative-Stress-Inducing Agent Paraquat, *Free Radical Bio. Med.*, 53, 2197–2203.
- Koshino, H., Yoshihara, T., Okuno, M., Sakamura, S., Tajimi, A., and Shimanuki, T., 1992, Gamahonolides A, B, and Gamahorin, Novel Antifungal Compounds from Stromata of *Epichloe typhina* on *Phleum pratense*, *Biosci. Biotech. Bioch.*, 56 (7), 1096-1099.
- Kumaran, R. S., Kim, H. J., and Hur, B. K., 2010, Taxol Promising Fungal Endophyte, *Pestalotiopsis* Species Isolated from *Taxus cuspidata*, *J. Biosci. Bioeng.*, 110 (5), 541 – 546.
- Kusari, S., Hertweck, C., and Spiteller, M., 2012, Chemical Ecology of Endophytic fungi: Origins of Secondary Metabolites, *Chem. Biol.*, 19, 792-798.
- Kusari, S., Pandey, S. P., and Spiteller, M., 2013, Untapped Mutualistic Paradigms Linking Host Plant and Endophyte Fungal Production of Similar Bioactive Secondary Metabolites, *Phytochemistry.*, 91, 81–87.
- Ling-Yi, K., and Peng, W., 2013, Determination of The Absolute Configuration of Natural Products, *Chin. J. Nat. Med.*, 11(3), 193–198.
- Mabou, F. D., Ngnokama, D., Harakat, D., and Voutquenne-nazabadiokoc, L., 2015, New Oleanane-Type Saponins: Leptocarposide B-D, from *Ludwigia leptocarpa* (Onagraceae), *Phytochem. Lett.*, 14, 159–164.

- Macías-Rubalcava, M. L., Hernández-Bautista, B. E., Jiménez-Estrada, M., González, M. C., Glenn, A. E., Hanlin, R. T., Hernández-Ortega, S., Saucedo-García, A., Muria-González, J. M. and Anaya, A. L., 2008, Naphthoquinone spiroketal with allelochemical activity from the newly discovered endophyte fungus *Edenia gomezpompae*, *Phytochemistry*, 69(5), 1185 -1196
- Meister, A., 1988, Glutathione Metabolism and Its Selective Modification, *J. Biol. Chem.*, 263 (33), 17205-17208.
- Miura, K., Ishii, T., Sugita, Y., and Bannai, S., 1992, Cystine Uptake and Glutathione Level in Endothelial Cells Exposed to Oxidative Stress, *Am. J. Physiol.*, 262 (Cell Physiol. 31), C50-C58.
- Nisa, H., Kamili, A. N., Nawcho, I. A., Shafi, S., Shameem, N., and Bandh, S. A., 2015, Fungal Endophytes as Prolific Source of Phytochemicals and Other Bioactive Natural Products: A Review, *Microb. Pathogenesis*, 82, 50 – 59.
- Pavia, D. L., Lampman, G. M., Kriz, G. S., and Vyvyan J. R., 2009, *Introduction to Spectroscopy*, 4<sup>th</sup> Ed., Brooks/Cole, Cengage Learning, Washington.
- Powell, R. G., and Petroski, R. J., 1992, Alkaloid Toxins in Endophyte-Infected Grasses, *Nat. Toxins*, 1, 163-170.
- Puri, S.C., Nazir, A., Chawla, R., Arora, R., Riyaz-ulHasan, S., Amna, T., Ahmed, B., Verma, V., Singh, S., Sagar, R., Sharma, A., Kumar, R., Sharma, R.K., and Qazi, G.N., 2006, The Endophyte Fungus *Trametes hirsuta* as A Novel Alternative Source Of Podophyllotoxin And Related Aryl Tetralin Lignans. *J. Biotechnol.*, 122, 494–510.
- Reddy, G. C., Sood, R. S., Nadkarni, S. R., Reden, J., Ganguli, B. N., Fehlhaber, H. W., and Snatzke G., 1984, Stereochemistry of the epoxydon group antibiotic G7063-2 isolated from a *Streptomyces* species HPL Y-25711, *J. Antibiot.* 37, 1596–1599.
- Richardson, S. N., Nsiama, T. K., Walker, A. K., McMullin, D. R., and Miller, J. D., 2015, Antimicrobial Dihydrobenzofurans and Xanthenes from A Foliar Endophyte of *Pinus strobus*, *Phytochemistry*, 117, 436–443.
- Santos, I. P., Silva L. C. N., Silva M. V., Araújo J. M., Cavalcanti M. S., and Lima V. L. M., 2015, Antibacterial Activity of Endophytic fungi from Leaves of *Indigofera suffruticosa* Miller (Fabaceae), *Front. Microbiol.*, 6, 350.
- Sasaki, H., Sato, H., Kuriyama-Matsumura, K., Sato, K., Maebara, K., Wang, H., Tamba, M., Itoh, K., Yamamoto, M., and Bannai, S., 2002, Electrophile

Response Element-mediated Induction of the Cystine/Glutamate Exchange Transporter Gene Expression, *J. Biol. Chem.*, 47, (277), 44765–44771.

- Sato, H., Kuriyama-Matsuyama, K., Siow, R. C. M., Ishii, T., Bannai, S., and Mann, G. E., 1998, Induction of Cystine Transport Via System X<sub>c</sub><sup>-</sup> and Maintenance of Intracellular Glutathione Levels in Pancreatic Acinar and Islet Cell Lines, *Biochim. Biophys. Acta*, 1414, 85-94.
- Sato, H., Nomura, S., Maebara, K., Sato, K., Tamba, M., and Bannai, S., 2004, Transcriptional Control of Cystine/Glutamate Transporter Gene by Amino Acid Deprivation, *Biochem. Bioph. Res. Co.*, 325, 109–116.
- Schulz, B., Boyle, C., Draeger, S., Römmert, A. K., and Krohn, K., 2002, Endophytic fungi: A Source of Novel Biologically Active Secondary Metabolites, *Mycol. Res.* 106 (9), 996-1004.
- Schulz, B., Wanke U., Draeger S., and Aust H. J., 1993, Endophytes from Herbaceous Plants and Shrubs: Effectiveness of Surface Sterilization Methods, *Mycol. Res.*, 97 (12), 1447-1450.
- Sherma, J., and Fried, B., 2005, *Handbook of Thin-Layer Chromatography*, Third Edition, Revised and Expanded, Marcel Dekker Inc., New York.
- Stierle, A., Strobel, G.A., and Stierle, D., 1993. Taxol and Taxane Production by *Taxomyces andreanae*, An Endophyte Fungus of Pacific yew, *Science*, 260, 214–216.
- Stone, J. K., Polishook J. D., White J. F., 2004, Endophytic fungi, in Mueller G. M., Bills G. F., Foster M. S. (Eds), *Biodiversity of fungi*, Elsevier Academic Press, California, 241-270.
- Strobel, G. A., 2003, Endophytes as Sources of Bioactive Products, *Microbes Infect.*, 5, 535–544.
- Strobel, G., Daisy, B., Castillo, U., and Harper, J., 2004, Natural Products from Endophyte Microorganisms, *J. Nat. Prod.*, 67, 257-268.
- Strobel, G., Ford, E., Worapong, J., Harper, J. K., Arif, A. M., Grant, D. M., Fung, P. C. W., and Chau, R. M. W., 2002, Isopestacin, an isobenzofuranone from *Pestalotiopsis microspora* possessing antifungal and antioxidant activities, *Phytochemistry*, 60, 179–183.
- Suhartini, 2009, Peran Konservasi Keanekaragaman Hayati Dalam Menunjang Pembangunan Yang Berkelanjutan, *Prosiding Seminar Nasional Penelitian, Pendidikan dan Penerapan MIPA, Fakultas MIPA, Universitas Negeri Yogyakarta*, 16 Mei 2009, Yogyakarta.

- Tan, R. X., and Zou, W. X., 2001, Endophytes: A Rich Source of Functional Metabolites, *Nat. Prod. Rep.*, 18, 448–459
- Tanaka, M., Sukiman, H., Takebayashii, M., Saitoi, K., Suto, M., Prana, T. K., Prana, M. S., and Tomita, F., 1999, Isolation, Screening and Phylogenetic Identification of Endophytes from Plants in Hokkaido Japan and Indonesia. *Microbes Environ.*, 14 (4), 237 - 241.
- VanderMolen, K. M., Raja, H. A., El-Elimat, T., and Oberlies, N. H., 2013, Evaluation of Culture Media for The Production of Secondary Metabolites in Natural Products Screening Program, *AMB Express*, 3, 71.
- Vasavi Y., Parthiban N., Kumar, D. S., Banji, D., Srisutherson, N., Ghosh. S., M. and Chakravarthy, V. K., 2011, Heteronuclear Multiple Bond Correlation Spectroscopy- An Overview, *Int. J. Pharm. Tech. Res.*, 3 (3), 1410-1422.
- Vaz, A. B.M., Fontenla, S., Rocha, F. S., Brandão, L. R., Vieira, M. L.A., De Garcia, V., Gôes-neto, A., and Rosa, C. A., 2014, Fungal Endophyte  $\beta$ -diversity Associated with Myrtaceae Species in an Andean Patagonia, *Fung. Ecol.*, 8, 28-36.
- Verma, V. C., Gond, S. K., Kumar, A., Kharwar, R. N., Boulanger, L. A., and Strobel, G. A., 2011, Endophyte Fungal Flora from Roots and Fruits of an Indian Neem Plant *Azadirachta indica* A. Juss., and Impact of Culture Media on their Isolation, *Indian J. Microbiol.*, 51(4), 469–476.
- Wang, F. W., Jiao, R. H., Cheng, A. B., Tan, S. H., and Song, Y. C., 2006, Antimicrobial Potentials of Endophytic fungi Residing in *Quercus variabilis* and Brefeldin A Obtained from *Cladosporium* sp., *World J. Microb. Biot.*, 23, 79–83.
- Wang, J., Li, G., Lu, H., Zheng, Z., Huang, Y., and Su, W., 2000, Taxol from *Tubercularia* sp. Strain TF5, An Endophyte Fungus of *Taxus mairei*, *FEMS Microbiol. Lett.*, 193, 249-253.
- Wu, Y. Z., Qiao, F., Xu, G. W., Zhao, J., Teng, J. F., Li, C. and Deng, W. J., 2015, Neuroprotective metabolites from the endophyte fungus *Penicillium citrinum* of the mangrove *Bruguiera gymnorrhiza*, *Phytochem. Lett.*, 12, 148 – 152.
- Yu, S., Deng, Z., Proksch, P., and Lin, W., 2006, Oculatol, Oculatolide, and A-nor Sterols from the Sponge *Haliclona oculata*, *J. Nat. Prod.*, 69, 1330-1334.
- Yu, H., Zhang, L., Li, L., Zheng, C., Guo, L., Li, W., Sun, P., and Qin, L., 2010, Recent Developments and Future Prospects of Antimicrobial Metabolites Produced by Endophytes, *Microbiol. Res.*, 165, 437 – 449.

- Yunianto, P., Rosmalawati, S., Rachmawati, I., Priyono Suwarso, W. and Sumaryono, W., 2012, Isolation and Identification of Endophytic fungi from Srikaya Plants (*Annona squamosa*) Having Potential Secondary Metabolites as Anti-Breast Cancer Activity, *Microbiol. Indones.*, 6 (1), 23-29.
- Zhang, P., Lia, X., Liua, H., Lia, X., and Wang, B., 2015, Two New Alkaloids from *Penicillium oxalicum* EN-201, An Endophyte Fungus Derived from the Marine Mangrove Plant *Rhizophora stylosa*, *Phytochem. Lett.*, 13, 160–164.
- Zhao, J., Fu, Y., Luo, M., Zu, Y., Wang, W., Zhao, C., and Gu, C., 2012, Endophytic fungi from Pigeon Pea [*Cajanus cajan* (L.) Millsp.] Produce Antioxidant Cajaninstilbene Acid, *J. Agric. Food Chem.*, 60, 4314–4319.