

## DAFTAR PUSTAKA

- Adnan, M. (1997). *Teknik Kromatografi untuk Analisis Bahan Makanan*. Andi. Yogyakarta.
- Ammar, R.B., Bhouri, W., Sghaier, M.B., Boubaker, J., Skandrani, I., Neffati, A., Bouhlel, I., Kilani, S., Marriotte, A.M, Ghedira, L.C., Franca, M.G.D. dan Ghedira. (2009). Antioxidant and free radical-scavenging properties of three flavonoids isolated from the leaves of *Rhamnus alaternus* L. (Rhamnaceae) : A structure-activity relationship study. *Food Chem.* 116: 258-264.
- Anagnostopoulou, M.A., Ketales, P., Kokkaloum E., Assimopoulou, A.N. dan Papageorgiu, V.P. (2005). Analysis of antioxidant compound in sweet orange peel by HPLC-diode array detection-electrospray ionization mass spectrometry. *Biomed. Chromatogr.* 19 (2): 138-148.
- Balasundram, N., Sundram, K., dan Samman S. (2006). Phenolic compounds in plants and agri-industrial by products: antioxidant activity, occurrence, and potential uses. *Food Chem.* 99: 191-203.
- Bashir, H.S., Mohammed, A.M., Magsoud, A.S. and Shaoub, A.M. (2014). Isolation and Identification of Two Flavonoids from *Acacia Nilotica* (Leguminosae) Leaves. *Journal of Forest Products & Industries.* 3(5): 211-215.
- Chandini, S.K., Ganesan, P. dan Bhaskar, N. (2008). In vitro antioxidant activities of the selected brown seaweeds of India. *Food Chem.* 107 (2): 707-713.
- Choe, J.H., Jang, A., Choi, J.H., Choi, Y.S., Han, D.J., Kim, H.Y., Lee, M.A., Kim, H.W. dan Kim, C.J. (2010). Antioxidant activities of lotus leaves (*Nelumbo nucifera*) and barley leaves (*Hordeum vulgare*) extracts. *Food Sci. Biotechnol.* 19(3): 831-836.
- Cuppett, S. (1998). Plant production of biochemical compounds. *INFORM.* 9:588-595.
- Darmawati, A.A.S.K., Bawa, I.G.A.G. dan Suirta, I.W. (2015). Isolasi dan identifikasi senyawa golongan flavonoid pada daun nangka (*Artocarpus heterophyllus* Lmk) dan aktivitas antibakteri terhadap bakteri *Staphylococcus aureus*. *Jurnal Kimia.* 15: 203-210.
- Dewanto, V., Wu, X., Adom, K.K. dan Liu, R.H. (2002). Thermal processing enhances the nutritional value of tomatoes by increasing total antioxidant activity. *J. Agric. Food Chem* 50: 3010-3014.

- Dinis, T.C.P., Madeira, V.M.C. dan Almeida, L.M. (1994). Action of phenolic derivates (acetoaminophen, salicylate and 5-aminosalicylate) as inhibitors of membrane lipid peroxidation and as peroxy radical scavengers. *Arch. Biochem. Biophys.* 315: 161-169.
- Erlund, I. (2004). Review of the flavonoids quercetin, hesperitin, and narigenin dietary sources, bioactivities, bioavailability and epidemiology. *Nutr. Res.* 24: 851-874.
- Falleh, H., Trabelsi, N., Bonenfant-Magne, M., Floch, G.L., Abdelly, C., Magne, C. dan Ksouri, R. (2013). Polyphenol content and biological activities of *Mesembryanthemum edule* organs after fractionation. *Ind. Crops Prod.* 42:145-152.
- Garcia, O.B., Castillo, J., Marin, F.R., Otuno, A. dan Del Rio, J.A. (1997). Uses and Properties of Citrus Flavonoids. *J. Agric. Food Chem.* 45 (12): 4505-4515.
- Geissman, T.A. (1962). *The Chemistry of Flavonoid Compounds*. Pergamon Press. New York.
- Gordon, I. (1994). *Functional Food, Food Design, Pharmafood*. Chapman and Hell, New York.
- Gul, M.Z., Bhakshu, L.M., Ahmad, F., Kondapi, A.K., Qureshi, I.A. dan Ghazi, I.A. (2011). Evaluation of *Abelmoschus moschatus* extracts for antioxidant, free radical scavenging, antimicrobial and antiproliferative activities using in vitro assays. *BioMedCentar Complement. Altern. Med.* 11: 1-12.
- Grotewold, E. (2006). *The Science of Flavonoids*. Springer. New York.
- Harborne, J.B. (1987). *Metode Fitokimia*. ITB. Bandung.
- Hasan, H. (2011). Uji antioksidan hasil fraksinasi ekstrak metanol daun gedi (*Abelmoschus manihot* L. Medik) dengan metode DPPH. *Saintek* 6 (3). <http://www.ejournal.ung.ac.id>. [26 Juli 2016].
- Heim, K.E., Tagliaferro, A.R., dan Bobiliya, D.J. (2002). Flavonoid antioxidant: chemistry, metabolism and structure-activity relationships. *J. Nutr. Biochem.* 13:572-584.
- Hossain, M.A., Shah, M.D., Gnanaraj, C. dan Iqbal, M. (2011). In vitro total phenolics, flavonoid contents and antioxidant activity of essential oil, various organs extracts from the leaves of tropical plant *tetrastigma* from sabah. *Asian Pacific J. Trop. Med.* 4 (9): 717-721.
- Hung, C.Y. dan Yen, G.C. (2002). Antioxidant of phenolic compounds isolated from *Mesona procumbens* hemsil. *J. Agric. Food Chem.* 50: 2993-2997.

- Jeni, T. (1992). *Pemeriksaan kandungan kimia daun gedi (Abelmoschus manihot L. Medik)*. FMIPA ITB. Bandung.
- Jiang, J. dan Eldin, A.F. (1996). Comparing methylene blue-photosensitized oxidation of methyl-conjugated linoleate and methyl linoleate. *J. Agric. Food Chem.* 46: 923-927.
- Lagharil, A.Q., Memon, S., Nelofar, A. Dan Lagharil, A.H. (2011). Extraction, identification and antioxidative properties of the flavonoid-rich fractions from leaves and flowers of *Cassia angustifolia*. *American Journal of Analytical Chemistry.* 2 : 871-878.
- Lai, X.Y., Zhao, Y.Y., dan Liang, H. (2007). A flavonoid glucuronide from *Abelmoschus manihot* L. medik. *Biochem. Syst. Ecol.* 35 : 892-893.
- Lee, H.H., Koo, N. dan Min, D.B. (2004). Reactive oxygen species, aging, and antioxidative nutraceuticals. *Compr. Rev. Food Sci. Food Saf.* 3: 21-33.
- Lee, S.H. dan D.B. Min. (1990). Effect, quenching mechanism, and kinetic of carotenoids in chlorophyll sensitized photooxidation of soybean oil. *J. Agric. Food Chem* 388: 1630-1634.
- Lee, S.Y., Mediani, A., Nur Ashikin, A.H, Azliana, A.B.S. dan Abas, F. (2014). Antioxidant and  $\alpha$ -glucosidase inhibitory activities of the leaf and stem of selected traditional medicinal plants. *Int. Food Res. J.* 21(1): 165-172.
- Liu, B. dan Zhu, Y. (2007). Extraction of flavonoids from flavonoid-rich parts in tartary buckwheat and identification of the main flavonoids. *J. Food Eng.* 78: 584-587.
- Mabry, T.J., Markham, K.R. dan Thomas, M.B. (1970). *The Systematic Identification of Flavonoid*. Springer. Berlin.
- Madhavi, D.L., Singhal, R.S. dan Kulkarni. (1996). Technological Aspects of Food Antioxidants. Editor Madhavi, D.L., S.S. Deshpande, dan D.K. Salunke. *Food Antioxidants Technological, Toxicological, Health, Drespctives*. Marcel Dekker, Inc, New York.
- Mamahit, L.P. (2008). Metabolit sekunder dan bioaktivitasnya terhadap sel murin leukemia p-388 dari daun gedi (*Abelmoschus manihot* L. Medik) asal Sulawesi Utara. Disertasi. Program Pascasarjana Universitas Hasanuddin. Makassar.
- Manach, C., Scalbert, A., Morand, C., Remesy, Ch., dan Jimenez, L. (2004). Polyphenols: food sources and bioavailability. *Am J Clin Nutrition* 79:727-747.

- Manach, C., Williamson, G., Morand C., Scalbert, A., dan Ramsey C. (2005). Bioavailability and bioefficacy of polyphenols in humans. Review of bioavailability studies. *Am J Clin Nutr* 81:230S – 242
- Mandey, J.S., Sompie, F.N., Rustandi dan Pontoh, C.J. (2015). Effects of gedi leaves (*Abelmoschus manihot* L. Medik) as a herbal plant rich in mucilages on blood lipid profiles and carcass quality of broiler chickens as functional food. *Proc. Food Sc.* 3: 132-136.
- Markham, K.R. (1988). *Cara Mengidentifikasi Flavonoid*. ITB Bandung.
- Marston, A. dan Hostettmann, K. (2006). Separation and quantification of flavonoids. Dalam: Andersen, O.M. dan Markham, K.N. (ed.). *Flavonoids Chemistry, Biochemistry and Applications*. CRC Press. Boca Raton.
- Meian, K.H. dan Mohamed, S. (2001). Flavonoid (myricetin, quercetin, kaempferol, luteolin and apigenin) content of edible tropical plants. *J. Agric Food Chem.* 49(6): 3106-3112.
- Min, D.B. dan Boff, J.M. (2002). Comprehensive reviews chemistry and reaction of singlet oxygen in foods. *Food Science and Food Safety* 1: 58-72.
- Muchtadi, D. (2011). *Gizi Anti Penuaan Dini*. Alfabeta. Bandung.
- Molyneux, P. (2004). The use of the stable free radical diphenylpicrylhydrazyl (DPPH) for estimating antioxidant activity. *Songklanakarin J. Sci Technol.* 26: 211-219.
- Niciforovic, N., Mihailovic, V., Maskovic, P., Solujic, S., Stojkovic, A. dan Muratspahic, D.P. (2010). Antioxidant activity of selected plant species potential new sources of natural antioxidants. *Food Chem. Toxicol.* 48: 3125-3130.
- Nurcahyanti, A.D.R., Dewi, L. dan Timotius, K.H. (2011). Aktivitas antioksidan dan antibakteri ekstrak polar dan non polar biji selasih (*Ocimum sanctum* Linn). *Jurnal Teknologi dan Industri Pangan* 1 (XXII): 1-6.
- Oreopoulou, V. (2003). Extraction of natural antioxidants. Tzia, C. dan Liadakis, G. (ed.). *Extraction Optimization in Food Engineering*. Marcel Dekker Inc. New York.
- Othman, A., Mukthar, N.J., Ismail, N.S. dan Chang, S.K. (2014). Phenolics, flavonoids content and antioxidant activities of 4 Malaysian herbal plants. *Int. Food Res. J.* 1 (2): 759-766.

- Pine, A.T.D., Alam, G. dan Attamim, F. (2011). Standarisasi mutu ekstrak daun gedi (*Abelmoschus manihot* L. Medik) dan uji efek antioksidan dengan metode DPPH. <http://www.pasca.unhas.ac.id/jurnal>. [21 Agustus 2012].
- Plaza, M., Pozzo, T., Lau, J., Ara, K.Z.G., Turner, C. dan Karlsson, N.E. (2014). Substituent effects on in vitro antioxidizing properties, stability and solubility in flavonoids review. *J. Agric. Food Chem* 62: 3321-3333.
- Pokorny, J., Yanishlieva, N. dan Gordon, M. (2001). *Antioxidant in Food: Practical Application*. CRC Press, Boca Raton.
- Pranowo, D. (2015). Produksi nanoemulsi ekstrak daun gedi (*Abelmoschus manihot* L. Medik) dan uji potensinya sebagai hepatoprotektor. <http://www.repository.ipb.ac.id/handle>. [26 Juli 2016].
- Prawira, J., Momuat, L.I., dan Kamu, V.S. (2015). Perbandingan aktivitas antioksidan ekstrak etanol dan heksana daun gedi merah (*Abelmoschus manihot*). *Jurnal MIPA Unsrat* 4(1): 5-9. <http://jurnalunsrat.ac.id/index.php/jmuo>. [26 Juli 2016].
- Raharjo, S. (2006). *Kerusakan Oksidatif pada Makanan*. Gadjah Mada University Press, Yogyakarta.
- Rice-Evans, C.A., Diplock, A.T., dan Symons, M.C.R. (1991). *Technique in Free Radical Research*. Elsevier, Amsterdam.
- Sastrohamidjojo, H. (1991). *Spektroskopi*. Liberty, Yogyakarta.
- Sayuti, K., dan Yenrina, R. (2015). *Antioksidan Alami dan Sintetik*. Andalas University Press, Padang.
- Seyoum, A., Asres, K., dan El-Fiky, F.K. (2006). Structure-radical scavenging activity relationships of flavonoids. *Phytochem.* 67 : 2058-2070.
- Shahidi, F. (1997). *Natural Antioxidants : chemistry, health effects and applications*. AOCS Press. Illionis.
- Shahidi, F., dan Naczki, M. (1995). *Food Phenolics : sources, chemistry, effects, applications*. Technomic Publishing. Lancaster.
- Skerget, M., Kotnik, P., Hadolin, M., Hras, A.R., Simonic, M., dan Knez, Z. (2005). Phenols, proanthocyanidin, flavones and flavonols in some plant material and their antioxidant activities. *Food Chem.* 89:191-198.
- Spigno, G., Tramelli, L. dan De Faveri, D.M. (2010). Effects of extraction time, temperature and solvent on concentration and antioxidant activity of grape marc phenolics. *J. Food Eng.* 81: 200-208.

- Sudarmadji, S., Haryono, B. dan Suhardi. (1996). *Analisa Bahan Makanan dan Pertanian*. Liberty Yogyakarta. Yogyakarta.
- Suryanto, E., Raharjo, S., Sastrohamidjojo, H. dan Tranggono. (2004). Singlet oxygen quenching effect of andaliman (*Zanthoxylum acanthopodium* DC) extracts in light-induced lipid oxidation. *Indonesian Food Nutrition Prog* 11:48-85.
- Suryanto, E., Raharjo, S., Sastrohamidjojo, H. dan Tranggono. (2005). Efek antioksidatif ekstrak andaliman (*Zanthoxylum acanthopodium* DC) terhadap asam linoleat. *Agritech* 25 (4): 63-69.
- Suryanto, E., Raharjo, S., Sastrohamidjojo, H. dan Tranggono. (2006). Aktivitas antioksidan dan stabilitas ekstrak andaliman (*Zanthoxylum acanthopodium* DC) terhadap panas, cahaya fluoresen dan ultraviolet. *Agritech* 25 (2): 63-69.
- Suryanto, E. (2012). *Fitokimia Antioksidan*. Putra Media Nusantara. Surabaya.
- Suryanto, E., Rorong, J.A. dan Katja, D.G. (2012). Mekanisme dan kinetika *quenching* oksigen singlet dari senyawa fenolik daun cengkeh terhadap fotooksidasi yang disentasi oleh eritrosin. *Agritech* 32 (2): 117-125.
- Swarna, J., Lokeswari, T.S., Smita, M. dan Ravindhran, D. (2013). Characterisation and determination of in vitro antioxidant potential of betalains from *Talinum triangulare* (jacq.) wild. *Food Chem.* 141: 4382-4390.
- Tzia, C. dan Liadakis, G. (2003). *Extraction optimization in food engineering, solid liquid extraction*. Marcel Dekker, Inc. New York.
- Vekiari, S.A., Tzia, C., Oreopoulou, V. dan Thomopoulos. (1993). Isolation of natural antioxidant from oregano. *Riv Ital Sostanze Grasse* 70: 25-28.
- Wagner, H., Bladt, S., dan Zgainski, E.M. (1984). *Plant drug analysis. A Thin layer chromatography atlas*. Springer-Verlag. Heidelberg.
- Wiyono, S.H. (2003). Isolasi identifikasi flavonoid pada daun katu (*Sauropus androgynus* (L). Merr). *Mahara Sains* 7 (2): 51-64.
- Wonorahardjo, S. (2013). *Metode-metode Pemisahan Kimia*. Akademia Permata. Jakarta.

Wrolstad, R.E., Acree, T.E., Decker, E.A., Penner, M.H., Reid, D.S., Schwartz, S.J., Shoemaker, C.F., Smith, D. dan Sporns, P. (2005). *Handbook of Food Analytical Chemistry*. Wiley-Interscience. New York.

Xu, Z. dan Horward, L.R. (2012). *Analysis of Antioxidant-Rich Phytochemicals*. Wiley-Blackwell. Iowa.

Yamaguchi, F., Ariga, T., Yoshimira, Y. dan Nakazawa, H. (2000). Antioxidant and antiglycation of carbinol from *Garcinia indica* fruit rind. *J. Agric. Food Chem.* 48: 180-185.