

DAFTAR PUSTAKA

- ACMD. Ketamine: a review of use and harm. Advisory Council on the Misuse of Drugs. London: 2013.
- Binder D., Scharfman H. Mini Review. Growth Factors. 2004;22(3):123-131.
- Breslau N. The Epidemiology of Trauma, PTSD, and Other Posttrauma Disorders. Trauma, Violence, & Abuse. 2009;10(3):198-210.
- Christoffel D, Golden S, Russo S. Structural and synaptic plasticity in stress-related disorders. Reviews in the Neurosciences. 2011;22(5).
- Dong X, Wang Y, Qin Z. Molecular mechanisms of excitotoxicity and their relevance to pathogenesis of neurodegenerative diseases. 2009;30(4):379-87.
- Duman R, Li N, Liu R, Duric V, Aghajanian G. Signaling pathways underlying the rapid antidepressant actions of ketamine. Neuropharmacology. 2012;62(1):35-41.
- Everly G, Lating J. A clinical guide to the treatment of the human stress response third edition. New York: Kluwer Academic/Plenum; 2013.
- Feder A, Parides M, Murrough J, Perez A, Morgan J, Saxena S *et al*. Efficacy of Intravenous Ketamine for Treatment of Chronic Posttraumatic Stress Disorder. JAMA Psychiatry. 2014;71(6):681.
- Gerrig R. Psychology and life. Boston: Pearson; 2013.
- Girdano D, Dusek D, Everly G. Controlling stress and tension. San Fransisco: Pearson Benjamin Cummings; 2006.
- Guilliams TG, Edwards L. Chronic stress and the HPA axis: Clinical assessment and therapeutic considerations. Stand. 2010;9(2):1-12.
- Guyton A, Hall J. Textbook of medical physiology. 11th ed. Philadelphia: Saunders; 2006.
- Hebb D. The organization of behavior. New York: Wiley; 1949.

Hill WD, Davies G, Lagemaat LN Van De, Christoforou A, Marioni RE, Fernandes CPD, et al. Human cognitive ability is influenced by genetic variation in components of postsynaptic signalling complexes assembled by NMDA receptors and MAGUK proteins. Nature Publishing Group; 2014;4(1):e341-8.

Hirota K, Lambert D. Ketamine: its mechanism(s) of action and unusual clinical uses. British Journal of Anaesthesia. 1996;77(4):441-444.

Izquierdo I, Medina J, Vianna M, Izquierdo L, Barros D. Separate mechanisms for short- and long-term memory. Behavioural Brain Research. 1999;103(1):1-11.

Kim J, Diamond M. The Stressed Hippocampus, Synaptic Plasticity, and Lost Memories. Nature. 2002;346(6262):453-460.

Malhotra A. NMDA Receptor Function and Human Cognition: The Effects of Ketamine in Healthy Volunteers. Neuropsychopharmacology. 1996;14(5):301-307.

Mathers C, Loncar D. Projections of Global Mortality and Burden of Disease from 2002 to 2030. PLoS Med. 2006;3(11):e442.

McEwen B, Sapolsky R. Stress and cognitive function. Current Opinion in Neurobiology. 1995;5(2):205-216.

McEwen B. Physiology and Neurobiology of Stress and Adaptation: Central Role of the Brain. Physiological Reviews. 2007;87(3):873-904.

McEwen B. Stress and Hippocampal Plasticity. Annu Rev Neurosci. 1999;22(1):105-122.

McEwen, et al. Stress and the brain: a paradoxical role for adrenal axis. In Vitamin and Hormones. New York: Academic Press; 1995.

Meldrum BS. Glutamate as a neurotransmitter in the brain: review of physiology and pathology. J Nutr. 2000;130(4S Suppl):1007S - 15S.

Morgan C, Dodds C, Furby H, Pepper F, Fam J, Freeman T et al. Long-Term Heavy Ketamine Use is Associated with Spatial Memory Impairment and Altered

Hippocampal Activation. *Frontiers in Psychiatry*. 2014;5.

Musazzi L, Racagni G, Popoli M. Neurochemistry International Stress , glucocorticoids and glutamate release: Effects of antidepressant drugs. *Neurochem Int*. Elsevier B.V.; 2011;59(2):138-49.

Nikiforuk A, Popik P. Long-lasting cognitive deficit induced by stress is alleviated by acute administration of antidepressants. *Psychoneuroendocrinology*. Elsevier Ltd; 2011;36(1):28-39.

Nikiforuk A, Popik P. ScienceDirect Ketamine prevents stress-induced cognitive inflexibility in rats. *Psychoneuroendocrinology*. Elsevier Ltd; 2014;40:119-22.

Peng S, Zhang Y, Wang H, Ren B, Zhang J. Anesthetic ketamine counteracts repetitive mechanical stress-induced learning and memory impairment in developing mice. *Mol Biol Rep*. 2011;38(7):4347-51.

Popoli M, Yan Z, McEwen B, Sanacora G. The stressed synapse: the impact of stress and glucocorticoids on glutamate transmission. *Nature Reviews Neuroscience*. 2011;.

Purves D, *et al*. *Neuroscience*. 5th ed. Sunderland, Mass.:Sinauer, 2012.

Schönenberg M, Wilk K, Jacob H, Reichwald U, Domes G, Hautzinger M. Effects of the NMDA receptor antagonist ketamine on stress hormone system regulation, cognitive functioning and posttraumatic stress symptomatology in accident victims. *Pharmacopsychiatry*. 2007;40(05).

Sinner B, Graf B. Ketamine. *Modern Anesthetics*. 2008;313-333.

Sleigh J, Harvey M, Voss L, Denny B. Ketamine - More mechanisms of action than just NMDA blockade. *Trends in Anaesthesia and Critical Care*. 2014;4(2-3):76-81.

Smith S, Vale W. The role of hypothalamic-pituitary-adrenal axis in neuroendocrine response. *Dialogues in NeuroScience*. 2006;8:383-395.

VanDongen, Antonius M. *Biology Of The NMDA Receptor*. Boca Raton: CRC Press, 2009. Print.

Zarate C, Singh J, Carlson P, Brutsche N, Ameli R, Luckenbaugh D *et al*. A Randomized Trial of an N-methyl-D-aspartate Antagonist in Treatment-Resistant Major Depression. *Arch Gen Psychiatry*. 2006;63(8):856.