

DAFTAR PUSTAKA

- Bellomo, R., Ronco, C., Kellum, J.A., Mehta, R.L. and Palevsky, P., 2004. Acute renal failure—definition, outcome measures, animal models, fluid therapy and information technology needs: the Second International Consensus Conference of the Acute Dialysis Quality Initiative (ADQI) Group. *Critical care*, 8(4), p.1.
- Bonventre, J.V. and Yang, L., 2011. Cellular pathophysiology of ischemic acute kidney injury. *The Journal of clinical investigation*, 121(11), pp.4210-4221.
- Bonventre, J.V. and Zuk, A., 2004. Ischemic acute renal failure: An inflammatory disease&quest. *Kidney international*, 66(2), pp.480-485.
- Devarajan, P., 2006. Update on mechanisms of ischemic acute kidney injury. *Journal of the American Society of Nephrology*, 17(6), pp.1503-1520.
- Dharnidharka, V.R., Kwon, C. and Stevens, G., 2002. Serum cystatin C is superior to serum creatinine as a marker of kidney function: a meta-analysis. *American Journal of Kidney Diseases*, 40(2), pp.221-226.
- Douglas C.E., John P.P., 2009. Vander's Renal Physiology. 7th ed. *The McGraw-Hill Companies, Inc*
- Eknoyan, G., Lameire, N., Barsoum, R., Eckardt, K.U., Levin, A., Levin, N., Locatelli, F., MacLeod, A., Vanholder, R., Walker, R. and Wang, H., 2004. The burden of kidney disease: improving global outcomes. *Kidney international*, 66(4), pp.1310-1314.
- Haase, V.H., 2012. Hypoxia-inducible factor signaling in the development of kidney fibrosis. *Fibrogenesis Tissue Repair*, 5(Suppl 1), pp.S1-S16.
- Higgins, D.F., Biju, M.P., Akai, Y., Wutz, A., Johnson, R.S. and Haase, V.H., 2004. Hypoxic induction of CTGF is directly mediated by HIF-1. *American Journal of Physiology-Renal Physiology*, 287(6), pp.F1223-F1232.
- Higgins, D.F., Kimura, K., Bernhardt, W.M., Shrimanker, N., Akai, Y., Hohenstein, B., Saito, Y., Johnson, R.S., Kretzler, M., Cohen, C.D. and Eckardt, K.U., 2007. Hypoxia promotes fibrogenesis in vivo via HIF-1 stimulation of epithelial-to-mesenchymal transition. *The Journal of clinical investigation*, 117(12), pp.3810-3820.
- Hill, P., Shukla, D., Tran, M.G., Aragonés, J., Cook, H.T., Carmeliet, P. and Maxwell, P.H., 2008. Inhibition of hypoxia inducible factor hydroxylases protects against renal ischemia-reperfusion injury. *Journal of the American Society of Nephrology*, 19(1), pp.39-46.
- Hsu, C.Y., Ordonez, J.D., Chertow, G.M., Fan, D., McCulloch, C.E. and Go, A.S., 2008. The risk of acute renal failure in patients with chronic kidney disease. *Kidney international*, 74(1), pp.101-107.
- Ke, Q. and Costa, M., 2006. Hypoxia-inducible factor-1 (HIF-1). *Molecular pharmacology*, 70(5), pp.1469-1480.
- Kolyada, A.Y., Tighiouart, H., Perianayagam, M.C., Liangos, O., Madias, N.E. and Jaber, B.L., 2009. A genetic variant of hypoxia-inducible factor-1 α is associated with adverse outcomes in acute kidney injury. *Kidney international*, 75(12), pp.1322-1329.

- Levey, A.S., Eckardt, K.U., Tsukamoto, Y., Levin, A., Coresh, J., Rossert, J., Zeeuw, D.D., Hostetter, T.H., Lameire, N. and Eknoyan, G., 2005. Definition and classification of chronic kidney disease: a position statement from Kidney Disease: Improving Global Outcomes (KDIGO). *Kidney international*, 67(6), pp.2089-2100.
- Liangos, O., Wald, R., O'Bell, J.W., Price, L., Pereira, B.J. and Jaber, B.L., 2006. Epidemiology and outcomes of acute renal failure in hospitalized patients: a national survey. *Clinical Journal of the American Society of Nephrology*, 1(1), pp.43-51.
- Mayer, G., 2011. Capillary rarefaction, hypoxia, VEGF and angiogenesis in chronic renal disease. *Nephrology Dialysis Transplantation*, 26(4), pp.1132-1137.
- Mehta, R.L., Kellum, J.A., Shah, S.V., Molitoris, B.A., Ronco, C., Warnock, D.G. and Levin, A., 2007. Acute Kidney Injury Network: report of an initiative to improve outcomes in acute kidney injury. *Critical care*, 11(2), p.R31.
- Moore, K.L., Dalley, A.F. and Agur, A.M., 2013. Clinically oriented anatomy. *Lippincott Williams & Wilkins*.
- Munshi, R., Hsu, C. and Himmelfarb, J., 2011. Advances in understanding ischemic acute kidney injury. *BMC medicine*, 9(1), p.1.
- Nash, K., Hafeez, A. and Hou, S., 2002. Hospital-acquired renal insufficiency. *American Journal of Kidney Diseases*, 39(5), pp.930-936.
- Rahman, M., Shad, F. and Smith, M.C., 2012. Acute kidney injury: a guide to diagnosis and management. *American family physician*, 86(7).
- Rosenberger, C., Heyman, S.N., Rosen, S., Shina, A., Goldfarb, M., Griethe, W., Frei, U., Reinke, P., Bachmann, S. and Eckardt, K.U., 2005. Up-regulation of HIF in experimental acute renal failure: evidence for a protective transcriptional response to hypoxia. *Kidney international*, 67(2), pp.531-542.
- Salvadori, M., Rosso, G. and Bertoni, E., 2015. Update on ischemia-reperfusion injury in kidney transplantation: Pathogenesis and treatment. *World journal of transplantation*, 5(2), p.52.
- Scanlon, V.C. and Sanders, T., 2014. Essentials of anatomy and physiology. *FA Davis*.
- Schofield, C.J. and Ratcliffe, P.J., 2004. Oxygen sensing by HIF hydroxylases. *Nature reviews Molecular cell biology*, 5(5), pp.343-354.
- Schrier, R.W., Wang, W., Poole, B. and Mitra, A., 2004. Acute renal failure: definitions, diagnosis, pathogenesis, and therapy. *Journal of Clinical Investigation*, 114(1), p.5.
- Sutton, T.A., Fisher, C.J. and Molitoris, B.A., 2002. Microvascular endothelial injury and dysfunction during ischemic acute renal failure. *Kidney international*, 62(5), pp.1539-1549.
- Tanaka, T. and Nangaku, M., 2010. The role of hypoxia, increased oxygen consumption, and hypoxia-inducible factor-1 alpha in progression of chronic kidney disease. *Current opinion in nephrology and hypertension*, 19(1), pp.43-50.
- Tung-Wei, H., Jia-Hung, L., Kun-Tu, Y., Jen-Pi, T., Sheng-Wen, W., Hui-Chun, T., Wei-Tse, K., Shu-Hui, L., Ya-Wen, C. and Horng-Rong, C., 2013. Renal expression of hypoxia inducible

factor-1 α in patients with chronic kidney disease: a clinicopathologic study from nephrectomized kidneys. *The Indian journal of medical research*, 137(1), p.102.

Vaidya, V.S., Ferguson, M.A. and Bonventre, J.V., 2008. Biomarkers of acute kidney injury. *Annual review of pharmacology and toxicology*, 48, p.463.

Weidemann, A., Bernhardt, W.M., Klanke, B., Daniel, C., Buchholz, B., Câmpean, V., Amann, K., Warnecke, C., Wiesener, M.S., Eckardt, K.U. and Willam, C., 2008. HIF activation protects from acute kidney injury. *Journal of the American Society of Nephrology*, 19(3), pp.486-494.

Wein, A.J., Kavoussi, L.R., Novick, A.C., 2011. Campbell-Walsh Urology. *Elsevier Health Sciences*.

Yellon, D.M. and Hausenloy, D.J., 2007. Myocardial reperfusion injury. *New England Journal of Medicine*, 357(11), pp.1121-1135.