



DAFTAR PUSTAKA

- Abdella N., Akanji A.O., Mojiminyyi O.A., Al Assoussi A., Moussa M., 2000. Relation of serum total sialic acid concentration with diabetic complications and cardiovascular risk factors in Kuwaiti type 2 diabetic patients [abstract]. *Diab. Res. Clin. Pract.* 50(1):65-72.
- Adak, S., Chowdhury, S., Bhattacharyya, M., 2008. Dynamic and Electrokinetic Behavior of Erythrocyte Membrane in Diabetes Mellitus and Diabetic Cardiovascular Disease. *Biochim. Biophys. Acta.* 1780:108–115.
- Adamu, S., Ibrahim, N.D.G., Nok, A.J., Esievo, K.A.N., 2009. Sialyltransferase Activity Probably Counteracts that of Sialidase as One of the Possible Mechanisms of Natural Recovery or Stabilization of Erythrocyte Mass in Trypanosome-Infected Animals-A Perspective. *Afr. J. Biotech.* 7(25):4992-5001.
- Agrawal, N.K., Kant, S., 2014. Targeting Inflammation in Diabetes: Newer Therapeutic Options. *W. J. Diab.* 5(5):697-710.
- Akin-Osanaiye, B.C., Nok, A.J., Ibrahim, S., Inuwa H.M., Onyike, E., Amlabu, E., Haruna, E., 2013. Effect of Treatment with the Methanol Extracts of Azadirachta indica on the Sialic Acid Profiles of Plasmodium berghei Infected Mice. *Res. Rev. : J. Pharm. Pharmac. Sci.* 2(2):1-9.
- Al-ani, M.K.R., 2006. Evaluation of serum total sialic acid (TSA), total protein (TP) levels in patients with thyroid cancer. *Ir. J. Comm. Med.* 20(1).
- Ali, L.A., Ali, D.M., Mahdi, A.G., 2015. Serum Sialic Acid in Non-Insulin Dependent Diabetic Mellitus Patients with Microvascular Complications. *J. Appl. Chem.* 4(1):154-159.
- American Diabetes Association, 2014. Standards of medical care in diabetes-2014. *Diab. Care.* 37 Suppl 1:14-80.
- Arnetz, L., Ekberg, N.R., Alvarsson, M., 2014. Sex differences in type 2 diabetes: focus on disease course and outcomes. *Dovepress.* 7:409-420.
- Ayala, A., Munoz, M.F., Arguelles, S., 2014. Lipid Peroxidation: Production, Metabolism, and Signaling Mechanisms of Malondialdehyde and 4-Hydroxy-2-Nonenal. *Oxid. Med. Cell. Longevity.* :1-31.
- Badawi, A., Klip, A., Haddad, P., eC Cole, D., Bailo, B.G, el-Sohemy, A., Karmali, M., 2010. Type 2 Diabetes Mellitus and Inflammation: Prospects for Biomarkers of Risk and Nutritional Intervention. *Diab. Metab. Synd. Obes.: Tar. Ther.* 3:173-186.



- Bakhtiari, N., Hosseinkhani, S., Larijani, B., Mohajeri-Tehrani, M.R., Fallah, A., 2012. Red Blood Cells ATP/ADP and Nitric Oxide : The Best Vasodilators in Diabetic Patients. *J. Diab. Metab. Disord.* 11:9-7.
- Bhagavat, R., Chandra, N., 2014. Common Recognition Principles Across Diverse Sequence and Structural Families of Sialic Acid Binding Proteins. *Glycobiol.* 24(1):5–16.
- Bhanushree R., 2015. Clinical relevance of serum total sialic acid in oral leukoplakia and oral squamous cell carcinoma-a random study. *Gl. J. Res. Anal.* 4(12):2227-8160.
- Bhattacharjee, D., Chakraborti, G., Bhattacharya, G.C., Ravi, B.V., 2015. Study of Serum Sialic Acid and Copper as Inflammatory Markers in Type 2 Diabetes Mellitus. *Ind. Med. Gaz.* :13-18.
- Bhutia, Y., Ghosh, A., Sherpa, M.L., Pal, R., Mohanta, P.K., 2011. Serum Malondialdehyde Level: Surrogate Stress Marker in the Sikkimese Diabetics. *J. Nat. Sci. Biol. Med.* 2(1):107-112.
- Bigi, A., 2009. *Characterization of Human Sialidase Neu4 : Role of the Proline-rich region in Signal Transduction* [Tesis]. Universita' Degli Studi Di Milano-Bicocca, Milan (MI).
- Bikkad, M.D., Somwanshi, S.D., Ghuge, S.H., Nagane, N.S., 2014. Oxidative Stress in Type II Diabetes Mellitus. *Biomed. Res.* 25(1):84-87.
- Birben, E., Sahiner, U.M., Sackesen, C., Erzurum, S., Kalayci, O., 2012. Oxidative Stress and Antioxidant Defense. *J. W. Allerg. Org.* :1-19.
- Bulai, T., Bratosin, D., Pons, A., Montreuil, J., Zanetta, Jean-Pierre., 2003. Diversity of the Human Erythrocyte Membrane Sialic Acids in relation with Blood Groups. *FEBS Lett.* 534:185-189.
- Byrne, B., Donohoe, G.G., O'Kennedy, R., 2007. Sialic Acids : Carbohydrate moieties that influence the Biological and Physical Properties of Biopharmaceutical Proteins and Living Cells. *Drug Disc. Today.* 12(7-8):319-326.
- Candra, K.P., 2008. Fungsi Biologi Asam Sialat, Produksi dan Peranannya dalam Industri Makanan Bayi. *J. Tekn. Pert.* 3(2): 50-57.



- Cangemi, C., Skov,V., Poulsen,M.K., Funder, J., Twal,W.O., Gall, M.A., Hjortdal, V., Jespersen, M.L., Kruse, T.A., Aagard, J., Parving,H-H., Knudsen, S., Hoilund-Carlsen, P-F., Rossing,P., Henriksen, J.E., Argraves,W.S., Rasmussen, L.M., 2011. Fibulin-1 Is a Marker for Arterial Extracellular Matrix Alterations in Type 2 Diabetes. *Clin. Chem.* 57:11.
- Cao, B., Liu, J., Qin, G., Tian, S., 2012. Oxidative Stress Acts on Special Membrane Proteins To Reduce the Viability of Pseudomonas Syringaeptvтомато. *J. Proteom. Res.* 11:4927–4938.
- Cariello, A., Testa, R., 2009. Antioxidant Anti-Inflammatory Treatment in Type 2 Diabetes. *Diab. Care.* 32(2suppl):232S-236S.
- Catala, A. 2013. Five Decades with Polyunsaturated Fatty Acids: Chemical Synthesis, Enzymatic Formation, Lipid Peroxidation and Its Biological Effects. *J. Lip.* :1-19.
- Chen S.C., Song G.Y., Sun Y., Liu N., 2012. The relationship between oxidative stress and endothelial progenitor cells count in the first-degree relatives of diabetes mellitus. *Zhonghua Nei Ke Za Zhi*, 51(3):197-200.
- Cohen, M., Hurtado-Ziola, N., Varki, A., 2009. ABO Blood Group Glycans Modulate Sialic Acid recognition on Erythrocytes. *Blood* 114(17):3668-3676.
- Corwin, E.J., 2009. Nutrisi, Eliminasi, Fungsi dan Disfungsi. In: Yudha, E.K., Wahyuningsih, E., Yulianti, D., Karyuni, P.E. (Eds.): *Buku Saku Patofisiologi*, Ed. 3, pp:622-628. EGC, Jakarta.
- D'adamo, E., and Caprio, S., 2011. Type 2 Diabetes in Youth: Epidemiology and Pathophysiology. *Diab. Care* 34(2suppl):161S-165S.
- Dahlan, M.S. (Ed.), 2014. Statistik untuk Kedokteran dan Kesehatan: Deskriptif, Bivariat, dan Multivariat, Dillengkapi Aplikasi Menggunakan SPSS Edisi 6. Epidemiologi Indonesia, Jakarta.
- Dave, A., Kalra, P., Gowda, B.H.R., Krishnaswamy, M., 2015. Association of Bilirubin and Malondialdehyde Levels with Retinopathy in Type 2 Diabetes Mellitus. *Ind. J. Endoc. Metab.* 19(3):373-377.
- Defronzo, R.A., Eldor, R., Abdhul-Ghani, M., 2013. Pathophysiologic Approach to Therapy in Patients with Newly Diagnosed Type 2 Diabetes. *Diab. Care* 36(2 Suppl):127S-138S.
- Desai, U., 2013. Chemical Biology of Sialic Acid. Programs of Excellence in Glycosciences Training Camp. Available as PDF file.



- Desouky, O.S., 2009. Rheological and Electrical Behaviour of Erythrocytes in Patients with Diabetes Mellitus. *Romanian J. Biophys.* 19(4):239-250.
- Dionex , 2011. *Direct Determination of Sialic Acids in Glycoprotein Hydrolyzates by HPAE-PAD, Application Update 180*. Dionex Corporation, Sunnyvale, CA.
- Divija, D.A., 2010. Study of serum sialic acid and microalbuminuria in diabetic nephropathy [dissertation]. Univ. of Rajiv Gandhi, Bangalore (IN).
- Divija, D.A., Rajeshwari, A., Nusrat, A., 2013. Evaluation of Serum Sialic Acid and Microalbuminuria in Diabetic Nephropathy. *Int. J. Rec. Tren. Sci. Tech.* 3(8):219-223.
- El Hansi, N.M.S.M., 2007. *Protective Role of Grape Seed Extract Against the Effect of Electromagnetic Radiation on Retinal Rhodopsin* [Thesis]. University of Ain Shams, Egypt (EG).
- Erdogan, H.M., Karapehlivan, M., Cifti, M., Atakis, O., Uzlu, E., Unver, A., 2008. Serum Sialic Acid and Oxidative Stress Parameters Changes in Cattle with Leptospirosis. *Vet. Res. Commun.* 32:333–339.
- Farhan, L.O., 2015. Determanation of Several Biochemical Parameters in Sera of Iraqi Patients with type 2 Diabetes. *Bagh. Sci. J.* 12(2).
- Forbes, J.M., and Cooper, M.E., 2013. Mechanism of Diabetic Complications. *Physiol. Rev.* 93:137-188.
- Franz, M.J., 2008. Medical Nutrition Therapy for Diabetes Mellitus and Hypoglycemia of Nondiabetic Origin. In: Mahan, L.K., Escott-Stump, S. (Ed): *Krause's Food and Nutrition Therapy*, 12th inter. ed., pp: 764-44. Saunders Elsevier, St. Louis.
- Frohnert, B.I., Bernlohr, D.A., 2013. Protein Carbonylation, Mitochondrial Dysfunction, and Insulin Resistance. *Adv. Nutr.* 4: 157–163.
- Galeano, B., Klootwijk, R., Manoli, I., Sun, M.S., Ciccone, C., Darvish, D., Starost, M.F., Zerfas, P.M., Hoffmann, V.J., Hoogstraten-Miller, S., Krasnewich, D.M., Gahl, W.A., Huizing, M., 2007. Mutation in the Key Enzyme of Sialic Acid Biosynthesis causes severe Glomerular Proteinuria and is Rescued by N –acetylmannosamine. *J. Clin. Inves.* 117(6):1585-1594.
- Ghosh, J., Datta, S., Pai, M., 2016. Role of sialic acid in prediction of diabetic nephropathy. *Al Ameen J. Med. Sci.* 9(1):58-64.



- Gokmen, S.S., Kazezoglu, C., Sunar, B., Ozcelik, F., Gungor, O., Yorulmaz, F., Gulen, S., 2006. Relation between serum sialic acid, sialic acid-rich inflammation-sensitive proteins and cell damage in patients with acute myocardial infarction. *Clin. Chem. Lab. Med.* 44(2):199-206.
- Gornik, O., Lauc, G., 2008. Glycosylation of Serum Proteins in Inflammatory Diseases. *Dis. Mark.* 25:267–278.
- Gruszewska, E., Cylwik, B., Panasiuk, A., Szmirkowski, M., Flisiak, R., Chrostek, L., 2014. Total and Free Serum Sialic Acid Concentration in Liver Diseases. *BioMed Res. Inter.* :1-5.
- Guo, L., Chen, Z., Amarnath, V., Davies, S.S., 2012. Identification of Novel Bioactive Aldehyde-modified Phosphatidylethanolamines Formed by Lipid Peroxidation. *Free Radic. Biol. Med.* 53(6): 1226–1238.
- Hammed, I.K., Abed, B.A., Rashid, N.F., 2013. The Relation between Serum Total Sialic Acid and the Presence of Metabolic Syndrome in Type 2 Diabetes Mellitus. *Iraq. J. Comm. Med.* (1):37-41.
- Hasan, B.F., Ali, K.A.W., Edan, H.H., Alssada, H.K.A., 2010. Evaluation of Serum Total, Lipid and Protein Associated Sialic Acids Levels as an Inflammatory Markers in Typhoid Fever Patients. *J. Al-Nahrain Univ.* 13(2):45-53.
- Hedge, M.N., Sucheta, K., Nidarsh, H., Mahesh, B., Asiyath, S., 2013. A Comparative Study of Myeloperoxidase and Sialic Acid Level in Diabetic Smokers and Non Smokers with Dental Caries. *J Adv. Res. Bio. Sci.* 5(4):409-412.
- Hemalatha, V.T., Austin, R.D., Manisundar, N., Sarumathi, T., Nisha, V.A., 2013. Evaluation of Salivary Sialic Acid in Patients With Different Clinico-Pathological Stages of Oral Leukoplakia and Oral Squamous Cell Carcinoma-A Cross Sectional Study. *Biosci. Biotech. Res. Asia* 10(1):419-425.
- Ikmal, S.I.Q.S., Huri, H.Z, Vethakkan, S.R., Ahmad, W.A.W., 2013. Potential Biomarkers of Insulin Resistance and Atherosclerosis in Type 2 Diabetes Mellitus Patients with Coronary Artery Disease. *Int. J. Endocrinol.* :1-12.
- Ingaramo, P.I., Frances, D.E., Ronco, M.T., Carnovale, C.E., 2013. Diabetes and Its Hepatic Complication. *InTech* :130-144.
- International Diabetes Federation, 2013. *Diabetes Atlas 6th edition.*



- Jayasekharan, V.P., Ramya, R., Rajkumar, K., Kumar, T.D., Nandhini, G., Kumar, S.S., 2014. Estimation of Nitric Oxide and Malondialdehyde in Serum and Saliva of Patients with Oral Lichen Planus. *J. Res. in Dental Sci.* 5(4):230-236.
- Jetawattana, S. 2005. Malondialdehyde (MDA), A Lipid Oxidation Product [paper]. *Free Radicals in Biology and Medicine*, pp: 222-77. Univ. of Iowa, Iowa City (IA).
- Jimenez-Osorio, A.S., Picazo A., Gonzalez-Reyes, S., Barrera-Oviedo, D., Rodriguez-Arellano, M.E., Pedraza-Chaverri, J., 2014. Nrf2 and Redox Status in Prediabetic and Diabetic Patients. *Int. J. Mol. Sci.* 15:20290-20305.
- Jozwik, M., Wolczynski, S., Jozwik, M., Szamatowicz, M., 1999. Oxidative Stress Markers in Preovulatory Follicular Fluid in Humans. *Mol. Hum. Repro.* 5(5):409-413.
- Kanbak, G., Alkalin, A., Dokumacioglu, A., Ozcelik, E., Bal, C., 2011. Cardiovascular risk assessment in patients with type 2 diabetes melitus an metabolic syndrome : role of biomarkers. *Diab. Metab. Synd. :Clin. Res. Rev.* 5:7-11.
- Khan, M.W.A., Banga, K., Khan, W.A., 2012. Gluco-Oxidation of Proteins in Etiology of Diabetic Retinopathy. In: Ola, M.S. (Ed.): Diabetic Retinopathy, *InTech* :31-52.
- Khaki-khatibi, F., Sadeghi, Z., Yaghoubi, A., Ashoori, M.R., Gharebaba, R.P., 2016. Relationship between serum levels of total sialic acid, MDA-LDL, and HS-CRP with extension of coronary artery disease, in nonsmokers and nondiabetic patients. *W. J. Pharm. Pharmac. Sci.* 5(2):294-305.
- Khemka, V.K., Choudhuri, S., Ganguly, A., Ghosh, A., Bir, A., Banerjee, A., 2014. Lipid Peroxidation and Antioxidant Status in Nonobese Type 2 Diabetes Mellitus. *Adv. Endoc.* :1-6.
- Khurshid, M.U., Munir, N., 2009. Total Serum Sialic Acid (TSSA) in Selective Patients of Diabetes Mellitus (DM). *Annals* 14(2):46-49.
- Kolter, T., 2012. Ganglioside Biochemistry. *Int Schol. Res. Net. Biochem.* :1-36.
- Kostova, V., Antonova, N., Velcheva, I., Ivanov, I., 2012. Comparative Analysis of the Rheological Properties of Blood in Patients with Type 2 Diabetes. *Ser. Biomecha.* 27(3-4):80-85.



- Kumar, A., Dhillon, B.S., Rao, D.N., Menon, G., Shankar, H., Dhaliwal, L.K., Leema, M., Chandhiok, N., Kumar, N., Sehgal, R., Mittal, S., Sahdev, S., Shobha, K., Jinda, V.L., 2012. Temporal Trends of Malondialdehyde in Stored Human Plasma. *Ind. J. Clin. Biochem.* 27(4):405-409.
- Kumawat, M., Sharma, T.K., Singh, I., Singh, N., Ghalaut, V.S., Vardey, S.K., Shankar, V., 2013. Antioxidant Enzymes and Lipid Peroxidation in Type 2 Diabetes Mellitus Patients with and without Nephropathy. *North Am. J. Med. Sci.* 5(3):213- 219.
- Kundu, D., Roy, A., Mandal, T., Bandyopadhyay, U., Ghosh, E., Ray, D., 2013. Relation of Iron Stores to Oxidative Stress in Type 2 Diabetes. *Nig. J. Clin. Practice.* 16(1):100-103.
- Kurtul, N., Gokpinar, E., 2012. Salivary Lipid Peroxidation and Total Sialic Acid Levels in Smokers and Smokeless Tobacco Users as Maras Powder. *Med. Inflamm.* :1-8.
- Kutmon, M., Evelo, C.T., Coort, S.L., 2014. A Network Biology Workflow to Study Transcriptomics Data of The Diabetic Liver. *BMC Genom.* 5:971-981.
- Li, Z., Geng, Ya-Na., Jiang, Jian-Dong., Kong, Wei-Jia., 2014. Antioxidant and Anti-Inflammatory Activities of Berberine in the Treatment of Diabetes Mellitus. *Evi-Based Comp. Alter. Med.* :1-12.
- Likidlilid, A., Patchanans, N., Peerapatdit, T., Sriratanasathavorn, C., 2010. Lipid Peroxidation and Antioxidant Enzyme Activities in Erythrocytes of Type 2 Diabetic Patients. *J. Med. Assoc. Thai.* 93(6):682-93.
- Lu, Z., Ma, H., Xu, C., Shao, Z., Cen, C., Li, Y., 2016. Serum sialic acid level is significantly associated with nonalcoholic fatty liver disease in a nonobese chineses population: a cross-sectional study. *Biomed. Res. Int.* :1-6.
- Lyssenko, V., Laakso, M., 2013. Genetic Screening for the Risk of Type 2 Diabetes. *Diab. Care* 36(2 suppl.):S120-S126.
- Mahendran K, B., Gnanadesigan E, kumara D, R., Babu M, F., 2013. Evaluation of Sialic Acid Levels in Patients with Type 2 Diabetes Mellitus. *J. Dent. Med. Sci.* 5(1):33-36.
- Marchitti, S.A., Brocker, C., Stagos, D., Vasiliou, V., 2008. Non-P450 Aldehyde Oxidizing Enzymes: The Aldehyde Dehydrogenase Superfamily. *Expert Opin Drug Metab. Toxicol.* 4(6):697–720.



- McCarthy, C., Saldova, R., Wormald, M.R., Rudd, P.M., McElvaney, N.G., Reeves, E.P., 2014. The Role and Importance of Glycosylation of Acute Phase Proteins with Focus on Alpha-1 Antitrypsin in Acute and Chronic Inflammatory Conditions. *J. Prot. Res.* 13:3131–3143.
- McCaskill, M.L., Kharbanda, K.K., Tuma, D.J., Reynolds, J., DeVasure, J., Sisson, J.H., Wyatt, T.A., 2011. Hybrid Malondialdehyde and Acetaldehyde Protein Adducts form in the Lungs of Mice Exposed to Alcohol and Cigarette Smoke. *Alc. Clin. Exp. Res.* 35(6):1106–1113.
- McDonagh, E.M., Bautista, J.M., Youngster, I., Altman, R.B., Klein, T.E., 2013. PharmGKB Summary: Methylene Blue Pathway. *Pharmacogen. Genomics.* 23(9):498–508.
- Mehdi, M.M., Singh, P., Rizvi, S.I., 2012. Erythrocyte Sialic Acid Content During Aging in Humans: Correlation with Markers of Oxidative Stress. *Disease Markers.* 32:179–186.
- Meshkani, R., Taghikhani, M., Al-Kateb, H., Larijani, B., Khatami, S., Sidiropoulos, G.S., Hegele, R.A., Adeli, K., 2007. Polymorphisms within the Protein Tyrosine Phosphatase 1B (PTPN1) Gene Promoter : Functional Characterization and Association with Type 2 Diabetes and Related Metabolic Traits. *Clin. Chem.* 53:9.
- Metkari B, S., Tupkari JV, Barpande SR., 2007. An Estimation of Serum Malondialdehyde, Superoxide Dismutase and Vitamin A in Oral Submucous Fibrosis and Its Clinicopathologic Correlation. *J. Oral Maxillo Fac. Path.* 11(1):23-27.
- Miyoshi, E., Ito, Y., Miyoshi, Y., 2010. Involvement of Aberrant Glycosylation in Thyroid Cancer. *J. Oncol.* :1-7.
- Mohamed, J., Shing, S.W., Idris, M.H.M., Budin, S.B., Zainalabidin, S., 2013. The Protective Effect of Aqueous Extracts of Roselle (*Hibiscus Sabdariffa*L. UKMR-2) Against Red Blood Cell Membrane Oxidative Stress in Rats with Streptozotocin-Induced Diabetes. *Clinics.* 68(10):1358-1363.
- Mohan, S.K., Priyav, V., 2010. Serum Total Sialic Acid, Lipid Peroxidation, and Glutathione Reductase Levels in Patients with Rheumatoid Arthritis. *Turk J. Med. Sci.* 40 (4): 537-540.
- Moss, P., 2010. History and Development of Molecular Biology. In: Provan, D., Gribben, J.G. (Eds.): *Molecular Hematology*, 3rd ed. pp: 360-369. Blackwell Publishing Ltd., UK.



- Msolly, A., Miled, A., Kassab, A., 2013. Hydrogen peroxide : an oxidant stress indicator in type 2 diabetes mellitus. *J. Card. Dis.* 1(2):48-52.
- National Center for Biotechnology Information, 2015. Malondialdehyde. Compound Summary for CID 10964 [cited 2015 September 3]. Available from: URL: <http://pubchem.ncbi.nlm.nih.gov/compound/10964>.
- Nayak, B.S., Duncan, H., Laloo, S., Maraj, K., Matmungal, V., Matthews, F., Prajapati, B., Samuel, R., Sylvester, P., 2008. Correlation of Microalbumin and Sialic Acid with Anthropometric Variables in Type 2 Diabetic Patients with and without Nephropathy. *Vasc. Heal. Risk Manag.* 4(1):243–247.
- Nazifi, S., Ansari-Lari, M., Tabandeh, M.R., Badiei, K., Ghafari, N., Karachi, I., Nowroozl-Asl, A., Razavi, S.M., 2010. Clinical relevance of serum sialic acid evaluation and correlation with haptoglobin and serum amyloid in diseased cattle. *Bulg. J. Vet. Med.* 13(1):45-54.
- Ndisang, J.F., Rastogi, S., Vannacci, A., 2014. Insulin Resistance, Type 1 and Type 2 Diabetes, and Related Complications : Current Status and Future Perspective. *J. Diab. Res.* :1-2.
- Nelson, D.L., Cox, M.M. (Eds.), 2005. *Lehninger Principles of Biochemistry*, 4th ed. W.H. Freeman and Company, New York.
- Nguyen, L.D., 2011. *Crystal Structures of N-acetylmannosamine Kinase : Insights into Activity, Mutational Modifications and Inhibition* [dissertation]. der Freien Universität Berlin, Germany (DE).
- Nigam, P.K. , Narain, V.S., Kumar, A., 2006. Sialic Acid in Cardiovascular Diseases. *Ind. J. Clin. Biochem.* 21(1):54-61.
- Niture, N.T., Ansari, A.A., Naik, S.R., 2014. Anti-hyperglycemic Activity of Rutin in Streptozotocin-induced Diabetic Rats: An Effect Mediated through Cytokines, Antioxidants and Lipid Biomarkers. *Ind. J. Exp. Biol.* 52:720-727.
- Novo, Nordisk, 2013. *The Blueprint for Change Programme Series Changing Diabetes in Indonesia*. Novo Nordisk, Denmark.
- Oktay, S., Uslu, L., Batirel, S., Emekli, N., 2014. The Function of Sialic Acid as a Radical Scavenger in Experimental Hypothyroidism with and without Hyperlipidemia. *J. Surg. Arts.* 7(2):75-79.
- Ozougwu, J. C., Obimba, K.C., Belonwu, C.D., Unakalamba, C.B., 2013. The Pathogenesis and Pathophysiology of Type 1 and Type 2 Diabetes Mellitus. *J. Physiol. Pathophysiol.* 4(4):46-57.



- Pandey, K.B., Rizvi, S.I., 2011. Biomarkers of Oxidative Stress in Red Blood Cells. *Biomed. Pap. Med. Fac. Univ. Palacky Olomouc Czech Repub.* 155(2):131–136.
- Patil, N., Chavan, V., Karnik, N.D., 2007. Antioksidan Status in Patients with Acute Myocardial Infarction. *Ind. J. Clin. Biochem.* 22(1):45-51.
- Perluigi, M., Coccia, R., Butterfield, D.A., 2012. 4-Hydroxy-2-Nonenal, a Reactive Product of Lipid Peroxidation, and Neurodegenerative Diseases: A Toxic Combination Illuminated by Redox Proteomics Studies. *Anti. Red. Sig.* 17(11):1590-1609.
- Pizzimenti, S., Ciamporero, E., Daga, M., Pettazzoni, P., Arcaro, A., Cetrangolo, G., Minelli, R., Dianzani, C., Lepore, A., Gentile, F., Barrera, G., 2013. Interaction of Aldehydes Derived from Lipid Peroxidation and Membrane Proteins. *Front. Physiol.* 4(242):1-17.
- Powers, S.K., Jackson, M.J., 2008. Exercise-Induced Oxidative Stress: Cellular Mechanisms and Impact on Muscle Force Production. *Physiol. Rev.* 88(4):1243–1276.
- Pradeep M.R., Deepa K., Kumar S.M., S., Kumar, D.V., Sujith R., 2014. Serum and Salivary Sialic Acid and L-Fucose as Prognostic Markers in Potentially Malignant Disorders and Oral Cancer. *Uniq. J. Med. Dent. Sci.* 02(04):76-83.
- Prajna K., Kumar J. A., Rai, S., Shetty, S.K., Rai, T., Shrinidhi, Begum, M., Shashikala. 2013. Predictive Value of Serum Sialic Acid in Type-2 Diabetes Mellitus and Its Complication (Nephropathy). *J. Clin. Diag. Res.* 7(11):2435-2437.
- Prathiroopa, Kavyashree S.J., Ashwitha K.M., Babu T.V, S., Shantaram, M., 2015. Serum L-fucosa, total sialic acid and ceruloplasmin levels in type II diabetic subjects of Somwarpet Taluk-a preliminary study. *Int. J. Res. Phar. Bio.* 2(1):14-20.
- Rahman, I.U., Bashir, M., Salman, M., Idrees, M., Khan, M.I., 2011. Bitter Melon (*Momordica Charantia*) Reduces Serum Sialic Acid in Type2 Diabetics: Evidence to Delay the Process of Atherosclerosis. *Chin. Med.* 2:125-129.
- Rajeshwari, C.U., Andallu, B., 2011. Oxidative Stress in NIDDM Patients: Influence of Coriander (*Coriandrum sativum*) Seeds. *Res. J. Pharm. Biol. Chem. Sci.* 2(1):31-41.



- Ramirez-Zamora, S., Mendez-Rodriguez, M.L., Olguin-Martinez, M., Sanchez-Sevilla, L., Quintana-Quintana, M., Garcia-Garcia, N., Hernandez-Munoz, R., 2013. Increased Erythrocytes By-Products of Arginine Catabolism Are Associated with Hyperglycemia and Could Be Involved in the Pathogenesis of Type 2 Diabetes Mellitus. *PlosOne* 8(6):e66823-11.
- Rasmi, Y., Golizadeh, M., Valizadeh, N., Saleh-Moghaddam, M., 2014. Systemic Low-Grade Inflammation in Siblings of Type 2 Diabetic Patients. *ScienceAsia* 40. :285–289.
- Rathod, S.R., Khan, F., Kolte, A.P., Gupta, M., 2014. Estimation of Salivary and Serum Total Sialic Acid Levels in Periodontal Health and Disease. *J. Clin. Diag. Res.* 8(9):19-21.
- Reid, M.E., Mohandas, N., 2004. Red Blood Cell Blood Group Antigens : Structure and Function. *Sem. Hem.* 41(2):93-117.
- Renju, V.C., Santha, K., Sethupathy, S., 2012. Oxidative stress, sialic acid and total antioxidant status in patients with type 2 diabetes mellitus. *Int. J. Pha. Biosci.* 3(4):789-795.
- Repetto, M., Semprine, J., Boveris, A., 2012. Lipid Peroxidation : Chemical Mechanism, Biological Implications and Analytical Determination. *InTech* :1-28.
- Resende, R., 2010. *Synthesis of Novel Sialidase Inhibitors to Target Influenza A Virus and Chagas' Disease* [Tesis]. University of Bath.
- Riauwi, H.M., Hasneli N., Y., Lestari, W., 2014. Efektifitas pendidikan kesehatan dengan penerapan the health belief model terhadap pengetahuan keluarga tentang diare. *JOM PSIK* 1(2):1-9.
- Ribeiro, M.M.B., Domingues, M.M., Freire, J.M., Santosand, N.C., Castanho, M.A.R.B., 2012. Translocating The Blood-Brain Barrier using Electrostatics. *Front. Cell. Neurosci.* 6(44):1-7.
- Ruhaak, L.R., Zauner, G., Huhn, C., Bruggink, C., Deelder, A.M., Wuhrer, M., 2010. Glycan Labeling Strategies and their Use in Identification and Quantification. *Anal. Bioanal. Chem.* 397:3457-81.
- Salem, M., Kholoussi, S., holoussi,N., Fawzy, R., 2011. Malondialdehyde and Trace Element Levels in Patients with Type 2 Diabetes Mellitus. *Arc. Hell. Med.* 28(1):83-88.



- Sallau, A.B., Mada S.B., Yakubu, R.N., Gadzama, M., 2014. Comparative Evaluation of Sialic Acid Content in Some Selected Avian Species. *Int. J. Mod. Biochem.* 3(1):1-6.
- Schauer, R., Srinivasan, G.V., Wipfler, D., Kniep, B., Schwartz-Albiez, R., 2011. O-Acetylated Sialic Acids and Their Role in Immune Defense. In: A.M. Wu (ed.): *The Molecular Immunology of Complex Carbohydrates-3*, pp:526-548. Springer Science+Business Media, LCC.
- Schwarzkopf, M., Knobeloch, Klaus-Peter., Rohde, E., Hinderlich, S., Wiechens, N., Lucka, L., Horak, I., Reutter, W., Horstkorte, R., 2002. Sialylation is Essential for Early Development in Mice. *PNAS* 99(8):5267–5270.
- Serroukh, Y., Djebara, S., Lelubre, C., Boudjeltia, K.Z., Biston, P., Piagnerelli, M., 2012. Alterations of the Erythrocyte Membrane during Sepsis. *Crit. Care Res. Prac.* :1-8.
- Shah, D., Mahajan, N., Sah, S., Nath, S.K., Paudyal, B., 2014. Oxidative Stress and Its Biomarkers in Systemic Lupus Erythematosus. *J. Biomed. Sci.* 21(23):1-13.
- Sharma, P., Jha, A.B., Dubey, R.S., Pessarakli, M., 2012. Reactive Oxygen Species, Oxidative Damage, and Antioxidative Defense Mechanism in Plants under Stressful Conditions. *J. Botany* :1-26.
- Shivashankara, A.R., Prabhu M, K., 2011. Salivary total protein, sialic acid, lipid peroxidation and glutathione in oral squamous cell carcinoma. *Biomed. Res.* 22(3):355-359.
- Siddique, Y.H., Ara, G., Afzal., M., 2012. Estimation of lipid peroxidation induced by hydrogen peroxide in cultured human lymphocytes. *Int. Do. Resp. Soc.* 10:1-10.
- Sigma-Aldrich, 2013. Glycobiology : Sialic Acid Synthesis and Signaling. *Life Sci. Biofiles*, 5(1):4-8.
- Singh, V.P., Bali, A., Singh, N., Jaggi, A.S., 2014. Advanced Glycation End Products and Diabetic Complications. *Kor. J. Physiol. Pharmacol.* 18:1-14.
- Sjoholm, A., Nystrom, T., 2006. Inflammation and The Etiology of Type 2 Diabetes. *Diab. Metab. Res. Rev.* 22:4-10.
- Sochor, J., Ruttkay-Nedecky, B., Babula, P., Adam, V., Hubalek, J., Kizek, R., 2012. Automation of Methods for Determination of Lipid Peroxidation. *InTech* :132-154.



- Soewondo, P., Ferrario, A., Tahapary, D.L., 2013. Challenges in Diabetes Management in Indonesia : A Literature Review. *Glob. Heal.* 9(63):1-17.
- Starr, C., McMillan, B. (Eds.), 2012. *Human Biology*, 9th Ed. Cengange Learning, Canada.
- Subzwari, M.J., Qureshi, M.A., Khan, A.A., Sodagar, F., Jehan, S., 2010. Relationship between sialic acid and microvascular complication in type 2 diabetes melitus. *Proc. S.Z.P.G.M.I*; 24(2):79-83.
- Sudha R, Toora, B.D., Sarkar, G., Sarkar, M., 2012. Serum Sialic Acid in Relation to Erythrocyte Sedimentation Rate and HbA1c of Type 2 Diabetic Patients. *Nat. J. Basic Med. Sci.* 2(4):316-319.
- Suiraka, I.P. (Ed.), 2012. *Penyakit Degeneratif : Mengenal, Mencegah dan Mengurangi Faktor Resiko 9 Penyakit Degeneratif*. Nuha Medika, Yogyakarta.
- Sukandar, E.Y., Andrajati, R., Sigit, J.I., Adnyana, I.K., Setiadi, A.A.P., Kusnandar (Eds.), 2008. *ISO Farmakoterapi*. ISFI, Jakarta.
- Surapeneni K.M., Priya V.V., 2009. Altered serum total sialic acid, lipid peroxidation, ceruloplasmin and glutathione reductase levels in patients with carcinoma of prostate. *J. Clin. Diag. Res.* (3):1483-1485.
- Swithraa, C., Sumathi S, S., Annapurna, K., Asmathulla, S., 2014. Evaluation of Oxidative Stress and Protein Bound Sialic Acid in Diabetes with and without Retinopathy. *Int. J. Rec. Trends Sci. Techno.* 13(1):183-186.
- Taheri, E., Djalali, M., Saedisomeolia, A., Moghadam, A.M., Djazayeri, A., Qorbani, M., 2012. The Relationship between the Activities of Antioxidant Enzymes in Red blood Cells and Body Mass Index in Iranian Type 2 Diabetes and Healthy Subjects. *J. Diab. Metab. Disord.* 11(3):1-5.
- Tao, F., Zhang, Y., Ma, C., Xu, P., 2010. Biotechnological Production and Applications of N-acetyl-D-Neuraminic Acid : Current State and Perspective. *Appl. Microbiol. Biotechnol.* 87:1281-1289.
- Tao, F., Zhang, Y., Ma, C., Xu, P., 2010. One-pot Biosynthesis : N-acetyl-D-Neuraminic Acid Production by a Powerful Engineered Whole-Cell Catalyst. *Sci. Rep.*, 1(142):309-315.
- Tejasvi, M.L.A., Bangi, B.B., Geetha, P., Avinash, C.K.A., Chittaranjan, B., Bhayya, H., Donempudi, P., 2014. Estimation of Serum Superoxide Dismutase and Serum Malondialdehyde in Oral Submucous Fibrosis: A Clinical and Biochemical Study. *J. Can. Res. Therap.* 10(3):722-725.



- Tiwari, B.K., Pandey, K.B., Abidi, A.B., Rizvi, S.I., 2013. Markers of Oxidative Stress during Diabetes Mellitus. *J. Biomark* :1-8.
- Torres, Y.C., Katholi, R.E., 2014. Novel Treatment Approaches in Hypertensive Type 2 Diabetic Patients. *W. J. Diab.* 5(4):536-545.
- Totan, A., Greabu, M., Mitrea, N., Mohora, M., Arsene, A.L., 2010. Relationships between Erythrocyte Na⁺/K⁺-ATPase Activity, Oxidative Stress and High Blood Pressure in Hypertensive Diabetic Patients. *Farmacia* 58(3):322-331.
- Tunes, R.S., Foss-Freitas, M.C., da Rocha Nogueira-Filho, G., 2010. Impact of Periodontitis on the Diabetes-Related Inflammatory Status. *J. Can. Dent. Assoc.* 76:a35.
- Ulucam, E., Bakar, E., 2016. The effect of proanthocyanidin on formaldehyde-induced toxicity in rat testes. *Turk. J. Med. Sci.* 46: 185-193.
- Varashree, B.S., Gopalakrishna, B.P., 2010. Oxidative Stress and Proteolytic Activity in Erythrocytes of Diabetic Patients. *Int. J. Endocrinol. Metab.* 8(2):90-93.
- Varki, A., 2008. Sialic acids in Human Health and Disease. *Trends Mol. Med.* 14(8): 351-360.
- Varma, V., Varma, M., Varma, A., Kumar, R., Bharosav, A., Vyas, S., 2016. Serum total sialic acid and highly sensitive C-reactive protein : prognostic markers for the diabetic nephropathy. *J. Lab. Physic.* 8(1):25-29.
- Velde, S.V., 2012. *The Role of Viral, Bacterial, Parasitic, and Human Silaidases in Diseases* [Tesis]. Universiteit gent.
- Wang, B., 2012. Molecular Mechanism Underlying Sialic Acid as an Essential Nutrient for Brain Development and Cognition. *Adv. Nutr.* 3:465S–472S.
- Wang, Zhan-Sheng., Song, Zhan-Chun., Bai, Jing-Hui., Li, F., Wu, T., Qi, J., Hu, J., 2013. Red Blood Cell Count As An Indicator of Microvascular Complications in Chinese Patients with Type 2 Diabetes Mellitus. *Vasc. Heal. Risk Manag.* 9:237-243.
- Ward, J.P.T., Clarke, R.W., Linden, R.W.A., 2009. Endrokinologi dan Reproduksi. In: Safitri, A., Astikawati, R. (Eds.): *At a Glance Fisiologi*. Erlangga, Jakarta.



Waspadji, S., Soewondo, P., Subekti, I., Soebardi, S., Harbuwono, D.S., Pramono, L.A., Supali, T., 2013. Ende Diabetes Study: Diabetes and its Characteristics in Rural Area of East Nusa Tenggara. *Med. J. Indo.* 22(1):30-38.

Weber, G., Charitat, T., Baptista, M.S., Adjaci F. Uchoa, A.F., Pavani, C., Junqueira, H.C., Guo, Y., Baulin, V.A., Itri, R., Marques, C.M., Schroder, A.P., 2014. Lipid Oxidation Induces Structural Changes In Biomimetic Membranes. *Soft Matter* 10:4241–4247.

Whillier, S., Kuchel, P.W., Raftos, J.E., 2011. Oxidative Stress in Type II Diabetes Mellitus and the Role of the Endogenous Antioxidant Glutathione. In : Role of the Adipocyte in Development of Type 2 Diabetes, Dr. Colleen Croniger (Ed.), *InTech* : 129-152.

Winarsi, H., Yunianti, A., Purwanto, A., 2013. Deteksi Aging pada Perempuan Berdasarkan Status Antioksidan. *MKB* 45(3):141–6.

Yalla, M.S., Pasula, S., 2013. Study of Glycated Hemoglobin, Sialic Acid and Lipid Profile in Non Diabetic Myocardial Infarction Patients. *Int. J. Pharm. Biol. Sci.* 3(2):433-440.

Yalniz-Akkaya, Z., Fidanci, V., Kilinc, A., Burcu, A., Uney, G.O., Ornek, F., 2014. The Effect of Systemic Amantadine Sulfate on Malondialdehyde and Total Thiol Levels in Rat Corneas. *J. Ophtha. Vis. Res.* 9(3):339-342.

Zhao, Y., Jiang, Z., Zhao, T., Ye, M., Hu, C., Zhou, H., Yin, Z., Chen, Y., Zhang, Y., Wang, S., Shen, J., Thaker, H., Jain, S., Li, Y., Diao, Y., Chen, Y., Sun, X., Fisk, M.B., Li, H., 2013. Targeting Insulin Resistance in Type 2 Diabetes Via Immune Modulation of Cord Blood-Derived Multipotent Stem Cells (CB-SCs) in Stem Cell Educator Therapy: Phase I/II Clinical Trial. *BMC Med.* 11(160):1-13.