

DAFTAR PUSTAKA

- Ahmed, H.A.E., Mohamed, Y.S.Y, Tawfek, A.R., Foda, M.S.A.E. 2015. Renal fibrosis. *Menoufia Med J.* 28: 540-546.
- Asada, N., Takase, M., Nakamura, J., Oguchi, A., Asada, M., Suzuki, N., *et al.* 2011. Dysfunction of fibroblasts of extrarenal origin underlies renal fibrosis and renal anemia in mice. *J. Clin. Invest.* 121(10): 3981–3990.
- Ashworth, S.L., Molitoris, B.A. 1999. Pathophysiology and functional significance of apical membrane disruption during ischemia. *Curr. Opin. Nephrol. Hypertens.* 8: 449–458.
- Atkins, R.C. 2005. The epidemiology of chronic kidney disease. *Kidney Int.* 67(94): S14–S18.
- Babelova, A., Jansen, F., Sander, K., Lohn, M., Schafer, L., Fork, C., *et al.* 2013. Activation of Rac-1 and RhoA Contributes to Podocyte Injury in Chronic Kidney Disease. *Plos One.* 8(11): e80328.
- Bachmann, S., Le, H.M., Eckardt, K. 1993. Co-Localization of erythropoietin mRNA and ecto-5'-nucleotidase immunoreactivity in peritubular cells of rat renal cortex indicates that fibroblasts produce erythropoietin. *J Histochem Cytochem.* 41: 335-341.
- Baret, K. E., Barman, S. M., Boitano, S., Brooks, H. L., 2012. *Ganong's Review of Medical Physiology* 24th edition. US : Lange McGraw Hill Medical.
- Baum, N., Dichoso, C. C., Carlton, G. E. 1975. Blood urea nitrogen and serum creatinine. *Urology.* 5(5): 583-588.
- Becker, G.J. & Hewitson, T.D. 2013. Animal models of chronic kidney disease: useful but not perfect. *Nephrol Dial Transplant.* 0: 1-7.
- Bergstrom, J., Lindholm, B., Lacson, E., Owen, W., J., Lowrie, E.G., Glassock, R.J., *et al.* 2000. What are the causes and consequences of the chronic inflammatory state in chronic dialysis patients?. *Semin. Dial.* 13(3): 163–175.
- Bonventre, J.V & Weinberg, J.M. 2003. Recent advances in the pathophysiology of ischemic acute renal failure. *J. Am. Soc. Nephrol.* 14(8): 2199-2210.
- Bonventre, J.V. & Yang, L. 2011. Cellular pathophysiology of ischemic acute kidney injury. *J. Clin. Invest.* 121(11): 4210-4221.
- Bonventre, J.V., 2014. Primary proximal tubule injury leads to epithelial cell cycle arrest, fibrosis, vascular rarefaction, and glomerulosclerosis. *Kidney Int Suppl.* 4(1): 39–44.
- Boor, P. & Floege, J. 2012. The renal (myo-)fibroblast: a heterogeneous group of cells. *Nephrol dial Transplant.* 27(8): 3027-3036.
- Brown, R.D., Ambler, S.K, Mitche, M.D., Long, C.S. 2005. The cardiac fibroblast: therapeutic target in myocardial remodelling and failure. *Annu Rev Pharmacol Toxicol.* 45: 657-687.
- Brugnara, C. & Eckardt K.U. 2011. Hematologic aspects of kidney disease. In: Taal MW, ed. *Brenner and Rector's The Kidney.* 9th ed. Philadelphia: Saunders; 2081–2120.

- Cahyawati, P.N. 2015. Efek simvastatin terhadap ekspansi miofibroblas dan fibrosis ginjal pada model mencit nefrektomi 5/6 subtotal [Thesis]. Univ. Gadjah Mada, Yogyakarta.
- Chateauvieux, S., Grigorakaki, J., Morceau, F., Dicato, M., Diederich, M. 2011. Erythropoietin, erythropoiesis and beyond. *J Biochem Pharm.* 82: 1291-1303.
- Chevalier, R.L., Forbes, M.S., Thornhill, B.A. 2009. Ureteral obstruction as a model of renal interstitial fibrosis and obstructive nephropathy. *Kidney int.* 75(11): 1145-1152.
- Cho, M.H., 2010. Renal fibrosis. *Korean J Pediatr.* 53(7): 735-740.
- Chuang, P.Y., Menon, M.C., He, J.C. 2012. Molecular targets for treatment of kidney fibrosis. *J. Mol Med.* 91(5): 549-559.
- Constantinescu, S.N., Huang, L.J., Nam, H., Lodish, H.F. 2001. The erythropoietin receptor cytosolic juxtamembrane domain contains an essential, precisely oriented, hydrophobic motif. *Mol Cell.* 7(2): 377-385.
- Coresh, J., Selvin, E., Stevens, L.A., Manzi, J., Kusek, J.W., Eggers, P., *et al.* 2007. Prevalence of chronic kidney disease in the united states. *JAMA.* 298(17): 2038-2047.
- Dai, C., Lawrence, P., Liu Y. 2008. *Sourcebook of models for biomedical research.* Humana Press Inc. Totowa, NJ.
- De Mik, S.M.L., Hoogduijn, M.J., de Bruin, R.W., Dor, F.J.M.F. 2013. Pathophysiology and treatment of focal segmental glomerulosclerosis: the role of animal models. *BMC Nephrol.* 14: 74.
- Desmouliere, A., Darby, I.A., Gabbian, G. 2007. Normal and pathologic soft tissue remodelling: role of the myofibroblast, with special emphasis on liver and kidney fibrosis. *Lab Invest.* 83: 1689-1707.
- Devarajan, P. 2006. Update on mechanisms of ischemic acute kidney injury. *J Am Soc Nephrol.* 17:1503-1520.
- Donnahoo, K.K., Meldrum, D.R., Shenkar, R. 2000. Early renal ischemia, with or without reperfusion, activates NFkappaB and increases TNF-alpha bioactivity in the kidney. *J. Urol.* 163: 1328-1332.
- Eddy, A.A. 2000. Molecular basis of renal fibrosis. *Pediatr Nephrol.* 15: 290-301.
- Edgar, V.L. & Allen, R. N. 2012. *Nephrology secrets* 3th edition.
- Epstein, A.C., Gleadle, J.M., McNeill, L.A. 2001. C. elegans EGL-9 and mammalian homologs define a family of dioxygenases that regulate HIF by prolyl hydroxylation. *Cell.* 107: 43-54.
- Farris, A.B., Alpers, C.E., 2014. What is the best way to measure renal fibrosis?: A pathologist's perspective. *Kidney Int Suppl.* 4: 9-15.
- Forbes, M.S., Thornhill, B.A., Minor, J.J., Gordon, K.A., Galarreta, C.I., Chevalier, R.L., 2012. Fight-or-flight: murine unilateral ureteral obstruction causes extensive proximal tubular degeneration, collecting duct dilatation, and minimal fibrosis. *AJP: Renal Physiology.* 303: F120-F129.
- Gava, A.L., Freitas, F.P.S., Balarini, C.M., vasquez, E.C., Meyrelles, S.S. 2012. Effect of 5/6 nephrectomy on renal function and blood in mice. *Int J Physiol Pathophysiol Pharmacol.* 4(3): 167-173.

- Garrido, P., Ribeiro, S., Fernandes, J., Vala, H., Bronze-da-Rocha, E., Rocha-Pereira, P., *et al.* 2014. Iron-hepcidin dysmetabolism, anemia and renal hypoxia, inflammation and fibrosis in remnant kidney rat model. *Plos One*. 10(4).
- Genovese, F., Manresa, A.A., Leeming, D.J., Karsdal, M.A., Boor, P., 2014. The extracellular matrix in the kidney: a source of novel non-invasive biomarkers of kidney fibrosis?. *Fibrogenesis Tissue Repair*. 7(1): 4.
- Gorris, J.L., Castealo, A.M. 2012. Proteinuria: Detection and Role in Native Renal Disease Progression. *Transplant Rev*. 26(1): 3-13.
- Gruber, M., Hu, C.J., Johnson, R.S. 2007. Acute postnatal ablation of Hif-2alpha results in anemia. *Proc Natl Acad Sci USA*. 104: 2301–2306.
- Guyton, A.C. & Hall, J.E. 2006. *Medical Physiology*. 11th ed. Elsevier Saunders, Philadelphia.
- Haase, V.H. 2013. Regulation of erythropoiesis by hypoxia inducible factors. *Blood*. 27: 41-53.
- Hall, J. E., 2016. *Guyton and Hall Textbook of Medical Physiology* 13th edition. Philadelphia : Elsevier.
- Harris, R.C. & Neilson, E.G. 2006. Toward a unified theory of renal progression. *Annu. Rev. Med.* 57: 365–380.
- Hutchison, N., Fligny, C., Duffield, J.S., 2013. Resident mesenchymal cells and fibrosis. *Biochim Biophys Acta*. 1832(7): 962–971.
- Jha, V., Wang, A.Y.M., Wang, H.Y. 2012. The impact of CKD identification in large countries: the burden of illness. *Nephrol Dial Transplant*. 27(3): iii32-iii38.
- Jha, V., Garcia-Garcia, G., Iseki, K., Li, Z., Naicker, S., Plattner, B., *et al.*, 2013. Chronic kidney disease: global dimension and prespectives. *Lancet*. 382(9888): 260-272.
- Jelkmann, W. 2013. Regulation of erythropoietin production. *J physiol*. 589(6): 1251-1258.
- Johnson D.W., Forman C., Vesey D.A. 2006. Novel renoprotective actions of erythropoietin: new uses for an old hormone. *Nephrology*. 11(4): 306-312.
- Kang, D.H., Joly, A.H., Oh, S.W., Hugo, C., Kerjaschki, D., Gordon, K.L., *et al.* 2001. Impaired angiogenesis in the remnant kidney model: I. Potential role of vascular endothelial growth factor and thrombospondin-1. *J Am Soc Nephrol*. 12: 1434-1447.
- Kawakami, T., Ren, S., Duffield, J.S., 2013. Wnt signalling in kidney diseases: dual roles in renal injury and repair: Wnt signalling in renal injury and repair. *J Pathol*. 229(2): 221–231.
- Kawakami, T., Mimura, I., Shoji, K., Tanaka, T., Nangaku, M. 2014. Hypoxia and fibrosis in chronic kidney disease: crossing at pericytes. *Kidney Int Suppl*. 4(1): 107–112.
- Kementerian Kesehatan Republik Indonesia. 2013. *Riset Kesehatan Dasar*. Jakarta: Badan Penelitian dan Pengembangan Kesehatan Departemen Kesehatan Republik Indonesia.

- Kidney disease: Improving Global Outcomes (KDIGO) Anemia Work. 2012. KDIGO clinical practice guideline for anemia in chronic kidney disease. *Kidney Inter Suppl.* 2: 2779-335.
- Kim, N., Woo, D.C., Joo, S.J., Song, Y., Lee, J.J., Woo, C.W., *et al.* 2015. Reduction in renal ischemia-reperfusion injury in mice by a phosphoinositide 3-kinase p110gamma-specific inhibitor. *Transplantation.* 99(10): 2070-2076.
- Kren, S. & Hostetter, T.H. 1999. The course of the remnant kidney model in mice. *Kidney int.* 56(1): 333-337.
- Krol, G.D., 2011. Chronic Kidney Disease Staging and Progression, in *Chronic Kidney Disease (CKD) Clinical Practice Recommendations for Primary Care Physicians and Healthcare Providers, Divisions of nephrology & Hypertension and General Internal Medicine.*
- Kumar, H. & Choi, D.-K 2015. Hypoxia inducible factor pathway and physiological adaptation: a cell survival pathway?. *Mediators of inflammation.* 2015:1-11.
- Koury, S.T., Bondurant, M.C., Koury, M.J. 1988. Localization of erythropoietin synthesizing cells in murine kidneys by in situ hybridization. *Blood.* 71:524-527.
- Lacombe, C., Da Silva, J.L., Bruneval, P., Fournier, J.G., Wendling, F., Casadevall, N. 1988. Peritubular cells are the site of erythropoietin synthesis in the murine hypoxic kidney. *J. Clin. Invest.* 81: 620-623.
- Linas, S.L., Shanley, P.F., Whittenburg, D. 1988. Neutrophils accentuate ischemia-reperfusion injury in isolated perfused rat kidneys. *Am. J. Physiol.* 255: F728-F735.
- Liu, C., Shen, K., Liu, Z., Noguchi, C.T. 1997. Regulated human erythropoietin receptor expression in mouse brain. *JBC.* 272(51): 32305-32400.
- Liu, Y., 2006. Renal Fibrosis: new insight into the pathogenesis and therapeutics. *Kidney Int.* 69: 213-217
- Liu, Y. 2011. Cellular and molecular mechanisms of renal fibrosis. *Nat Rev Nephrol.* 7(12): 684-696.
- Lopez-Novoa, J.M., Martinez-Salgado, C., Rodriguez-Pena, A.B., Hernandez, F.J.L. 2010. Common Pathophysiological Mechanisms of Chronic Kidney Disease: Therapeutic Perspectives. *Pharmacol Therapeut.* 128: 61-81.
- Maciejewski, J.P., Selleri, C., Sato, T., Cho, H.J., Keefer, L.K., Nathan, C.F., *et al.* 1995. Nitric oxide suppression of human hematopoiesis in vitro: contribution to inhibitory action of interferon-gamma and tumor necrosis factor-alpha. *J Clin Invest.* 96: 1085-1092.
- Manotham, K., Tanaka, T., Matsumoto, M., Ohse, T., Miyata, T., Inagi, R., *et al.* 2004. Evidence of tubular hypoxia in the early phase in the remnant kidney model. *J Am Soc Nephrol.* 15: 1277-1288.
- Mason-Garcia, M., Beckman, B.S., Brookins, J.W., Powell, J.S., Lanham, W., Blaisdell, S., *et al.* 1990. Development of a new radioimmunoassay for erythropoietin using recombinant erythropoietin. *Kidney Int.* 38: 969-975.

- McCelallan, W., Aronoff, S.L., Botton, K.W., Hood, S.H., Lorber, D.L., Tang, K.L., *et al.* 2004. The prevalence of anemia in patients with chronic kidney disease. *Curr Med Res Opin.* 20 (9): 1601-1610.
- Meran, S. & Steadman, R. 2011. Fibroblast and myofibroblast in renal fibrosis. *Int J Exp.* 92: 158-167.
- Molina, A., Ubeda, M., Escribese, M. M., Garcia-Bernejó, L., Sancho, D., Perez de Lema, *et al.* 2005. Renal ischemia/reperfusion injury: functional tissue preservation by anti-activated $\alpha 1$ Integrin therapy. *J Am Soc Nephrol.* 16: 374-382.
- Molitoris, B.A., Dahl, R.H., Falk, S.A. 1989. Ischemic-induced loss of epithelial polarity. Role of the tight junction. *J. Clin. Invest.* 84: 1334 -1339.
- Moore, E. & Bellomo, R. 2011. Erythropoietin (EPO) in acute kidney injury. *Annals of intensive care.* 1(3).
- Morita, M., Ohneda, O., Yamashita, T., Takahashi, S., Suzuki, N., Nakajima, O., *et al.* 2003. HLF/ HIF-2 α is a key factor in retinopathy of prematurity in association with erythropoietin. *EMBO J.* 22: 1134–1146.
- Munshi, R., Hsu, C., Himmelfarb, J. 2011. Advances in understanding ischemic acute kidney injury. *BMC Medicine.* 9:11.
- Nagasu, H., Satoh, M., Kidokoro, K., Nishi, Y., Channon, K.M., Sasaki, T., *et al.* 2012. Endothelial dysfunction promotes the transition from compensatory renal hypertrophy to kidney injury after unilateral nephrectomy in mice. *Am J Physiol Renal Physiol.* 302: F1402-F1408.
- Nangaku, M., Eckardt, K. 2006. Pathogenesis of renal anemia. *J sem nephrol.* 26: 261-268.
- Nissenson, A.R., Lindsay, R.M., Seligman, P., Strobos, J. 1999. Sodium ferric gluconate complex in sucrose is safe and effective in hemodialysis patients: North American Clinical Trial. *Am J Kidney.* 33(3): 471-482.
- Paliege, A., Rosenberger, C., Bondke, A., Sciesielski, A., Shina, A, Heyman, S.N. 2010. Hypoxia-inducible factor-2 α -expressing interstitial fibroblasts are the only renal cells that express erythropoietin under hypoxia-inducible factor stabilization. *Kidney Int.* 77: 312–318.
- Park, K. M., Chen, A., Boventre, J. V. 2001. Prevention of kidney ischemia/reperfusion-induced functional injury and JNK, p38, and MAPK activation by remote ischemic pretreatment. *JBC.* 276 (1115): 11870-11876.
- Prabhu, S.M., Mesitrich, M.L., McLaughlin, E.A., Roman, S.D., Warne, S., Mendis, S., *et al.* 2006. Expression of c-kit receptor mRNA and protein in the developing, adult and irradiated rodent testis. *Reproduction.* 131: 489-499.
- Prakash, J., de Brost, M.H., Lacombe, M., Opdam, F., Klok, P.A., Van Goor, H., *et al.* 2008. Inhibition of renal rho kinase attenuates ischemia/reperfusion-induced injury. *J Am Soc Nephrol.* 19(11): 2086-297.
- Prasetyo, D. 2015. Korelasi ekspansi sel interstitial ginjal dengan konsentrasi hemoglobin dan ekspresi eritropoietin pada ginjal sebagai efek akut dan kronis cedera iskemia/reperfusi tunggal dan berulang pada mencit [thesis]. Univ. Gadjah Mada, Yogyakarta.

- Peralta, C.A., Shlipak, M.G., Judd, S., Cushman, M., McClellan, W., Zakai, N.A., *et al.* 2011. Detection of chronic kidney disease with creatinine, cystatin C, and urine albumin-to-creatinine ratio and association with progression to end stage renal disease and mortality. *JAMA*. 305(15) : 1545-1552.
- PERNEFRI. 2011. 4th Report of Indonesian renal registry.
- Perrone, R.D., Madias, N.E., Levet, A.S. 1992. Serum creatinine as an index of renal function: new insight into old concepts. *Clin Chem*. 38(10): 1933-1953.
- Prodjosudjadi, W. & Suhardjono, A. 2009. End-stage renal disease in Indonesia: treatment development. *Ethn. Dis*. 19(1): S133-S136.
- Rabb, H., O'Meara, Y.M., Maderna, P. 1997. Leukocytes, cell adhesion molecules and ischemic acute renal failure. *Kidney Int*. 51: 1463-1468.
- Rankin, E.B., Biju, M.P., Liu, Q. 2007. Hypoxia-inducible factor-2 (HIF-2) regulates hepatic erythropoietin in vivo. *J. Clin. Invest*. 117: 1068-1077.
- Remuzzi, G. & Bertani. 1998. Physiology of progressive nephropathies. *N Engl J Med*. 339: 1448-1456.
- Semenza, G.L. 2001. HIF-1 and mechanisms of hypoxia sensing. *Curr. Opin. Cell. Biol*. 13: 167-171.
- Schena, F.P. 1998. Role of growth factors in acute renal failure. *Kidney Int*. 53(66): S11-S15.
- Schley, G., Klanke, B., Schodel, J., Forstreuter, F., Shukla, D., Kurtz, A., *et al.* 2011. Hypoxia-inducible transcription factors stabilization in the thick ascending limb protects against ischemic acute kidney injury. *J Am Soc Nephrol*. 22: 2004-2015.
- Sherwood, L., 2012. *Fundamentals of human physiology* 4th edition. Canada : Brooks/Cole, Cengage Learning.
- Siegel, N.J., Devarajan, P., VanWhy, S. 1994. Renal cell injury: Metabolic and structural alterations. *Pediatr Res*. 36:129-136.
- Souma, T., Yamazaki, S., Moriguchi, T., Suzuki, N., Hirano, I., Pan, X., *et al.* 2013. Plasticity of renal erythropoietin-producing cells govern fibrosis. *J. Am. Soc. Nephrol*. 24(10): 1599-1616.
- Star, R.A. 1998. Treatment of acute renal failure. *Kidney Int*. 54: 1817- 1831.
- Stauffer, M.E. & Fan, T. 2014. Prevalence of anemia in chronic kidney disease in United States. *Plos ONE*. 9(1).
- Stenvinkel, P. 2001. The role of inflammation in the anaemia of end-stage renal disease. *Nephrol. Dial. Transplant*. 16(7): 36-40.
- Stockmann, C. & Fandrey, J. 2006. Hypoxia-induced erythropoietin production: a paradigm for oxygen-regulated gene expression. *Clin Exp Pharmacol Physiol*. 33: 968-979.
- Strutz, F. & Zeisberg, M. 2006. Renal fibroblast and myofibroblast in chronic kidney disease. *J Am Soc Nephrol*. 17: 2992-2998.
- Suega, K., Bakta, M., Dharmayudha, T.J., Lukman, J.S., Suwitra, K. 2005. Profile of anemia in chronic renal failure patients: comparison between predialyzed and dialyzed patients at the division of nephrology, department of internal medicine, Sanglah Hospital, Denpasar, Bali, Indonesia. *Acta Med Indones-Indones J Intern Med*. 37(4).

- Sutton, T.A., Fisher, C.J., Molitoris, B.A. 2002. Microvascular endothelial injury and dysfunction during ischemic acute renal failure. *Kidney Int.* 62:1539-1549.
- Sviglerova, J., Kuncova, J., Nalos, L., Tonar, Z., Radjil, D., Stengel, M. 2010. Cardiovascular parameters in rat model of chronic renal failure induced by subtotal nephrectomy. *Physiol. Res.* 59(1): S81-S88.
- Taniguchi, S., Dai, C., Price, J.O., Krantz, S.B. 1997. Interferon γ downregulates stem cell factor and erythropoietin receptors but not insulin-like growth factor-I receptors in human erythroid colony-forming cells. *Blood.* 90(6): 2244-2252.
- Thadhani, R., Pascual, M., Bonventre, J.V. 1996. Acute renal failure. *N. Engl. J. Med.* 334:1448-1460.
- Tortora, G.J. & Berrickson, B. 2012. *Principles of Anatomy & Physiology.* 13th ed. John Wiley & Sons Inc.
- Ucero, A.C., Benito-Martin, A., Izquierdo, M.C., Sanchez-Niño, M.D., Sanz, A.B., Ramos, A.M., *et al.* 2014. Unilateral ureteral obstruction: beyond obstruction. *Int Urol Nephrol.* 46(4): 765-776.
- Van der Putten, K., Braam, B., Jie, K.E. 2008. Mechanisms of Disease: erythropoietin resistance in patients with both heart and kidney failure. *Nat Clin. Pract. Nephrol.* 4: 47-57
- Wagner, M., Alam, A., Zimmermann, J. 2011. Endogenous erythropoietin and the association with inflammation and mortality in diabetic chronic kidney disease. *Clin. J. Am. Soc. Nephrol.* 6: 1573-1579.
- Wei, Q. & Dong, Z. 2012. Mouse model of ischemic acute ktes and idney injury: technical notes and tricks. *Am J Physiol Reanl Physiol.* 303(11): F1487-F1494.
- Weiss, G. & Goodnough, L.T. 2005. Anemia of chronic disease. *N Eng J Med.* 352: 1011-1023.
- William, P., Lopez, W., Britt, D., Chan, C., Ezrin, A., Hottendorf, R. 1997. Characterization of renal ischemia-reperfusion injury in rats. *J Pharmacol Toxicol Methods.* 37(1): 1-7.
- Xu, Y., 2013. Autophagy and apoptosis in tubular cells following unilateral ureteral obstruction are associated with mitochondrial oxidative stress. *Int J Mol Med.* 31(3): 628-636.
- Yamaguchi, I., Myojo, K., Sanada, H., Takami, A., Suzuki, Y., Imazumi, M., *et al.* Five-sixth nephrectomy in female common marmosets (*callithrix jacchus*) as a chronic renal faililure model. *J Toxicol Pathol.* 27: 183-196.
- Yuan, Y., Zhang, F., Wu, J., Shao, C., Gao, Y. 2015. Urinary candidate biomarker discovery in a rat unilateral ureteral obstruction model. *Srep.* 5: 9314.
- Zhang, Q.L. & Rothenbacher, D. 2008. Prevalence of chronic kidney disease in population-based studies: Systematic review. *BMC Public Health.* 8: 117.