

DAFTAR PUSTAKA

- Anders, H. J. & Ryu, M. 2011. Renal microenvironments and macrophage phenotypes determine progression or resolution of renal inflammation and fibrosis. *Kidney Int*, 80, 915-25.
- Arfian, N., Muflikhah, K., Soeyono, S. K., Sari, D. C. R., Tranggono, U., Anggorowati, N. & Romi, M. M. 2016. Vitamin D Attenuates Kidney Fibrosis via Reducing Fibroblast Expansion, Inflammation, and Epithelial Cell Apoptosis. *Kobe J. Med. Sci.*, 62, E-E.
- Bohle, A., Christ, H., Grund, K. & Mackensen, S. 1979. The role of the interstitium of the renal cortex in renal disease. *Interstitial Nephropathies*. Karger Publishers.
- Boutet, A., De Frutos, C. A., Maxwell, P. H., Mayol, M. J., Romero, J. & Nieto, M. A. 2006. Snail activation disrupts tissue homeostasis and induces fibrosis in the adult kidney. *EMBO J*, 25, 5603-13.
- Campanholle, G., Ligresti, G., Gharib, S. A. & Duffield, J. S. 2013. Cellular mechanisms of tissue fibrosis. 3. Novel mechanisms of kidney fibrosis. *Am J Physiol Cell Physiol*, 304, C591-603.
- Cao, Q., Wang, Y. & Harris, D. C. 2014. Macrophage heterogeneity, phenotypes, and roles in renal fibrosis. *Kidney Int Suppl (2011)*, 4, 16-19.
- Charan, J. & Kantharia, N. D. 2013. How to calculate sample size in animal studies? *J Pharmacol Pharmacother*, 4, 303-6.
- Chevalier, R. L., Forbes, M. S. & Thornhill, B. A. 2009. Ureteral obstruction as a model of renal interstitial fibrosis and obstructive nephropathy. *Kidney international*, 75, 1145-1152.
- Deshmane, S. L., Kremlev, S., Amini, S. & Sawaya, B. E. 2009. Monocyte chemoattractant protein-1 (MCP-1): an overview. *J Interferon Cytokine Res*, 29, 313-26.
- Duffield, J. S. 2014. Cellular and molecular mechanisms in kidney fibrosis. *J Clin Invest*, 124, 2299-306.
- Efstratiadis, G., Divani, M., Katsioulis, E. & Vergoulas, G. 2009. Renal fibrosis. *Hippokratia*, 13, 224-9.

- Eroschenko, V. P. & Di Fiore, M. S. 2013. *DiFiore's atlas of histology with functional correlations*, Lippincott Williams & Wilkins.
- Esposito, C., Parrilla, B., De Mauri, A., Cornacchia, F., Fasoli, G., Foschi, A., Mazzullo, T., Plati, A., Scudellaro, R. & Dal Canton, A. 2005. Hepatocyte growth factor (HGF) modulates matrix turnover in human glomeruli. *Kidney Int*, 67, 2143-50.
- Esteban, V., Lorenzo, O., Ruperez, M., Suzuki, Y., Mezzano, S., Blanco, J., Kretzler, M., Sugaya, T., Egido, J. & Ruiz-Ortega, M. 2004. Angiotensin II, via AT1 and AT2 receptors and NF-kappaB pathway, regulates the inflammatory response in unilateral ureteral obstruction. *J Am Soc Nephrol*, 15, 1514-29.
- Farris, A. B. & Colvin, R. B. 2012. Renal interstitial fibrosis: mechanisms and evaluation. *Curr Opin Nephrol Hypertens*, 21, 289-300.
- Gartner, L. P. & Hiatt, J. L. 2014. *Color atlas and text of histology*, Lippincott Williams & Wilkins.
- Giannopoulou, M., Dai, C., Tan, X., Wen, X., Michalopoulos, G. K. & Liu, Y. 2008. Hepatocyte growth factor exerts its anti-inflammatory action by disrupting nuclear factor-kappaB signaling. *Am J Pathol*, 173, 30-41.
- Grandaliano, G., Gesualdo, L., Bartoli, F., Ranieri, E., Monno, R., Leggio, A., Paradies, G., Caldarulo, E., Infante, B. & Schena, F. P. 2000. MCP-1 and EGF renal expression and urine excretion in human congenital obstructive nephropathy. *Kidney Int*, 58, 182-92.
- Grande, M. T. & Lopez-Novoa, J. M. 2009. Fibroblast activation and myofibroblast generation in obstructive nephropathy. *Nat Rev Nephrol*, 5, 319-28.
- Grande, M. T., Perez-Barriocanal, F. & Lopez-Novoa, J. M. 2010. Role of inflammation in tubulo-interstitial damage associated to obstructive nephropathy. *J Inflamm (Lond)*, 7, 19.
- Hall, J. E. 2006. *Guyton and Hall textbook of medical physiology*, Elsevier Health Sciences.
- Henderson, N. C., Mackinnon, A. C., Farnworth, S. L., Kipari, T., Haslett, C., Iredale, J. P., Liu, F. T., Hughes, J. & Sethi, T. 2008. Galectin-3 expression and secretion links macrophages to the promotion of renal fibrosis. *Am J Pathol*, 172, 288-98.

- Hinz, B., Phan, S. H., Thannickal, V. J., Galli, A., Bochaton-Piallat, M. L. & Gabbiani, G. 2007. The myofibroblast: one function, multiple origins. *Am J Pathol*, 170, 1807-16.
- Holick, M. F. 2007. Vitamin D deficiency. *N Engl J Med*, 357, 266-81.
- Jha, V., Garcia-Garcia, G., Iseki, K., Li, Z., Naicker, S., Plattner, B., Saran, R., Wang, A. Y. & Yang, C. W. 2013. Chronic kidney disease: global dimension and perspectives. *Lancet*, 382, 260-72.
- Julien, S., Puig, I., Caretti, E., Bonaventure, J., Nelles, L., van Roy, F., Dargemont, C., de Herreros, A. G., Bellacosa, A. & Larue, L. 2007. Activation of NF-kappaB by Akt upregulates Snail expression and induces epithelium mesenchyme transition. *Oncogene*, 26, 7445-56.
- Kalluri, R. & Neilson, E. G. 2003. Epithelial-mesenchymal transition and its implications for fibrosis. *J Clin Invest*, 112, 1776-84.
- Kawada, N., Moriyama, T., Ando, A., Fukunaga, M., Miyata, T., Kurokawa, K., Imai, E. & Hori, M. 1999. Increased oxidative stress in mouse kidneys with unilateral ureteral obstruction. *Kidney Int*, 56, 1004-13.
- Kementerian Kesehatan, R. 2013. Laporan Hasil Riset Kesehatan Dasar (Riskesmas) 2013. Jakarta: Kementerian Kesehatan RIDinKes Jateng.
- LeBleu, V. S., Taduri, G., O'Connell, J., Teng, Y., Cooke, V. G., Woda, C., Sugimoto, H. & Kalluri, R. 2013. Origin and function of myofibroblasts in kidney fibrosis. *Nat Med*, 19, 1047-53.
- Levey, A. S., Coresh, J., Balk, E., Kausz, A. T., Levin, A., Steffes, M. W., Hogg, R. J., Perrone, R. D., Lau, J. & Eknoyan, G. 2003. National Kidney Foundation practice guidelines for chronic kidney disease: evaluation, classification, and stratification. *Annals of internal medicine*, 139, 137-147.
- Li, M. & Batuman, V. 2009. Vitamin D: a new hope for chronic kidney disease? *Kidney Int*, 76, 1219-21.
- Li, N. Q., Yang, J., Cui, L., Ma, N., Zhang, L. & Hao, L. R. 2015. Expression of intronic miRNAs and their host gene *Igf2* in a murine unilateral ureteral obstruction model. *Braz J Med Biol Res*, 48, 486-92.

- Li, Y., Spataro, B. C., Yang, J., Dai, C. & Liu, Y. 2005. 1,25-dihydroxyvitamin D inhibits renal interstitial myofibroblast activation by inducing hepatocyte growth factor expression. *Kidney Int*, 68, 1500-10.
- Li, Y. C. 2012. Vitamin D: roles in renal and cardiovascular protection. *Current opinion in nephrology and hypertension*, 21, 72.
- Lin, S. L., Kisseleva, T., Brenner, D. A. & Duffield, J. S. 2008. Pericytes and perivascular fibroblasts are the primary source of collagen-producing cells in obstructive fibrosis of the kidney. *Am J Pathol*, 173, 1617-27.
- Liu, G., Ma, H., Qiu, L., Li, L., Cao, Y., Ma, J. & Zhao, Y. 2011. Phenotypic and functional switch of macrophages induced by regulatory CD4+CD25+ T cells in mice. *Immunol Cell Biol*, 89, 130-42.
- Liu, Y. 2006. Renal fibrosis: new insights into the pathogenesis and therapeutics. *Kidney international*, 69, 213-217.
- Liu, Y., Michalopoulos, G. K. & Zarnegar, R. 1994. Structural and functional characterization of the mouse hepatocyte growth factor gene promoter. *J Biol Chem*, 269, 4152-60.
- Longo, D. L., Fauci, A. S., Kasper, D. L., Hauser, S. L., Jameson, J. L. & Loscalzo, J. 2012. *Harrison's Principles of Internal Medicine 18E Vol 2 EB*, McGraw Hill Professional.
- Ma, F. Y., Flanc, R. S., Tesch, G. H., Han, Y., Atkins, R. C., Bennett, B. L., Friedman, G. C., Fan, J. H. & Nikolic-Paterson, D. J. 2007. A pathogenic role for c-Jun amino-terminal kinase signaling in renal fibrosis and tubular cell apoptosis. *J Am Soc Nephrol*, 18, 472-84.
- MacKinnon, A. C., Farnworth, S. L., Hodkinson, P. S., Henderson, N. C., Atkinson, K. M., Leffler, H., Nilsson, U. J., Haslett, C., Forbes, S. J. & Sethi, T. 2008. Regulation of alternative macrophage activation by galectin-3. *J Immunol*, 180, 2650-8.
- McAnulty, R. J. 2007. Fibroblasts and myofibroblasts: their source, function and role in disease. *Int J Biochem Cell Biol*, 39, 666-71.
- Melamed, M. L. & Thadhani, R. I. 2012. Vitamin D therapy in chronic kidney disease and end stage renal disease. *Clin J Am Soc Nephrol*, 7, 358-65.
- Meng, X. M., Nikolic-Paterson, D. J. & Lan, H. Y. 2014. Inflammatory processes in renal fibrosis. *Nat Rev Nephrol*, 10, 493-503.

- Merke, J., Milde, P., Lewicka, S., Hugel, U., Klaus, G., Mangelsdorf, D. J., Haussler, M. R., Rauterberg, E. W. & Ritz, E. 1989. Identification and regulation of 1,25-dihydroxyvitamin D3 receptor activity and biosynthesis of 1,25-dihydroxyvitamin D3. Studies in cultured bovine aortic endothelial cells and human dermal capillaries. *J Clin Invest*, 83, 1903-15.
- Mescher, A. L. 2013. *Junqueira's basic histology: text and atlas*, Mcgraw-hill.
- Miyajima, A., Kosaka, T., Seta, K., Asano, T., Umezawa, K. & Hayakawa, M. 2003. Novel nuclear factor kappa B activation inhibitor prevents inflammatory injury in unilateral ureteral obstruction. *J Urol*, 169, 1559-63.
- Moore, K. L., Dalley, A. F. & Agur, A. M. 2010. *Clinically oriented anatomy*, Lippincott Williams & Wilkins.
- Murray, C. J., Richards, M. A., Newton, J. N., Fenton, K. A., Anderson, H. R., Atkinson, C., Bennett, D., Bernabe, E., Blencowe, H., Bourne, R., Braithwaite, T., Brayne, C., Bruce, N. G., Brugha, T. S., Burney, P., Dherani, M., Dolk, H., Edmond, K., Ezzati, M., Flaxman, A. D., Fleming, T. D., Freedman, G., Gunnell, D., Hay, R. J., Hutchings, S. J., Ohno, S. L., Lozano, R., Lyons, R. A., Marcenes, W., Naghavi, M., Newton, C. R., Pearce, N., Pope, D., Rushton, L., Salomon, J. A., Shibuya, K., Vos, T., Wang, H., Williams, H. C., Woolf, A. D., Lopez, A. D. & Davis, A. 2013. UK health performance: findings of the Global Burden of Disease Study 2010. *Lancet*, 381, 997-1020.
- Okada, H. & Kalluri, R. 2005. Cellular and molecular pathways that lead to progression and regression of renal fibrogenesis. *Curr Mol Med*, 5, 467-74.
- Pan, B., Liu, G., Jiang, Z. & Zheng, D. 2015. Regulation of renal fibrosis by macrophage polarization. *Cell Physiol Biochem*, 35, 1062-9.
- Picard, N., Baum, O., Vogetseder, A., Kaissling, B. & Le Hir, M. 2008. Origin of renal myofibroblasts in the model of unilateral ureter obstruction in the rat. *Histochem Cell Biol*, 130, 141-55.
- Pike, J. W. & Meyer, M. B. 2010. The vitamin D receptor: new paradigms for the regulation of gene expression by 1,25-dihydroxyvitamin D(3). *Endocrinol Metab Clin North Am*, 39, 255-69, table of contents.
- Qi, W., Chen, X., Polhill, T. S., Sumual, S., Twigg, S., Gilbert, R. E. & Pollock, C. A. 2006. TGF-beta1 induces IL-8 and MCP-1 through a connective

tissue growth factor-independent pathway. *Am J Physiol Renal Physiol*, 290, F703-9.

- Ross, M. H. & Pawlina, W. 2016. *Histology*, Wolters Kluwer Health.
- Scanlon, V. C. & Sanders, T. 2007. *Essentials of anatomy and physiology*, FA Davis.
- Schieppati, A. & Remuzzi, G. 2005. Chronic renal diseases as a public health problem: epidemiology, social, and economic implications. *Kidney Int Suppl*, S7-S10.
- Sebekova, K., Blazicek, P., Syrova, D., Krivosikova, Z., Spustova, V., Heidland, A. & Schinzel, R. 2001. Circulating advanced glycation end product levels in rats rapidly increase with acute renal failure. *Kidney Int Suppl*, 78, S58-62.
- Sherwood, L. 2012. *Fundamentals of human physiology*, Cengage Learning.
- Silverstein, D. M., Travis, B. R., Thornhill, B. A., Schurr, J. S., Kolls, J. K., Leung, J. C. & Chevalier, R. L. 2003. Altered expression of immune modulator and structural genes in neonatal unilateral ureteral obstruction. *Kidney Int*, 64, 25-35.
- Standring, S. 2008. *Gray's anatomy: the anatomical basis of clinical practice*, Elsevier Health Sciences.
- Sudigdo, S. & Sofyan, I. 2002. Dasar-dasar metodologi penelitian klinis. *Edisi ke-2. Sagung Seto. Jakarta. hal*, 259.
- Swaminathan, S. & Griffin, M. D. 2008. First responders: understanding monocyte-lineage traffic in the acutely injured kidney. *Kidney Int*, 74, 1509-11.
- Tan, T. K., Zheng, G., Hsu, T. T., Lee, S. R., Zhang, J., Zhao, Y., Tian, X., Wang, Y., Wang, Y. M., Cao, Q., Wang, Y., Lee, V. W., Wang, C., Zheng, D., Alexander, S. I., Thompson, E. & Harris, D. C. 2013. Matrix metalloproteinase-9 of tubular and macrophage origin contributes to the pathogenesis of renal fibrosis via macrophage recruitment through osteopontin cleavage. *Lab Invest*, 93, 434-49.
- Tan, X., Li, Y. & Liu, Y. 2006. Paricalcitol attenuates renal interstitial fibrosis in obstructive nephropathy. *J Am Soc Nephrol*, 17, 3382-93.

- Tan, X., Li, Y. & Liu, Y. 2007. Therapeutic role and potential mechanisms of active Vitamin D in renal interstitial fibrosis. *J Steroid Biochem Mol Biol*, 103, 491-6.
- Tan, X., Wen, X. & Liu, Y. 2008. Paricalcitol inhibits renal inflammation by promoting vitamin D receptor-mediated sequestration of NF-kappaB signaling. *J Am Soc Nephrol*, 19, 1741-52.
- Thomas, R., Kansa, A. & Sedor, J. R. 2008. Chronic kidney disease and its complications. *Prim Care*, 35, 329-44, vii.
- Tomasek, J. J., Gabbiani, G., Hinz, B., Chaponnier, C. & Brown, R. A. 2002. Myofibroblasts and mechano-regulation of connective tissue remodelling. *Nature reviews Molecular cell biology*, 3, 349-363.
- Tortora, G. J. & Derrickson, B. H. 2012. *Principles of anatomy and physiology*, John Wiley & Sons.
- Vernon, M. A., Mylonas, K. J. & Hughes, J. 2010. Macrophages and renal fibrosis. *Semin Nephrol*, 30, 302-17.
- Wein, A. J., Kavoussi, L. R., Novick, A. C., Partin, A. W. & Peters, C. A. 2012. *Campbell-Walsh Urology: Expert Consult Premium Edition: Enhanced Online Features and Print, 4-Volume Set*, Elsevier Health Sciences.
- Weinreich, T., Merke, J., Schonermark, M., Reichel, H., Diebold, M., Hansch, G. M. & Ritz, E. 1991. Actions of 1,25-dihydroxyvitamin D3 on human mesangial cells. *Am J Kidney Dis*, 18, 359-66.
- Wynes, M. W., Frankel, S. K. & Riches, D. W. 2004. IL-4-induced macrophage-derived IGF-I protects myofibroblasts from apoptosis following growth factor withdrawal. *J Leukoc Biol*, 76, 1019-27.
- Xu, L., Wan, X., Huang, Z., Zeng, F., Wei, G., Fang, D., Deng, W. & Li, Y. 2013. Impact of vitamin D on chronic kidney diseases in non-dialysis patients: a meta-analysis of randomized controlled trials.
- Yang, J., Dai, C. & Liu, Y. 2003. Hepatocyte growth factor suppresses renal interstitial myofibroblast activation and intercepts Smad signal transduction. *Am J Pathol*, 163, 621-32.
- Yang, J. & Liu, Y. 2001. Dissection of key events in tubular epithelial to myofibroblast transition and its implications in renal interstitial fibrosis. *Am J Pathol*, 159, 1465-75.



- Zhang, Y., Kong, J., Deb, D. K., Chang, A. & Li, Y. C. 2010. Vitamin D receptor attenuates renal fibrosis by suppressing the renin-angiotensin system. *Journal of the American Society of Nephrology*, 21, 966-973.
- Zhang, Z., Wang, G., Ma, J., Liu, H., Zhang, X. & Zhu, G. 2013. Effect of herba centellae on the expression of HGF and MCP-1. *Exp Ther Med*, 6, 427-434.
- Zuo, C., Xie, X. S., Qiu, H. Y., Deng, Y., Zhu, D. & Fan, J. M. 2009. Astragalus mongholicus ameliorates renal fibrosis by modulating HGF and TGF-beta in rats with unilateral ureteral obstruction. *J Zhejiang Univ Sci B*, 10, 380-90.