

DAFTAR PUSTAKA

- Anitha, R., Arunachalam, S. dan Radhakrishnan, P., 2001, Critical Parameters Influencing the Quality of Prototypes in Fused Deposition Modeling, *Journal of Materials Processing Technology*, pp. 385 – 388.
- ASM International, 2000, Aluminium Extrusion Technology, Terdapat di: http://www.asminternational.org/documents/10192/3475884/06826G_Chapter_1.pdf/3ec90285-70c7-46cc-85a3-061841cdcddb [Diakses pada 11 Maret 2016]
- Balgies, Dewi, S.U. dan Dahlan, K., 2011, Sintesis dan Karakterisasi Hidroksiapatit Menggunakan Analisis X-Ray Diffraction, *Prosiding Seminar Nasional Hamburan Neutron dan Sinar-X ke-8*, pp. 10-13.
- Chandramohan, D. dan Marimuthu, K., 2011, Rapid Prototyping/Rapid Tooling- An Over View and Its Applications in Orthopaedics, *International Journal of Advanced Engineering Technology*, Vol. 2(4), pp. 435-448.
- Darwis, D. dan Abbas, B., 2010, Aplikasi Isotop dan Radiasi Dalam Pembuatan dan Pengembangan Bahan Biomaterial Untuk Keperluan Klinis, *Seminar Nasional Keselamatan Kesehatan dan Lingkungan VI*, pp. 60-79.
- Hosseinzadeh, H.R.S., Emami, M., Lahiji, F., Shahi, A.S., Masoudi, A. dan Emami, S., 2013, The Arcrylic Bone Cement in Arthroplasty, Chapter 5, pp. 101-128.
- Huang, T., Mason, M.S., Zhao, X., Hilmas, G.E. dan Leu, M.G., 2009, Aqueous-Based Freeze-Form Extrusion Fabrication of Alumina Components, *Journal Rapid Prototyping*, Vol.15, pp.88-95.
- Indrani, D.J., 2012, *Komposisi Hidroksiapatit Kalsinasi Suhu Rendah dengan Alginat Sargassum Duplicatum Atau Sargassum Crassifolium Sebagai Material Scaffold untuk Pertumbuhan Sel Punca Mesenkimal*, Universitas Indonesia, Depok.
- Kiswanto, G., Ario, S.B., Rendi, K., Srijanto dan Hadi, M., 2010, Pengembangan Mesin Rapid Prototyping Berbasis FDM (Fused Deposition Modelling) Untuk Produk Berkontur dan Prismatic, *Seminar Nasional Tahunan Teknik Mesin (SNTTM)*, pp. 123-130. Terdapat di: http://oaj.unsri.ac.id/files/ft/snttm2010/1287_PROSIDING%20DIGITAL%20SNTTM [Diakses pada 19 Maret 2016]
- Koleva, M., 2010, Polymethyl Methacrylate (PMMA), *Injection Moulding Materials*, pp. 1-5.
- Lebaal, N., Puissant, S. dan Schimdt, F., 2010, Application of a Response Surface Method to The Optimal Design of The Wall Temperature Profiles in

- Extrusion Die, *International Journal of Material Forming*, Vol.3(1), pp 47-58.
- Mahadi, 2007, Teknik Pembuatan Polimer pada Proses Ekstrusi, Terdapat di: <http://library.usu.ac.id/download/ft/07002560.pdf> [Diakses pada 11 Maret 2016]
- Mahindru, D.V. dan Mahendru, P., 2013, Review of Rapid Prototyping-Technology for the Future, *USA Global Journal of Computer Science and Technology Graphics & Vision*, Vol. 13(4), Version 1.
- Mahmuda, E., Savetlana, S. dan Sugiyanto, 2013, Pengaruh Panjang Serat Terhadap Kekuatan Tarik Komposit Berpenguat Serat Ijuk dengan Matrik Epoxy, *Jurnal FEMA*, Vol. 1(3), Version 1.
- Mahulauw, A., 2015, *Pengaruh Konsentrasi Serisin pada Scaffold Biokomposit Serisin-Hidroksiapatit-Starch Bioplastic terhadap Viabilitas dan Perlekatan Sel Fibroblas*, Universitas Gadjah Mada, Yogyakarta.
- Mason, M.S., Huang, T., Landers, R.G., Leu, M.C., Hilmas, G.E. dan Hayes, M.W., 2007, Aqueous-Based Extrusion Fabrication of Ceramics on Demand, *Proceedings of Solid Freeform Fabrication Symposium*, Austin, TX, pp. 124-134.
- Meneghini, C., Dalconim M.C., Nuzzo, S., Mobilio, S. dan Wnk, R.H., 2003, Rietveld Refinement on X-Ray Diffraction Patterns of Bioapatite in Human Fetal Bones. *Biophysical Journal* 84, pp. 2021-2029. Terdapat di: <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC1302771/> [Diakses pada 24 Maret 2016]
- Mondal, M., Trivedy, K. dan Kumar, S.N., 2007, The Silk proteins, Sericin and Fibroin in Silkworm, *Bombyx mori* Linn - A Review, *Caspian J. Env. Sci*, Vol. 5(2), pp. 63-76.
- Montgomery, D.C., 2009, *Design and Analysis of Experiments*, 5th ed., John Wiley and Sons Inc., New York
- Montgomery, D.C. dan Runger, G.C., 2003, *Applied Statistics and Probability for Engineers*, 3rd ed., John Wiley & Sons Inc., New York.
- Narasimba M. dan Rejikumar R., 2013, Plastic Pipe Defects Minimization, *International Journal of Innovative Research & Development*, Vol. 2(5), pp. 1337-1351.
- Nejatian, T., Sefat, F. dan Johson, T., 2015, Impact of Packing and Processing Technique on Mechanical Properties of Acrylic Denture Base Materials, *MDPI - Open Access Publishing Journal of Materials*, Vol. 8, pp. 2093-2109.

- Nordin, S. M. N. I. B. S. M., 2013, *Experimental Study Of Rapid Prototyping Of Manufacturing Plastic Product Using Response Surface Methodology*, Universiti Malaysia Pahang, Malaysia.
- Novakova-Marcincinova, L. dan Kuric, I., 2012, Basic and Advanced Materials for Fused Deposition Modelling Rapid Prototyping Technology, *Manuf. and Ind. Eng.*, Vol.1 1(1), pp. 24-27. Terdapat di: <web.tuke.sk/fvtpo/journal/pdf12/1-pp-24-27.pdf> [Diakses pada 20 Maret 2016].
- Nugraha, F. K. A. Dan Tontowi, A.E., 2016, Shrinkage of [HA/Bioplactic/Sericin] Composite Part Printed by Bioprinter, *The 2016 Conference on Fundamental and Applied Science for Advanced Technology*, pp. 1-6.
- Nugroho, Y. C., 2015, *Optimasi Parameter Proses Ekstrusi Pasta Biokomposit [Hidroksiapatit/Bioplastik/Serisin] Menggunakan Metode Response Surface*, Universitas Gadjah Mada, Yogyakarta.
- Petit, R., 1999, The Use of Hydroxyapatite in Orthopaedic Surgery: A ten-year Review, *European Journal of Orthopaedic Surgery & Traumatology*, Vol. 9, pp. 71-74.
- Pfiedler Enterprise, 2011, Preparation and Safe Use of PMMA Bone Cement (A Continuing Education Self-Study Activity), Pfiedler Enterprise, Colorado.
- Porat, M. dan Klatt, B.A., 2013, Essential In Total Hip Arthroplasty, Chapter 8, pp. 63-68, Slack Incorporated.
- Pritikaranaputri, G., 2012, *Optimasi Parameter Proses pada Mesin Portabee Printer Tiga Dimensi Menggunakan Metode Taguchi*, Universitas Gadjah Mada, Yogyakarta.
- Putra, D. A., 2014, *Optimasi Komposisi Campuran Hydroxyapatite, Sericin dan Bioplastik Sebagai Biokomposit untuk Memperoleh Waktu Pengeringan Tercepat dan Kuat Mekanik Tertinggi*, Universitas Gadjah Mada, Yogyakarta.
- Raju, G., Sharma, L.M. dan Meena, L.M., 2014, Recent Method for Optimization of Plastic Extrusion Process: A Literature Review, *International Journal of Advanced Mechanical Engineering*, Vol. 4(6), pp. 583-588.
- Rangi, A. dan Jajpura, L., 2015, The Biopolymer Sericin: Extraction and Application, *J Textile Sci Eng*, Vol. 5(1), pp. 1-5.
- Ridho, H., 2014, *Evaluasi Laju Aliran Volumetrik Material Pasta Silika-Bioplastik dari Sistem Pengumpanan Ekstrusi Ulir Tunggal Mesin Printer Tiga Dimensi*, Universitas Gadjah Mada, Yogyakarta.
- Saleha, Halik, M., Annisa, N., Sudirman dan Subaer, 2015, Sintesis dan Karakterisasi Hidroksiapatit dari Nanopartikel Kalsium Oksida (CaO)

Cangkang Telur Untuk Aplikasi Dental Implan, *Prosiding Pertemuan Ilmiah XXIX HFI Jateng & DIY*, pp. 124-127, Yogyakarta.

Sastranegara, A., 2009, *Mengenal Uji Tarik dan Sifat-Sifat Mekanik Logam*. Terdapat di: <<http://www.infometrik.com/2009/09/mengenal-uji-tarik-dan-sifat-sifat-mekanik-logam/>> [Diakses tanggal 20 Juli 2016]

Sihaloho, R. I. A., 2016, *Optimasi Komposisi Campuran Biokomposit [PMMA/Hidroksiapatit/Sericin] Menggunakan Metode Design of Experiment*, Universitas Gadjah Mada, Yogyakarta.

Suryadi, 2011, *Sintesis dan Karakterisasi Biomaterial Hidroksiapatit dengan Proses Pengendapan Kimia Basah*, Universitas Indonesia, Depok.

Winahju, W. S., 2013, *Analisis Variansi dan Statistik Matematika Yang Terkait*, Institut Teknologi Sepuluh November.

Yilmaz, H., 2010, Tensile Strength Testing of Thin Spray-on Liner Products (TSLs) and Shotcrete, *The Journal of Southern African Institute of Mining and Metallurgy*, Vol. 10, pp. 559-669.

Tontowi, A.E. dan Putra, D. A., 2015, Effect of Sericin in (HA/Bioplastic) Composite Composed by 2k Factorial Method on Solidification Time and Tensile Strength, *International Journal of Engineering and Technology*, Vol. 7(5), pp 1943-1951.

Tontowi, A.E. dan Setiawan, A., 2016, Mechanical Strength of [HA/Bioplastic/Sericin] Composite Part Printed by Bioprinter, *The 2016 Conference on Fundamental and Applied Science for Advanced Technology*, pp 1–6.