

DAFTAR PUSTAKA

- Abioye, I. A., Omotayo, M. O., & Alakija, W. (2011). Socio-demographic determinants of stigma among patients with pulmonary tuberculosis in Lagos, Nigeria. *African health sciences*, 11(3), 100-104.
- Arhq Gov. (2014). Stakeholder Guide 2014: Effective Health Care Program. Diakses dari <http://www.effectivehealthcare.ahrq.gov/> pada 1 April 2016
- Awofeso, N., Schelokova, I., & Dalhatu, A. (2008). Training of front-line health workers for tuberculosis control: Lessons from Nigeria and Kyrgyzstan. *Human resources for health*, 6(1), 20.
- Alisjahbana, B., Sahiratmadja, E., Nelwan, E. J., Purwa, A. M., Ahmad, Y., Ottenhoff, T. H., ... & van Crevel, R. (2007). The effect of type 2 diabetes mellitus on the presentation and treatment response of pulmonary tuberculosis. *Clinical Infectious Diseases*, 45(4), 428-435.
- Baghaei, P., Marjani, M., Javanmard, P., Tabarsi, P., & Masjedi, M. R. (2013). Diabetes mellitus and tuberculosis facts and controversies. *J Diabetes Metab Disord*, 12(1), 58.
- Baral, S. C., Karki, D. K., & Newell, J. N. (2007). Causes of stigma and discrimination associated with tuberculosis in Nepal: a qualitative study. *BMC public health*, 7(1), 1.
- Beran D. The diabetes foundation report on implementing national diabetes programmes in sub-Saharan Africa. London, International Insulin Foundation, (2006). 1-52. http://www.access2insulin.org/uploads/4/9/1/0/4910107/iif_full_final.pdf. Diakses 20 September 2016.
- Borst, Joan. (2011). Interprofessional Collaboration: An Introduction. Humán Innovációs Szemle 2011. 1. Szám.
- Collaborative Framework for care and control of Tuberculosis and Diabetes http://apps.who.int/iris/bitstream/10665/44698/1/9789241502252_eng.pdf diunduh 7 maret 2016
- Cahyadi, A., & Venty, V. (2011). Pulmonary Tuberculosis in Diabetes Mellitus Patients. *Journal of the Indonesian Medical Association*, 61(04).
- Cambanis, A., Yassin, M. A., Ramsay, A., Bertel Squire, S., Arbide, I., & Cuevas, L. E. (2005). Rural poverty and delayed presentation to tuberculosis services in Ethiopia. *Tropical Medicine & International Health*, 10(4), 330-335.
- Castellanos-Joya, M., Delgado-Sánchez, G., Ferreyra-Reyes, L., Cruz-Hervert, P., Ferreira-Guerrero, E., Ortiz-Solís, G., ... & Baez-Saldaña, R. (2014). Results of the implementation of a pilot model for the bidirectional screening and joint management of patients with pulmonary tuberculosis and diabetes mellitus in Mexico. *PloS one*, 9(9), e106961.

- Chowdhury, M. R. K., Rahman, M. S., Mondal, M. N. I., Sayem, A., & Billah, B. (2015). Social Impact of Stigma Regarding Tuberculosis Hindering Adherence to Treatment: A Cross Sectional Study Involving Tuberculosis Patients in Rajshahi City, Bangladesh. *Japanese journal of infectious diseases*, 68(6), 461-466.
- Creel, L. C., Sass, J. V., & Yinger, N. V. (2002). Client-centered quality: clients' perspectives and barriers to receiving care. *New Perspectives on Quality of Care*, 2, 1-8.
- Demissie, M., Getahun, H., & Lindtjörn, B. (2003). Community tuberculosis care through "TB clubs" in rural North Ethiopia. *Social science & medicine*, 56(10), 2009-2018.
- De Stampa, M., Vedel, I., Trouvé, H., Ankri, J., Jean, O. S., & Somme, D. (2014). Multidisciplinary teams of case managers in the implementation of an innovative integrated services delivery for the elderly in France. *BMC health services research*, 14(1), 159.
- Diabetes Melitus Tipe 2 dan tata laksana terkini http://cme.medicinus.co/file.php/1/LeadingArticleDiabetes_Mellitus_Tipe_2_dan_tata_laksana_terkini.pdf.
- Everett, B. (2006). *Stigma, the hidden killer: background paper and literature review*. Mood Disorders Society of Canada.
- Faurholt-Jepsen, D., Range, N., PrayGod, G., Jeremiah, K., Faurholt-Jepsen, M., Aabye, M. G., ... & Witte, D. R. (2011). Diabetes is a risk factor for pulmonary tuberculosis: a case-control study from Mwanza, Tanzania. *PloS one*, 6(8), e24215.
- Federal Ministry of Health Ethiopia. Guidelines for clinical and programmatic management of TB, leprosy and TB/HIV in Ethiopia. Fifth edition. Addis Ababa 2012; 1-138.
- Getahun, H., & Maher, D. (2000). Contribution of 'TB clubs' to tuberculosis control in a rural district in Ethiopia [Planning and Practice]. *The International Journal of Tuberculosis and Lung Disease*, 4(2), 174-178.
- Godfrey-Faussett, P., Kaunda, H., Kamanga, J., Van Beers, S., Van Cleeff, M., Kumwenda-Phiri, R., & Tihon, V. (2002). Why do patients with a cough delay seeking care at Lusaka urban health centres? A health systems research approach. *The International Journal of Tuberculosis and Lung Disease*, 6(9), 796-805.
- Harries, A. D., Kumar, A. M. V., Satyanarayana, S., Lin, Y., Zachariah, R., Lönnroth, K., & Kapur, A. (2015). Diabetes mellitus and tuberculosis: programmatic management issues. *The International Journal of Tuberculosis and Lung Disease*, 19(8), 879.
- Ignatowicz, A., Greenfield, G., Pappas, Y., Car, J., Majeed, A., & Harris, M. (2014). Achieving provider engagement providers' perceptions of

- implementing and delivering integrated care. *Qualitative health research*, 24(12), 1711-1720.
- Infodatin Pusat data dan informasi Kemenkes RI. (2015). file:///C:/Users/user/Downloads/infodatin-diabetes.pdf.
- Jittimanee, S. X., Nateniyom, S., Kittikraisak, W., Burapat, C., Akksilp, S., Chumpathat, N., ... & Varma, J. K. (2009). Social stigma and knowledge of tuberculosis and HIV among patients with both diseases in Thailand. *PLoS One*, 4(7), e6360.
- Irianto, J. (2001). Isu-Isu Strategis Pengembangan Sumber Daya Manusia, Surabaya, Insan Cendekia.
- Kapur, A., & Harries, A. D. (2013). The double burden of diabetes and tuberculosis – Public health implications. *Diabetes Research and Clinical Practice*, 101(1), 10–19.
- Karim, F., Chowdhury, A. M. R., Islam, A., & Weiss, M. G. (2007). Stigma, gender, and their impact on patients with tuberculosis in rural Bangladesh. *Anthropology and Medicine*, 14(2), 139-151.
- Kok, M. C., & Muula, S. (2013). Motivation and job satisfaction of health surveillance assistants in Mwanza, Malawi: an explorative study. *Malawi Medical Journal*, 25(1), 5-11.
- Konda, S., Melo, C., Giri, P., & Behera, A. (2014). Determinants of delays in diagnosis and treatment of pulmonary tuberculosis in a new urban township in India: A cross-sectional study. *International Journal of Medical Science and Public Health*, 3(2), 140-145.
- Lenka, S. R., & George, B. (2013). Integrated health service delivery: why and how? *National Journal of Medical Research*, 3(3), 297–299.
- Link, B. G., & Phelan, J. C. (2001). Conceptualizing stigma. *Annual review of Sociology*, 363-385.
- Macq, J., Solis, A., Martinez, G., Martiny, P., & Dujardin, B. (2005). An exploration of the social stigma of tuberculosis in five “municipios” of Nicaragua to reflect on local interventions. *Health policy*, 74(2), 205-217.
- Marais, B. J., Lönnroth, K., Lawn, S. D., Migliori, G. B., Mwaba, P., Glaziou, P., ... & Memish, Z. A. (2013). Tuberculosis comorbidity with communicable and non-communicable diseases: integrating health services and control efforts. *The Lancet infectious diseases*, 13(5), 436-448.
- Marquez, P. V., & Farrington, J. L. (2012). No more disease silos for sub-Saharan Africa. *BMJ*, 345(August), e5812.
- Mushtaq, M. U., Shahid, U., Abdullah, H. M., Saeed, A., Omer, F., Shad, M. A., ... & Akram, J. (2011). Urban-rural inequities in knowledge, attitudes and practices regarding tuberculosis in two districts of Pakistan's Punjab province. *International journal for equity in health*, 10(1), 1.

- Notoatmodjo, Soekidjo. (2003). Pendidikan Dan Perilaku Kesehatan. Rineka. Cipta. Jakarta.
- Oxlade, O., Piatek, A., Vincent, C., & Menzies, D. (2015). Modeling the impact of tuberculosis interventions on epidemiologic outcomes and health system costs. *BMC public health*, 15(1), 141....1.
- Paramita, G. P., & Rosa, E. M. (2014). Praktek Kolaborasi Dokter-Perawat Terhadap Kepuasan Kerja Dokter Umum di RSUD Nganjuk. *Jurnal Medicoeticolegal dan Manajemen Rumah Sakit*, 3(1).
- Payghan, B. S., Kadam, S. S., Kumar, P., & BK, S. (2013). Knowledge and perception of health care workers towards clean care practices in a tertiary care hospital. *Journal of Evolution of Medical and Dental Sciences*, 2(10), 1459-1466.
- Pedoman Nasional Penanggulangan Tuberkulosis, Kemenkes RI. (2011). <https://www.scribd.com/doc/161273999/Depkes-RI-New-Pedoman-Nasional-Penanggulangan-TBC-2011> 12 ferbruari 2016-03-25-.
- Perkumpulan Endokrinologi Indonesia. Konsensus Pengelolaan dan pencegahan diabetes mellitus tipe 2 di Indonesia. Jakarta: PB Perkeni 2006.
- Profil Dinas Kesehatan Kabupaten Klaten Tahun 2014, 2015.
- Rajeswari, R., Muniyandi, M., Balasubramanian, R., & Narayanan, P. R. (2005). Perceptions of tuberculosis patients about their physical, mental and social well-being: a field report from south India. *Social science & medicine*, 60(8), 1845-1853.
- Riskesdas. (2013). Data penyakit tidak menular.Litbangkes. [Online]. 2013 [cited 2015 Mei 28]. Available from URL: <http://www.litbang.depkes.go.id>
- Riyadi, Sujono S.M. (2011). Buku Keperawatan Medikal Bedah.: Yogyakarta:Pustaka Pelajar.
- Rumanti, E. (2009). Analisis Pengaruh Pengetahuan Perawat Tentang Indikator Kolaborasi Terhadap Praktek Kolaborasi Perawat Dokter Di Unit Rawat *Inap Rumah Sakit Jiwa Daerah Dr Amino Gondohutomo Semarang* (Doctoral dissertation,Universitas Diponegoro).
- Robbins, Stephen. P. (2006). Perilaku Organisasi (alih bahasa Drs. Benjamin Molan), Edisi Bahasa Indonesia, Klaten: PT Intan Sejati.
- Salcedo, R. M. (2015). A Staff Development Program: Diabetes and TB Education and Screening Pedoman Nasional Penanggulangan Tuberculosis Kemenkes RI, 2014 <http://spiritia.or.id/dokumen/pedoman-tbnasional2014.pdf> 25 februari 2016.
- Schmeer, K. (1999). Uidlines for Conducting Stakeholder Analysis. PHR Project From WHO. Diakses dari <http://www.who.int/management/partnerships/overall/GuidelinesConductingStakeholderAnalysis.pdf> pada 1 April 2016.

- Sengupta, S., Pungrassami, P., Balhithip, Q., Strauss, R., Kasetjaroen, Y., Chongsuvivatwong, V., & Van Rie, A. (2006). Social impact of tuberculosis in southern Thailand: views from patients, care providers and the community. *The International Journal of Tuberculosis and Lung Disease*, 10(9), 1008-1012.
- Sharma, P., Visnegarwala, F., & Tripathi, V. (2014). Burgeoning double burden of tuberculosis and diabetes in India: Magnitude of the problem—Strategies and solutions. *Clinical Epidemiology and Global Health*, 2(3), 107-116.
- Sullivan, T., & Amor, Y. B. (2012). The co-management of tuberculosis and diabetes: challenges and opportunities in the developing world. *PLoS Med*, 9(7), e1001269.
- Stanley YP, Amare Y. Integrated family planning and VCT services in ethiopia: experiences of health care providers. Qualitative research studies No. 14. Calverton: Macro International; 2008. http://pdf.usaid.gov/pdf_docs/PNADN519.pdf. Accessed 09 Oct 2015.
- Storla, D. G., Yimer, S., & Bjune, G. A. 2008. A systematic review of delay in the diagnosis and treatment of tuberculosis. *BMC public health*, 8(1), 15.
- Tadesse, S. (2016). Stigma against Tuberculosis Patients in Addis Ababa, Ethiopia. *PloS one*, 11(4), e0152900.
- Temu, F., Leonhardt, M., Carter, J., & Thiam, S. (2014). Integration of non-communicable diseases in health care: tackling the double burden of disease in African settings. *Pan African Medical Journal*, 18, 1–6.
- Tondong, M. A. P., & Mahendradhata, Y. (2013). Evaluasi Implementasi Public Private Mix (PPM) Pengendalian Tuberkulosis di Kabupaten Ende Provinsi Nusa Tenggara Timur Tahun 2012 (Doctoral dissertation, Universitas Gadjah Mada).
- Tsakitzidis, G., Timmermans, O., Callewaert, N., Truijen, S., Meulemans, H., & Van Royen, P. 2015. Participant evaluation of an education module on interprofessional collaboration for students in healthcare studies. *BMC medical education*, 15(1), 188.
- Trisnawati, S. K., & Setyorogo, S. (2013). Faktor Risiko Kejadian Diabetes Melitus Tipe II di Puskesmas Kecamatan Cengkareng Jakarta Barat. *Jurnal Ilmiah Kesehatan*, 6-11.
- Tuberculosis and Diabetes Mellitus Control and Care: A Rapid Situational Analysis for Planning a Coordinated Program Response <http://dirp4.pids.gov.ph/webportal/cdn/publications/pidsdps1440.pdf> ciated 2016 maret 25 17.13.
- The End TB Strategy. World Health Organization. Global strategy and targets for tuberculosis prevention, care and control after 2015. http://www.who.int/tb/post2015_TBstrategy.pdf. Diakses 20 September 2016.

- Unutzer, Jurgen. (2013). *The Collaborative Care Model: An Approach for Integrating Physical and Mental Health Care in Medicaid Health Homes*. Health Home Information Resource Center. Brief- May 2013.
- Van Durme, T., Macq, J., Anthierens, S., Symons, L., Schmitz, O., Paulus, D & Remmen, R. (2014). Stakeholders' perception on the organization of chronic care: a SWOT analysis to draft avenues for health care reforms. *BMC health services research*, 14(1), 179.
- Van Rie, A., Sengupta, S., Pungrassami, P., Balhithip, Q., Choonuan, S., Kasetjaroen, Y., ... & Chongsuvivatwong, V. (2008). Measuring stigma associated with tuberculosis and HIV/AIDS in southern Thailand: exploratory and confirmatory factor analyses of two new scales. *Tropical Medicine & International Health*, 13(1), 21-30.
- Vidyawati, P.D., Widayaheni, I.S. & Pakasi, T. (2013). Deteksi Dini dan Penatalaksanaan Tuberkulosis dan Diabetes Melitus terintegrasi.
- Viswanathan, V., Kumpatla, S., Aravindalochanan, V., Rajan, R., Chinnasamy, C., Srinivasan, R., ... & Kapur, A. (2012). Prevalence of diabetes and pre-diabetes and associated risk factors among tuberculosis patients in India. *PloS one*, 7(7), e41367.
- Walgito B,. (2010) *Pengantar Psikologi Dasar*, Yogyakarta Andi Offset.
- Wang, Q., Han, X., Ma, A., Wang, Y., & Christian, I. (2012). Screening and intervention of diabetes mellitus in patients with pulmonary tuberculosis in poverty zones in China: Rationale and study design. *Diabetes Research and Clinical Practice*, 96(3), 385–391.
- Wang, J., Fei, Y., Shen, H., & Xu, B. (2008). Gender difference in knowledge of tuberculosis and associated health-care seeking behaviors: a cross-sectional study in a rural area of China. *BMC public health*, 8(1), 1.
- Workneh, M. H., Bjune, G. A., & Yimer, S. A. (2016). Assessment of health system challenges and opportunities for possible integration of diabetes mellitus and tuberculosis services in South-Eastern Amhara Region, Ethiopia: a qualitative study. *BMC Health Services Research*, 16(135), 1–11.
- World Health Organizations. WHO Global Tuberculosis Report, 2014 http://apps.who.int/iris/bitstream/10665/137094/1/9789241564809_eng.pdf
- World Health Organizations. WHO Global Tuberculosis Repot, 2015 http://apps.who.int/iris/bitstream/10665/191102/1/9789241565059_eng.pdf.
- World Health Organization. (2011). *Collaborative framework for care and control of tuberculosis and diabetes*. Geneva, Switzerland: World Health Organization.
- Wulandari, D. R., & Sugiri, Y. J. (2013). Diabetes melitus dan permasalahannya pada infeksi tuberkulosis. *J Respir Indo*, 33(2), 126-134.

Yang, L. H., Kleinman, A., Link, B. G., Phelan, J. C., Lee, S., & Good, B. (2007). Culture and stigma: adding moral experience to stigma theory. *Social science & medicine*, 64(7), 1524-1535.