

## DAFTAR PUSTAKA

- Adab, P., McGhee, S. M., Hedley, A.J., & Lam, T. H. (2005). Smoking, Respiratory Diseases and Health Service Utilisation : The Paradox. *Social science & medicine* (1982), 60(3), 483-90.
- Aditama, TY. (1997). *Rokok dan Kesehatan*. Universitas Indonesia. Jakarta.
- Ajzen, I. 2005. The Theory of Planned Behavior : Organizational Behavior and Decision Processes. University of Massachussets.
- Ariawan, Iwan. (2006). Indeks Sosio-ekonomi Menggunakan Prinsip Component Analysis. KESMAS, Jurnal Kesehatan Masyarakat Nasional Vol. 1, No. 2, Oktober 2006.
- Baha, M., & Le Faou, a-L. (2010). Smokers Reasons for Quitting in An Anti Smoking Social Context. *Public Health*, 124 (4), 225 – 231.
- Bintara Firman, (2011). Faktor Risiko Kejadian Hipertensi Pada pasien Rawat Jalan Puskesmas di Kabupaten Wonosobo. Yogyakarta : Gadjah Mada.
- Bustan, M.N. (2007). Epidemiologi Penyakit Tidak Menular. Jakarta : Rineka Cipta
- CDC. (2013). *High Blood Pressure Fact*. Available at: [www.cdc.gov](http://www.cdc.gov)
- Lee, Chung-won & Jennifer Kahende.(2007). *Factors Associated With Successful Smoking Cessationin the united States, 2000. August 2007, Vol 97, No. 8*
- Dahlan, M.S. (2009). *Mendiagnosis dan Menatalaksana 13 Penyakit Statistik: Disertai Aplikasi Program Stata Seri 7*. Jakarta: CV. Sagung Seto
- Dallmartha S., Purnama B.T, Sutarina N., Mahendra B., & Darmawan R., (2008). *Care Your Self, Hipertens*, Niaga Swadaya, Jakarta, pp:18-19.
- Dinas Kesehatan Kabupaten Sleman.(2015). Profil Kesehatan Kabupaten Sleman. Kabupaten Sleman.
- Derby CA, Lasater TM, Vass K, Gonzales S, Carleton RA. (1994). Characteristics of Smokers Who Attempt to Quit and of Those Who Recently Succeeded.
- Elvyrah Faisal. (2011). Faktor Risiko Hipertensi pada Wanita Pekerja dengan Peran Ganda Kabupaten bantul. Gadjah Mada.
- Fahmi. (2015). Studi Faktor Hipertensi di Kota Yogyakarta Tahun 2013. *Tesis, Program Pasca Sarjana Universtas Gadjah Mada, Yogyakarta*



Farkas AJ, Gilpin EA, Distefan JM, Pierce JP. (1999). The effect of household and workplace smoking restrictions on quitting behaviours. *Tob Control*. 8:261-265.

Fatma, Yulia. (2010). Pola Konsumsi, Gaya Hidup dan Indeks Massa Tubuh sebagai Faktor Risiko Hipertensi Para Nelayan di Kabupaten Bintan. *Tesis, Program Pasca Sarjana Universtas Gadjah Mada, Yogyakarta*

Garcia, M, Schiaffino, a, Twose, J., Borrell, C., Salto, E., Peris, M., & Fernandez, E. (2004). Smoking Cessation in A Population – based Cohort Study. *Archivos de bronconeumologia*, 40(8), 348-54

Geleijnse, J.M., (2008). Habitual Coffee Consumption and Blood Pressure : An Epidemiological Prespective, Vascular Health and Risk Management. Available at : <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2605331/>

Glanz, K., Rimer, B. K.(2005). Theory at a glance: A guide for health promotion practice. Retrieved April 16, 2008, from <http://www.cancer.gov/PDF/481f5d53-63df-41bc-bfaf-5aa48ee1da4d/TAAG3.pdf>

Green, L.W. & Kreuter, M.W. (1991). Health Promotion Planninh an Educational and Environmental Approach. London: Mayfield Publising Company.

Hilberink, S. R., Jacobs, J.E., Schosser, M., Grol, R.P.T.M., & De Vries, H. (2006).*1 Characteristics of Patients with COPD in Three Motivational Stages Related to Smoking Cessation. Patient education and counseling*, 61(3), 449-57

Janz, N., Champion V., Strecher, V. (2002). The health belief model. In K. Glanz, B.K. Rimer, & F.M. Lewis (Eds.), *Health behavior and health education: Theory, research, and practice* (3<sup>rd</sup> ed., pp. 45-66). San Francisco: Jossey-Bass.

Jeoung A Kwon, Wooman Jeon, Eun Cheol Park, Jae Hyun Kim, Sun Jung Kim, Ki Boo Yoo, Minjee Lee, and Sang Gyu Lee. (2015). Effects of Disease Detection on Changes in Smoking Behavior. *Yonsei Med J* 56 (4) : 1143-1149,2015

JNC 7 Express. (2003). *The Seventh Report Of The Joint National Comitte On Prevention, Detection, Evaluation, and Treatment Of High Blood Pressure*, pp: 1-64



Kementerian Kesehatan RI. (2013). Riset Kesehatan Dasar. Jakarta: Kementerian Kesehatan RI

Kementerian Kesehatan RI. (2014). Buku Pintar Posbindu Penyakit Tidak Menular. Jakarta : Kementerian Kesehatan RI

Kementerian Kesehatan RI. (2014). Petunjuk Teknis Upaya Berhenti Merokok pada Fasilitas Pelayanan Kesehatan Primer. Jakarta : Kementerian Kesehatan RI.

Kementerian Kesehatan RI. (2015). Petunjuk Teknis Konseling Berhenti Merokok pada Anak Usia Sekolah/Madrasah. Jakarta : Kementerian Kesehatan RI.

Kendzor, Darla E, Lorraine R. Reitzel, Carlos A. Mazas, Ludmila M. Cofta-Woerpel, Yumei Cao, Lingyun Ji, Tracy J. Costello, Jennifer Irvin Vidrine, Michael S. Businnel, Yisheng Li, Yessenia Castro, Jasiit S. Ahluwalia, Paul M. Cinciripini, David W. Wetter. (2012). Individual-and area level unemployment influence smoking cessation among African Americans Participating in a randomized clinical trial. Pp:1394-1401

Kowalski, R.,E., (2010). Terapi Hipertensi Program 8 Minggu Menurunkan Tekanan Darah Tinggi dan Mengurangi Risiko Serangan Jantung dan Stroke secara Alami, Editor Penerjemah: Rani S. Ekawati, Penerbit Mizan, Bandung, pp:23-129.

Lei Wu, Yao He, Bin Jiang, Fang Zuo, Qinghui Liu, Li Zhang, Changxi Zhou, Miao Liu, Hongyan Chen. (2015). Relationship between education levels and booster counseling sessions on smoking cessation among Chinese smokers. *BMJ Open* 2015, 5:e007886.doi:10.1136/bmjopen-2015-007885

Mannan Hasrin, Wahiduddin, R., (2012). Faktor yang Berhubungan dengan Risiko Kejadian Hipertensi di Wilayah Kerja Puskesmas Bangkala Kabupaten Jeneponto. Universitas Hasanudin.

Mansjoer A., Triyanti K., Savitri R., Wardhani W.I. Setiowulan W., (2000). Hipertensi dalam Kapita Selekta Kedokteran, Media Aesculapius. Jakarta

McCaul, K. D., Hockemeyer, J. R., Johnson, R.J., Zetocha, K., Quinlan, K., & Glasgow, R.E. (2006). Motivation to Quit Using Cigarettes: a Review. *Addictive behaviors*, 31(1), 42 – 56.

McKenna, K., & Higgins, H. (1997). Factors influencing Smoking Cessation in Patients with Coronary Artery Disease. *Patient education and counseling*, 32(3), 197-205



Misti. (2009). Faktor – Faktor kejadian Hipertensi pada Perempuan Usia20 – 50 Tahun di Kota Bengkulu. Tesis. Universitas Gadjah Mada

Ng, N., Prabandari, Y. S., Padmawati, R. S., Okah, F., Haddock, C. K., Nichter, M. (2007). Physician Assessment of Patient smoking in Indonesia: A Public Health Priority. *Tobacco Control*, 16(3), 190-196.

Park, W.E., Tudiver, F., Schultz, J., & Campbell, T. (2004) Does Enhancing Partner Support and Interaction Improve Smoking Cessation? A Meta Analysis. *Annals of Family Medicine*, 2(2), 170-4.

Pawiono.(2008). Determinan Perilaku Merokok pada Pasien Hipertensi di Poli Jantung Bapelkes Rumah Sakit Daerah Kabupaten Jombang Jawa Timur, *Tesis, Program Pasca Sarjana Universtas Gadjah Mada, Yogyakarta*

Pedro Marques Vidal, Jaoa Melich Cerveira, Fred Paccaud, Gerard Waeber, Peter Vollenweider and Jacques Cornuz. (2011). Prevalence and factors Associated With Difficulty and Intention to Quit Smoking in Switzerland : *BMJ. BioMed Central Public Health* 1471-2458/11/227

Puspitorini, M., (2009). Hipertensi Cara Mudah Mengatasi Hipertensi. Yogyakarta : Image Press.

Rahejeng, (2009). *Prevalensi Hipertensi dan Determinannya di Indonesia*. Kedokteran Indonesia, 59.

Raherison, C., Marjary, a., Valpromy, B., Prevot, S., Fossoux, H., & Taylard, A. (2005). Evaluation of Smoking Cessation Success in Adult. *Respiratory Medicine*, 99(10), 1303 – 1310

Sari, I.A., (2010). Faktor – Faktor yang Mempengaruhi Kejadian Hipertensi pada Karyawan Rumah Sakit Umum Daerah Pemangkat Kabupaten Sambas Kalimantan Barat. GadjahMada.

Siahpush, Mohammad. (2008). Socio-economic variations in tobacco consumption, intention to quit and self-efficacy to quit among male smokers in Thailand and Malaysia: results from the International Tobacco Control-South-East Asia (ITC-SEA) survey. Department of Health Promotion, Social and Behavioral Health, College of Public Health, Universitas of Nebraska Medical Center

Sitepoe, M. (2000). Kekhususan Rokok Indonesia. Grasindo : Jakarta.

Smith, T. (1991). Tekanan Darah Tinggi : Mengapa Terjadi, Bagaimana Mengatasinya, Alih Bahasa : Bosco Carvallo, cetakan ke-3, Arcan, Jakarta.



Sustrani, L. Alam, S. dan Hadibroto, I. (2006). Hipertensi. Jakarta : PT Gramedia Pustaka Utama

Sutomo B., (2009). Menu Sehat Penakluk Hipertensi. Tangerang : PT Agromedia Pustaka. Pp : 10-12

Tondong, H.I., (2012). Penggunaan Minyak Jelantah sebagai Faktor Risiko Hipertensi di Kabupaten Banyumas. Gadjah Mada.

Watel, Patrick Peretti, Daniel Garelak, Grabiela Baron, Bruno Spire, Phillippe Ravaud, Xavier Duval and the EVIT Study Group. (2009). *Smoking motivations and Quitting Motivations Among HIV infectes smokers*. Antiviral Therapy 2009 14:781-787.

Wee, L. H., Shahab, L., Bulgiba, A., & West, R. (2011). Stop Smoking Clinics in Malaysia: Characteristic of Attendees and Predictors of Success. Addictive behaviors, 36(4), 400-3.

WHO.(2008). WHO Report on the Global Tobacco Epidemic, ([http://ehzlibdoc.who.int/publications/2008/9789241596282\\_eng.pdf](http://ehzlibdoc.who.int/publications/2008/9789241596282_eng.pdf))

WHO. (2011). Global Adults Tobacco Survey : Indonesia Report 2011.

WHO. (2011a). *Raised blood pressure Situation and trends*. USA.

WHO. (2011b). WHO Report On The Global Tobacco Epidemic, ([http://whqlibdoc.who.int/publications/2008/9789241596282\\_eng.pdf](http://whqlibdoc.who.int/publications/2008/9789241596282_eng.pdf))

Willemsem, MC., Vries, HD., Breakelen, GV., Oldenburg, B. (1996). Determinant of Intenton to Quit Smoking among Dutch Employess: The Influence of the Social Environment, Preventive Mediccine, Vol 25: 195-202.

Wina Widiastuti. (2013). Analisis Faktor –Faktor yang mempengaruhi Niat Pasien Poliklinik Penyakit Dalam untuk Memanfaatkan Klinik Berhenti merokok di Rumah Sakit umum Daerah kota Yogyakarta. *Tesis, Program Pasca Sarjana Universtas Gadjah Mada, Yogyakarta*

Yang, Jae jeong, Mnkyo Song, Hyung Suk Yoon, Hwi-Won Lee, Yunhee Lee, Sang Ah Lee, Ji Yeob Choi, Jong koo Lee, Daehee Kang. (2015). What are the Major Determinants in the Success of Smoking Cessation: Results from the Health Examinees Study. PLoS ONE 10(12):e0143303. Doi:10.1371/journal.pone.0143302

Yogiantoro M. (2009). Hipertensi Esensial dalam Buku Ajar Ilmu Penyakit Dalam Jilid I Edisi IV. Jakarta: FK UI.



UNIVERSITAS  
GADJAH MADA

**FAKTOR-FAKTOR YANG BERHUBUNGAN DENGAN PERILAKU BERHENTI MEROKOK PADA  
PENDERITA HIPERTENSI DI  
KABUPATEN SLEMAN**

NURVITA WIKANSARI, Prof. Dr. dr. Nyoman Kertia, SpPD-KR.; r. Fatwa Sari Tetra Dewi, MPH, Ph.D.  
Universitas Gadjah Mada, 2016 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Yong, H.H., Borland, R., & Siahpush, M. (2005) Quitting Related Beliefs, Intentions, and Motivations of Older Smokers in Four Countries: Findings From The International Tobacco Control Policy Evaluation Survey. Addictive behaviors, 30(4), 777-88

Yulianti S. & Sitanggang M., (2006). 30 Ramuan Penakluk Hipertensi. PT Agromedia Pustaka. Depok, pp18-23.

Zhang, M., Batu, B., tong, W., Liu, W. & Zhang, Y., (2009). Clustering of Hyperlipidemia, Hyperglycemia, Alcohol Drinking, Overweight and Central Obesity and Hypertension in Mongolian People, China. Elsevier.