

## DAFTAR PUSTAKA

- Abbott, W.S., 1925. A method of computing the effectiveness of an insecticide. *Journal of economic entomology*. 18:265-267
- Abilio, A.P., Pelagio, M., Nilisa, D., Fransisco, M., Pedro, M., Ayubo, K., 2015. Bioefficacy of new long lasting insecticide treated bed nets against *Anopheles funestus* and *Anopheles gambiae* from central and northern Mozambique. *Malaria Journal*. 14:352,
- Ahmadi, M.S., Vatandoost, H., Shaeghi, M., Raeisi, A., Abedi, F., Eshraghian, M.R., Madani, A., Safari, R., Oshaghi, M.A., Abtahi, M., Hajjaran., 2012. Field evaluation of permethrin long-lasting insecticide treated nets (Olyset®) for malaria control in an endemic area, Southeast of Iran. *Acta Tropica*. 123: 146-153
- Atieli, F.K., Stephen, O.M., Ayub, V.O., John, M.V., 2010. The effect of repeated washing of long-lasting insecticide-treated nets (LLINs) on the feeding success and survival rates of *Anopheles gambiae*. *Malaria Journal*. 9:304
- Atieli, F.K., Stephen, O.M., Ayub, V.O., John, M.V., 2010. Wash durability and optimal drying regimen of four brands of long-lasting insecticide-treated nets after repeated washing under tropical conditions. *Malaria Journal*, 9:248
- Barodji., Sumardi., Suwarjono,T., 1996. Uji efikasi kelambu berinsektisida Olyset® terhadap vektor malaria dan filariasis *Anopheles barbirostris* di Flores Timur, Nusa Tenggara Timur. *Media Litbangkes*. Vol 6 (3): 18-21
- Basri, H., 1994. Evaluasi pemakaian kelambu berinsektisida permetrin dalam pemberantasan malaria di Provinsi Lampung. *Berita Kedokteran Masyarakat*. Vol 10 (1)
- Boesri, H., 2011. Peranan *Anopheles barbirostris* van der wulp sebagai penular penyakit. *Jurnal Balaba*. Vol 7(1): 7-15
- Boewono, D.T., Widiarti., Mujiono., 2009. Pengaruh pencucian terhadap efektivitas residu kelambu berinsektisida piretroid long lasting insecticide nets(LLINs) terhadap nyamuk vector demam berdarah dengue dan malaria. *Jurnal vektora*. Vol 1(1): 1-12
- Dahlan, M.S., 2014. *Statistik untuk kedokteran dan kesehatan*. Epidemiologi Indonesia. Jakarta.
- Dinkes Majene., 2014. *Profil Kesehatan*. Kabupaten Majene

- Elyazar, I.R., Sinka, M.E., Gething, P.W., Tarmidzi, S.N., Surya, A., Kusriastuti, R., Winarno, Baird, J.K., Hay, S.I., Bangs, M.J., 2013. The distribution and bionomics of *Anopheles malaria* vector mosquitoes in Indonesia. *Parasitologyadv* 83: 173-266.
- Etang, J., Philippe, N., Michael, P., Blaise, M., Daniel, S.,Parfait, A.A., 2013. evaluation of new tools for malaria vector control in Cameroon: focus on long lasting insecticidal nets. *Plos One*. 8(9) : e74929
- Fryauff, D.J., Shoukry, M.A., Hanafi, H.A., Choi, Y.M., Kamel, K.E., Schreck, C.E., 1996. Contact toxicity of permethrin-impregnated military uniforms to *Culex pipiens* (Diptera:Culicidae) and *Phlebotomus papatasi* (Diptera: Psychodidae): effects of laundering and time of exposure. *J Am Mosq Control Assoc.*12(1):84-90
- Ginnig, J.E., Kim, A.L., Dwight, L.M., Francis, K.A., Sara, C., William, A.H., Ellen, M.D., Adam, W., 2005. Laboratory wash resistance of long lasting insecticidal nets. *Journal of Tropical Medicine and International Health*. 10(10) : 1022-1029
- Hakim, L., Marliah, S., 2011. *Fauna dan bionomik nyamuk Anopheles spp di Kecamatan Simboro Kabupaten Mamuju Provinsi Sulawesi Barat*. Loka Litbang P2B2 Ciamis
- Hanafiah, A.K., 2008. *Rancangan percobaan; teori dan aplikasi*. PT. Raja Grafindo. Jakarta.
- Hanani., E., 2015. *Analisis fitokimia*. EGC. Jakarta
- Hawley, W.A., Phillips, H.P.A., Kuile, F.O., Terlouw, D.J., Vulule, J.M., Ombok, .M., Nahlen, B.L., Ginnig, J.E., Kariuki, S.K., Kolczak, M.S., Hightower, A.W., 2003. Community-wide effects of permethrin-treated bed nets on child mortality and malaria morbidity in Western Kenya . *Am J Trop Med Hyg*. 68(4): 121–127
- Heni, P., Hakim, L., 2013. *Fauna Anopheles*. Loka Litbang P2B2 Ciamis
- Hoedojo, R., Zulhasril., 2008. *Buku Ajar Parasitologi kedokteran; insektisida dan resistensi*. Balai Penerbit FKUI, Jakarta
- Hudaya, A., Hadis, J., 2012. *Pengelompokkan pestisida berdasarkan cara kerjanya*. Yayasan Bina Tani Sejahtera Lembang. Bandung
- Ikawati, B., Yuniato, B., Paramita, D.A., 2010. Efektivitas pemakaian kelambu berinsektisida di desa endemis malaria di Kabupaten Wonosari. *Balaba*. Vol 6 (2) : 1-6

- Jaramillo, G.I., Paulo, C.R., Neila, J.M., Jazmin, A.M., Clara, B.O., 2011. Comparison of the efficacy of long-lasting insecticidal nets PermaNet® 2.0 and Olyset® against *Anopheles albimanus* under laboratory conditions. *Mem Inst Oswaldo Cruz*, Rio de Janeiro. Vol. 106 (5): 606-612
- Jambulingam, K., Gunasekaran, K., Sahu, S.S., Vijayakumar, T., 2008. Insecticida treated mosquito nets for malaria control in India-experience from a tribal area on operational feasibility and uptake. *Mem Inst. Oswaldo Cruz*, Rio de Janeiro. Vol 103(2): 165-171
- Kawada, H., Kazunori, O., Gabriel, O.Dida., George, S., Sammy, M.N., Charles. M., Noboru, M., 2014. Preventive effect of permethrin impregnated long-lasting insecticidal nets on the blood feeding of three major pyrethroid-resistant malaria vectors in western Kenya. *Parasites & Vectors*. 7:383
- Kementerian Kesehatan RI., 2015. *Profil pengendalian penyakit dan penyehatan lingkungan*. Ditjen P2PL. Jakarta
- Kementerian Kesehatan RI., 2015. *Data dan informasi Tahun 2014; Profil Kesehatan Indonesia*. Pusdatin Kemenkes RI. Jakarta
- Kementerian Kesehatan RI., 2013. *Riset kesehatan dasar 2013*. Balitbangkes Kemenkes RI. Jakarta
- Kementerian Kesehatan RI., 2012. *Pedoman penggunaan insektisida dalam pengendalian vektor*. Ditjen P2PL. Jakarta
- Kementerian Kesehatan RI., 2011. *Pedoman kemitraan menuju eliminasi malaria di Indonesia*. Ditjend PP & PL Kemenkes RI. Jakarta.
- Kementerian Kesehatan RI., 2011. *Pedoman penggunaan kelambu berinsektisida menuju eliminasi malaria*. Ditjend PP & PL Kemenkes RI. Jakarta
- Kementerian Kesehatan RI., 2011. *Atlas vektor penyakit di Indonesia*. B2P2VRP, Balitbangkes Kemenkes RI. Jakarta.
- Kementerian Pertanian., 2011. *Pedoman pembinaan penggunaan pestisida*. Ditjen Pupuk dan Pestisida. Jakarta
- Khan, K., Soesanto, T., Suharyanto, S., 2002. Pengaruh kelambu berpermetrin terhadap insiden malaria pada anak umur 0-4 thn di Kecamatan Loano Kabupaten Purworejo. *Berita Kedokteran Masyarakat*. 18(4): 161-167
- Kulkarni, M., 2006. Update on long lasting insecticidal nets (LLINs). *Malaria Matters*; 15:1-2

- Mading, M., dan Kazwaini, M., 2014. Ekologi *Anopheles* spp di Kabupaten Lombok Tengah. *Aspirator*. Vol 6(1): 13-20.
- Malima, C.R., Magesa, M.S., Tungu, K.P., Mwingira, V., Magogo, S.F., Sudi, W., Mosha, W.F., Curtis, F.C., Maxwell, C., Rowland, M., 2008. An experimental hut evaluation of Olyset® nets against anopheline mosquitoes after seven years use in Tanzanian villages. *Malaria Journal*. Vol 7(1):38
- Masruchi., 1996. *Pemberantasan malaria dengan penggunaan kelambu berpermetrin di Kecamatan Kaligesing Kabupaten Purworejo*. [Tesis] FK UGM. Yogyakarta.
- Najera, J.A. dan Zaim, M., 2003. *World health organization communicable disease control, prevention and eradication, who pesticide evaluation scheme. malaria vector control. decision making criteria and procedure for judicious use of insecticides*. WHO/CDS/WHOPES/2002.5. Rev 1.
- Notoatmodjo, S., 2012. *Metodologi penelitian kesehatan*. Rineka Cipta: Jakarta
- Norris, C.L., Norris, D.E., 2011. Efficacy of long-lasting insecticidal nets in use in Macha, Zambia, against the local *Anopheles arabiensis* population. *Malaria Journal*. 10:254
- O'Connor, C.T., Soepanto, A., 1999. *Kunci bergambar untuk Anopheles spp betina di Indonesia*. Depkes RI. Jakarta.
- O'Connor, C.T., Soepanto, A., 2000. *Kunci bergambar untuk Anopheles spp dewasa di Indonesia Jawa*. PPM-PL Depkes RI. Jakarta.
- Prakash, A., Bhattacharyya, D.R., Mohapatra, P.K., Gogoi, P., Sarma, D.K., Bhattacharee, K., Mahanta, J., 2009. Evaluation of permanet® 2.0 mosquito bednets against mosquitoes, including *Anopheles minimus* s.l., India. Southeast Asian. *Journal Tropical Medicine Public Health*. 40 (3) : 449-57
- Ramadiliyani, N., Noralisa., 2013. Hubungan penggunaan kelambu berisektisida dan kejadian malaria di Desa Teluk Kepayang Kecamatan Kusan Hulu Kabupaten Tanah Bumbu. *Jurnal Buski*. 4 (3): 128-132
- Reid, J.A., 1968. *Anopheles mosquitoes of Malaya and Borneo studies from The Institute Of Medical Research Malaysia*. Government of Malaysia
- Service, M., 2008. *Medical entomologi for students*. Fourt Edition. Cambridge University Press. London

- Sila, O., 2010. *Evaluasi efektivitas kelambu berinsektisida permetrin di daerah endemis malaria Kota Kupang Provinsi Nusa Tenggara Timur*. [Tesis] FK UGM. Yogyakarta
- Sharma, S.K., Prajesh K.T., Ashok, K.U., Mohammed, A.H., Suman, S.M., Kamaraju, R., Aditya, P.D., 2009. Efficacy of permethrin treated long-lasting insecticidal nets on malaria transmission and observations on the perceived side effects, collateral benefits and human safety in a hyperendemic tribal area of Orissa, India. *Acta Tropica*. 112: 181-187
- Soedarto., 2011. *Malaria*. Sagung Seto. Jakarta
- Sorontou, Y., 2014. *Ilmu malaria klinik*. EGC. Jakarta
- Sunarsih, E., Nurjazuli., Sulistyani., 2009. Faktor-faktor resiko dan perilaku yang berkaitan dengan kejadian malaria di Pangkal Balam, Pangkal Pinang. *Jurnal Kesehatan Lingkungan Indonesia*. Vol. 8 (1)
- Sutjahjono, RW., Sutanto, I., Djakaria, S., Atmosoedjono S., 1997. Efek residu kelambu celup permetrin dan lamdasihalotrin terhadap vektor malaria di Irian Jaya. *Majalah Kedokteran Indonesia*. 47: 442-5
- Tami, A., Mubyazi, G., Talbert, A., Mshinda, H., Duchon., S., Lengeler, C., 2004. Evaluation of Olyset<sup>tm</sup> insecticide-treated nets distributed seven years preciously in Tanzania. *Malaria Journal*. 3:11
- Tanujaya, B., 2013. *Penelitian percobaan*. PT. Remaja Rosdakarya. Bandung
- Trisyono, Y.A., 2014. *Insektisida pengganggu pertumbuhan dan perkembangan serangga*. UGM Press. Yogyakarta
- Warrel, D.A., Gilles, H.M., 2002. *Essential Malariology, Fourth Edition*. Oxford University Press Inc. England
- WHO., 2014. *World Malaria Report*. World Health Organisation, Geneva
- WHO., 2014. *Roll Back Malaria Program*. WHO. Geneva
- WHO., 2013. *Test procedures for insecticide resistance monitoring in malaria vector mosquitoes*. WHO. Geneva
- WHO., 2011. *Global Malaria Programme*. WHO. Geneva
- WHO., 2007. *Long lasting insecticidal nets for malaria prevention: a manual for malaria programme managers*. Trial Edition. Pp. 7-8

- WHO., 2006. *Specifications and evaluations for public health pesticides: permethrin long-lasting insecticidal nets*. pp. 6-17
- WHO., 2005. *Guidelines for laboratory and field testing of longlasting insecticidal mosquito nets*. WHO/CDS/WHOPEP/GCDPP.11. pp. 5-17
- Widiarti., Boewono, T. D., Mujiono., 2005. Uji kerentanan *Anopheles aconitus* dan *Anopheles maculatus* terhadap insektisida sintetik piretroid di Jawa Tengah dan DIY. *Ekologi Kesehatan*. Vol 4 (2): 227-232
- Widiarti., Suskamdani., Mujiono., 2009. Resistensi vektor malaria terhadap insektisida di Dusun Karyasari dan Tukatpule Pulau Bali dan Desa Lendang Ree dan Labuhan Haji Pulau Lombok. *Media Litbang Kesehatan*. Vol 19 (3).
- Wills, A.B., Stephen, C.S., Gedeon, Y.A., Patricia, M.G., Tekola, E., Estifanos, B.S., Mesele, D., Teshome, G., Aryc, W.M., Amy, E.P., Yohannes, B.T., Frank, O.R., Paul, M.E., 2013. Physical durability of PermaNet 2.0 long-lasting insecticidal nets over three to 32 months of use in Ethiopia. *Malaria Journal*. 12:242
- Wonorahardjo., S., 2013. *Metode-metode pemisahan kimia*. PT. Indeks. Jakarta
- Yahya., Astuti, E.P., 2013. Tingkat kematian *Anopheles vagus* yang terpapar insektisida permethrin 2% (W/W) di dalam serat benang kelambu. *Aspirator*. Vol 5 (1): 1-8