

DAFTAR PUSTAKA

- Ares, J.J., Outt, P.E., Kokadkar, S.V., Buss, R.c., Geiger, and Jeffrey C., A Convenient Large-Scale Synthesis of 5-methoxyflavone and Its Application to Analog Preparation, *J. Org. Chem.*, 58, 7903.
- Anonim, 2015, Pusat Data dan Informasi, Kemenkes RI, Situasi Penyakit Kanker, Buletin Jendela Data dan Informasi Kesehatan, 1, 10-13.
- Arty, I.S., Arianingrum, R., dan Atun, S., 2012., Sintesis Senyawa Mono Para Hidroksi Kalkon Bersubstituen Bromo Dengan Katalis Asam dan Potensinya Sebagai Antioksidan dan Antikanker, Laporan Penelitian Guru Besar, LPPM.
- Bandgar, B.P., Gawande., S.S., Bodade, G.G., Totre, J.V and Khobragade, C.N., 2010, Synthesis and Biological Evaluation of Simple Methoxylated Chalcones as Anticancer, Antiinflammatory and Antioxidant Agents, *Bioorg. Med. Chem.*, 18, 1364-1370.
- Bano, S., Javed, K., Ahmad, S., Rathish, I.G., dan Singh, S., 2013, Sythesis of Some Novel Chalcones, Flavanones and Flavones and Evaluation of their Anti-inflammatory Activity. *Eur. J. Med. Chem.*, 65, 51-59.
- Candenas, M., Marder, M., Blank, V.C., and Roguin, L.P., 2006, Antitumor Activity of Some Natural Flavonoids and Synthesis Derivatives on Various Human and Murine Cancer Cell Line, *Bioorg. Med. Chem.*, 14, 2966-2971.
- Chen, T. R., Drabwoski, D., Hay, R. J., Macy, M., and Peterson, W., Jr., 1987, WiDr is a Derivative of Another Colon Adenocarcinoma Cell Line, WiDr, *Cancer Genetic Cytogenet.*, 27(1), 125-134.
- DeFilippis, R. A., Goodwin, E.C., Wu, L., and DiMaio, D., 2003, Endogenous Human Papillomavirus E6 and E7 Protein Differentially Regulate Proliferation, Senescence, and Apoptosis in Hela Cervical Carcinoma Cells, *J. Virol.*, 77, 1551-1563.
- Dias, T.A., Duarte, C.L., Lima, C.F, and Proenca, M.F., 2013, Superior Anticancer Activity of Halogenated Chalcones and Flavonols Over The Natural Flavonol Quercetin, *Eur. J. Med. Chem.*, 65, 500-510
- Doyle, A., and Griffiths, J. B., 2000, *Cell and Tissue Culture for Medical Research*, John Willey & Sons Ltd., London.
- Dyrager, C., 2012, Design and Synthesis of Chalcone and Chromone Derivatives as Novel Anticancer Agents, *Thesis*, University of Goyhenburg, Gothenburg.

- Goodwin, E. C., and DiMaio, D., 2000, Repression of Human Pappilomavirus Oncogenes in HeLa Cervical Carcinoma Cells Causes The Orderly Reactivation of Dormant Tumor Supressor Pathways, *Proc. Natl. Acad. Sci.*, 97(23), 12513-8.
- Handoko, F.F., Maruti, A.A., Rivanti, E., Putri, D., dan Meiyanto, E., 2011, Aktivitas Sitotoksik Ekstrak Etanolik Rimpang Temu Kunci (*Beosenbergia pandurata*) Terhadap Sel Kanker Serviks HeLa dan Sel Kanker Kolon WiDr, *Pharmamedika*, 3(1), 222-226.
- Hsu, Y.L., Kuo, P.L., Tzeng, W.W., and Lin, C.C., 2006, "Chalcone Inhibits the Proliferation of Human Breast Cancer Cell by Blocking Cell Cycle Progression and Inducing Apoptosis", *Food Chem. Toxicol.*, 44(5), 704-13.
- Ilango, K., Valentina, B., and Saluja, G. S., 2010, Synthesis and In-vitro Anticancer Activity of Some Substituted Chalcone derivatives, *Res. J. Pharm. Biol. Chem. Sci.*, 1(2), 354-359.
- Ketabforoosh, S. H. M. E., Khaeirollahi, A, Safavi, M., Esmati, N., Ardestani, S. K., Emami, S., Firoozpour, L., Shafiee, A., and Foroumadi, A., 2014, Synthesis and Anti-Cancer Activity Evaluation of New Dimethoxylated Chalcone and Flavanone Analogs, *Arch. Pharm. Chem. Life. Sci.*, 347, 853- 860.
- King, R.J.B., 2000, Cancer Biology, Pearson Education, Second Edition, England. P.1-7, 228-231, 263-264.
- Kshatriya, R.B., Macchi, J.K., and Nazerrudin, G.M., 2014, Novel Methodology and Process Optimization for the Synthesis of Flavones, *Int. J. Curr. Res. Rev.*, 3(2), 47-57.
- Lee, D.H., Jung, Y.J., Koh., and Lee, Y.H., 2016, A Synthesis Chalcone 2'-hydroxy-2,3,5'-trimethoxychalcone Triggers unfolded Protein Respose-Mediated Apoptosis in Breast Cancer Cells, *Cancer. Lett.*, 372, 1-9.
- Li, S., Pan, M.S., Wang, Z., Lambros, T., and Ho, C.T., 2008, Biologycal Activity Metabolism and Separation of polymethoxyflavonoids from Citrus Peels, *Tree For. Sci. Biotech.*, 2(1), 36-51.
- Liao, T.T., Shi, Y.L., Jia, J.W., Jia, R.W., and Wang, L., 2010, Sensitivity of Morphological Change of Vero Cells Exposed to Lipophilic Compound and Its Mechanism, *J. Hazard. Matter.*, 179, 1055-1064.
- Mardiana, L., 2014, Kanker pada Wanita Pencegahan dan Pengobatan dengan Tanaman Obat, Penebaran Swadaya, Jakarta.

- Masesane, I.B., 2015, A Comprehensive Review of the Oxidative Cyclisation of 2'-hydroxychalcones to Aurones and Flavones, *Int. J. Chem.*, 3(3): 53-59.
- McMurry, J. E., 2008, Organic Chemistry, 7th edition, Thomson Learning Inc., California.
- Meiyanto, E., 1999, Kurkumin sebagai Obat Antikanker: Menelusuri Mekanisme Aksi, *Maj. Farm. Indones.*, 10(4), 224-236.
- Moghaddam, G., Ebrahimi, S.A., Rhoshandel, N.R., and Fooomadi, A., 2012, Antiproliferative Activity of Flavonoids: Influenced of Sequential Methoxylation State of the Flavonoids Structure, *Phytother. Res.*, 26, 1023-1028.
- Mori, A., Nishino, Ch., Enoki, N., and Tawata, S., 1988, Cytotoxicity of Plant Flavonoids Against Hela Cells, *Phytochem.*, 27, 1017-1020.
- Nalwar, Y.S., 2009, Synthesis and Insect Antifeedant Activity of Some New Chalcones Against Phenacoccus solanopsis, *World J. Chem.*, 4 (2): 123-126.
- Palozza, P., Serini, S., Maggiano, N., Giuseppe, Navarra, P. and Ranelletti, F.O., 2005, Steady-State and Heregulin-a-Induced COX-2 Pathways in Colon Cancer Cells, *J. Nutr.*, 135:129-136.
- Parvaktar, P.T., Parameswan, and P.S., Tilve, S.G., 2012, Recent Developments in the Synthesis of Five- and Six Membered Heterocycles Using Molecular Iodine, *Chem. Eur. J.*, 18, 5460-5480.
- Patil, C.B., Mahajan, S.K., Katti, S.A., 2009, Chalcone: A versatile Molecule, *J. Pharm. Sci. & Res.*, 1(13), 11-22.
- Patel, K., Karthikeyan, C., and Solomon, V.R., 2011, Synthesis of Some Coumarinyl Chalcones and their Antiproliferative Activity Against Breast Cancer Cell Lines, *Lett. Drug. Des. Discov.*, 8(4), 308-311.
- Rasjidi, I., 2009, Epidemiologi Kanker Serviks, *Ind. J. Cancer*, 3(III), 103-108.
- Rao, Y.K., Fang, S.H., Tzeng, Y.M., 2004, Differential effects of Synthesized 2'-oxygenated Chalcone Derivatives: Modulation of Human Cell Cycle Phase Distribution, *Bioorg. Med. Chem.*, 12, 2679-2686.
- Rosilawati, I., 2000, Pemanfaatan Vanilin untuk Sintesis Veratral Sianida sebagai Senyawa Antara dalam Pembuatan Turunan Antibiotik C9154, *Tesis*, Jurusan Kimia FMIPA UGM, Yogyakarta.

- Sashidhara, K. V., Kumar, M., and Kumar A., 2012, A Novel Route to Synthesis of Flavones from Salicylaldehyde and Acetophenone Derivatives, *Tetrahedron Lett.*, 53 (18), 2355-2359.
- Schatz, P.F., 1996, Bromination of Acetanilide, *J. Chem. Educ.*, 73, 267.
- Setyawati, A., 2015, Sintesis Turunan Pirazolina sebagai Agen Antibakteri dari Vanilin dan Minyak Gandapura, *Tesis*, Departemen Kimia FMIPA UGM, Yogyakarta.
- Shen, K.H, Chang, JK, Hsu, Y.L, and Kuo, P.L., 2007, "Chalcone Arrests Cell Cycle Progression and Induces Apoptosis Through Induction Mitochondrial Pathway and Inhibition of Nuclear Factor Kappa B Signaling in Human Bladder Cancer Cells", *Basic Clin. Pharmacol. Toxicol.*, 101:254-61.
- Shorey, S., Choudhary, P. C., and Intodia, K., 2013, Microwave Irradiation Synthesis of Various Substituted Chalcones Using Various Heterogeneous Catalysts under Solvent-Free Conditions and their Biological Studies, *Chem. Sci. Trans.*, 2(2), 343-348.
- Silverstein, R. M., Webster, F. X., and Kiemle, D. J., 2005, Spectrometric Identification of Organic Compound, John Wiley & Son Inc., New York.
- Singh, S., Sharma, P. K., Kumar, K., and Dudhe, R., 2011, Anti-oxidant Activity of 2-hydroxyacetophenone Chalcone, *J. Adv. Sci. Res.*, 2(3), 37-41.
- Sofiana, A., 2012, Sintesis dan Uji Toksisitas tiga Analog Khalkon dari 2'-hidroksiasetofenon dengan Metoksi Benzaldehida, *Skripsi*, FMIPA UR, Pekanbaru.
- Sreedhar, N.Y., 2010, Synthesis and Characterization of 4-Hydroxy Chalcones Using PEG-400 as a Recyclable Solvent, *Res. J. Pharm. Biol. Chem. Sci.*, 1 (4), 480-48.
- Tanamatarayar, P., Limtrakul, P., Chunsakaow, S., and Duangrat, C., 2003, Screening of Some Rubiaceae Plants for Cytotoxic Activity Against Cervix Carcinoma (KB-3-1) Cell Line, *Thai. J. Pharm. Sci.*, 27 (3-4): 167-172.
- Tjitda, P. J. P., 2015, Sintesis dan Uji Antibakteri Senyawa Pirazolina N1-Hidrogen dan N1-Benzoil dari Vanilin dan Veratraldehida, *Tesis*, Departemen Kimia FMIPA UGM, Yogyakarta.
- Won, S.J., Liu, C.T., Tsao, L.T., Weng, J.R., and Lio, H.H., 2005, Sythesis Chalcones as Potensial Anti-inflammatory and Cancer Chemopreventive Agents, *Eur. J. Med. Chem.*, 40, 103-112.

- Wardiahah, Rusdi, M., Alam, G., Lukman and Manggau, M.A., 2013, Selective Cytotoxicity Evaluation in Anticancer Drug Screening off Boehmenia Virgata (Forst) Guill Leaves to Several Human Cell Lines: Hela, WiDr, T47D and Vero, *J. Pharm. Sci.*, 12(2), 87-90.
- Wong, H.L., Bendayan, R., Rauth, A.M., Xue, H.Y., Babakhanian, K., and Wu, X.Y., 2006, A Mechanistic Study of Enganced Doxorubicin Uptake and Retention in Multidrug Resistant Breast Cancer cells using a Polymer-lipid Hybrid Nanoparticle System, *J. Pharm. Exp. Ther.*, 317 (3), 1372-1381.