

DAFTAR PUSTAKA

- Agrios, G.N. 2005. *Plant Pathology 5th Edition*. Elsevier Academic Press. USA.
- Agustini, L., Francis, A., Glen, M., Indrayadi, H., and Mohammed, C.L. 2014a. Signs and identification of fungal root-rot pathogens in tropical *Eucalyptus pellita* plantations. *Forest Pathology*, 44: 486-495.
- Agustini, L., Wahyuno, D., Indrayadi, H., and Glen, M. 2014b. In vitro interaction between *Phlebiopsis* sp. and *Ganoderma philippii* isolates. *Forest Pathology*, 44: 472-476.
- Almonicar, R.S. 1992. Twotypes of root rot disease affecting *Acacia mangium*. *Nitrogen Fixing Tree Research Reports*, 10: 94-95.
- Ann, P.J., Chang, T.T., and Ko, W.H. 2002. *Phellinus noxius* brown root rot of fruit and ornamental trees in Taiwan. *Plant Disease*, 86(8): 820-826.
- Anonim. 2013. Conclusion on the peer review of the pesticide risk assessment of the active substance *Phlebiopsis gigantea*. *EFSA Journal*, 11(1): 3033, 31p.
- Arisman, H., and Hardiyanto, E.B. 2006. *Acacia mangium* — A historical perspective on its cultivation. In Potter, K., Rimbawanto, A., and Beadle, C., (eds), *Heart rot and root rot in tropical Acacia plantations*. Proceedings of a workshop held in Yogyakarta, Indonesia, 7-9 February 2006, Canberra, *ACIAR Proceedings*, 124: 11-15.
- Arora, D.S. and Sharma, R.K. 2011. Effect of different supplements on bioprocessing of wheat straw by *Phlebia brevispora*: Changes in its chemical composition, in vitro digestibility and nutritional properties. *Bioresource Technology*, 102: 8085-8091.
- Bhansali, R.R. 2012. Chapter 9 : *Ganoderma* diseases of woody plants of Indian arid zone and their biological control. In J.M. Mérillon and K.G. Ramawat (eds.), *Plant Defence: Biological Control*, Progress in Biological Control 12, ©Springer Science+Business Media B.V. pp.209-239.
- Boddy, L. 2000. Interspecific combative interactions between wood-decaying Basidiomycetes. *FEMS Microbiology Ecology*, 31: 184-194.
- Campanile, G., Ruscelli, A., and Luisi, N. 2007. Antagonistic activity of endophytic fungi towards *Diplodia corticola* assessed by in vitro and in planta tests. *European Journal of Plant Pathology*, 117: 237-246.
- Cleary, M.R., Arhipova, N., Morrison, D.J., Thomsen, I.M., Sturrock, R.N., Vasaitis, R., Gaitnieks, T., Stenlid, J. 2013. Stump removal to control root disease in Canada and Scandinavia: a synthesis of results from long-term trials. *For. Ecol. Manag.*, 290: 5-14.
- Coetzee, M.P.A., Wingfield, B.D., Golani, G.D., Tjahjono, B., Gafur, A., and Wingfield M.J. 2011. A single dominant *Ganoderma* species is responsible for root rot of *Acacia mangium* and *Eucalyptus* in Sumatra. *Southern Forest*, 73(3&4): 175-180.

- Compant, S., Duffy, B., Nowak, J., Cle´ment, C., and Ait Barka, E. 2005. Biocontrol of plant diseases using plant growth-promoting bacteria (PGPB): principles, mechanisms of action and future prospects. *Applied Environmental and Microbiology*, 71: 4951–4959.
- Deacon, J. 2005. Fungal Biology. <http://archive.bio.ed.ac.uk/jdeacon/FungalBiology/chap12im.htm>. (Diakses pada bulan Juni 2014).
- Doran, J.C., Turnbull, J.W., Marthensz, P.N., Thomson, L.A.J., and Hall, N. 1997. Introduction to the species' digests. In Doran, J.C. and Turnbull, J.W., (eds), *Australian Trees and Shrubs: species for land rehabilitation and farm planting in the tropics*, ACIAR Monograph, 24: 178-181.
- Francis, A., Beadle, C., Puspitasari, D., Agustini, L., Rimbawanto, A., Gafur, A., Hardiyanto, E., Junarto, Hidayati, N., Tjahjono, B., Mardai, U., Glen, M., and Mohammed, C. 2014. Disease progression in plantations of *Acacia mangium* affected by red root rot (*Ganoderma philippii*). *Forest Pathology*, 44: 447-459.
- Eyles, A., Beadle, C., Barry, K., Francis, A., Glen, M., and Mohammed, C. 2008. Management of fungal root-rot pathogens in tropical *Acacia mangium* plantations. *Forest Pathology*, 38: 332-355.
- Glen, M., Bougher, N.L., Francis, A., Nigg, S.Q., Lee, S.S., Irianto, R.S.B., Barry, K.M., Beadle, C., and Mohammed, C.L. 2009. *Ganoderma* and *Amauroderma* species associated with root-rot disease of *Acacia mangium* plantation trees in Indonesia and Malaysia. *Australian Plant Pathology*, 38: 345-356.
- Glen, M., Yuskianti, V., Puspitasari, D., Francis, A., Agustini, L., Rimbawanto, A., Indrayadi, H., Gafur, A., and Mohammed, C.L. 2014. Identification of *Basidiomycete* fungi in Indonesia hardwood plantations by DNA barcoding. *Forest Pathology*, 44: 496-508.
- Golani, G.D. 2006. Hardwood plantation development and threats to its sustainability in Indonesia. In Potter, K., Rimbawanto, A., and Beadle, C., (eds), *Heart rot and root rot in tropical Acacia plantations*. Proceedings of a workshop held in Yogyakarta, Indonesia, 7–9 February 2006, Canberra, *ACIAR Proceedings*, 124: 16-21.
- Hardiyanto, E.B. 2005. Beberapa isu silvikultur dalam pengembangan hutan tanaman. Dalam Hardiyanto, E.B., (ed.), *Prosiding Seminar Nasional Peningkatan Produktivitas Hutan-Peran Konservasi Sumberdaya Genetik, Pemuliaan dan Silvikultur dalam Mendukung Rehabilitasi Hutan*, Yogyakarta, 26–27 Mei 2005, ITTO dan Fakultas Kehutanan UGM, p.121–134.
- Hardiyanto, E.B. and Nambiar, E.K.S. 2014. Productivity of successive rotations of *Acacia mangium* plantations in Sumatra, Indonesia: impacts of harvest and inter-rotation site management. *New Forests*, 45: 557-575.
- Harjono and Widyastuti, S.M. 2001. Antifungal activity of purified endochitinase produced by biocontrol agent *Trichoderma reesei* against *Ganoderma philippii*. *Pakistan Journal of Biological Sciences*, 4(10): 1232-1234.

- Hood, I.A. 2006. The mycology of the Basidiomycetes. In Potter, K., Rimbawanto, A., and Beadle, C., (eds), *Heart rot and root rot in tropical Acacia plantations*. Proceedings of a workshop held in Yogyakarta, Indonesia, 7–9 February 2006, Canberra, *ACIAR Proceedings*, 124: 34–45.
- Irianto, R.S.B., Barry, K.M., Hidayati, N., Ito, S., Fiani, A., Rimbawanto, A., and Mohammed, C.L. 2006. Incidence, spatial analysis and genetic trial of root rot of *Acacia mangium* in Indonesia. *Journal of Tropical Forest Science*, 18: 157–165.
- Kües, U. 2000. Life history and development processes in the *Basidiomycete Coprinus cinereus*. *Microbiology and Molecular Biology Reviews*, 64(2): 316–353.
- Lee, S.S. 1997. Diseases of some tropical plantation *Acacias* in Peninsular Malaysia. In Old, K.M., Lee, S.S., and Sharma, J.K., (eds), *Diseases of Tropical Acacias*. Proceedings of an international workshop held at Subanjeriji (South Sumatra) 28 April – 3 May 1996, CIFOR, Jakarta, Indonesia. ISBN 979-8764-13-7. pp.53–61.
- _____. 1999. Forest health in plantation forests in South-East Asia. *Australasian Plant Pathology*, 28: 283–291.
- _____. 2000. The current status of root diseases of *Acacia mangium* Willd. In Flood, J., Bridge, P.D., and Holderness, M., (eds), *Ganoderma Diseases of Perennial Crops*. CAB International. Wallingford. pp.71–79.
- _____. 2002. Overview of the heartrot problem in *Acacia* — Gap analysis and research opportunities. In Barry, K. (ed), *Heartrots in Plantation Hardwoods in Indonesia and Australia*. ACIAR Technical Reports No. 51e. Canberra. pp.26–34.
- _____. 2003. Pathology of tropical hardwood plantations in South-East Asia*. *New Zealand Journal of Forestry Science*, 33(3): 321–335.
- _____. 2004. Diseases and potential threats to *Acacia mangium* plantations in Malaysia. *Unasylva* 217, 55: 31–35.
- Lugtenberg, B., and Leveau, J. 2007. Biocontrol of plant pathogens: principles, promises, and pitfalls. In Pinton, R., Varanini, Z., and Nannipieri, P., (eds.), *The Rhizosphere, Biochemistry and Organic Substances at the Soil-Plant Interface, Second Edition*, CRC Press, Taylor and Francis Group, pp.267–296.
- Mardhiansyah, M. 2011. Potensi pengendalian *Trichoderma* spp. terhadap *Ganoderma* sp. di pertanaman *Acacia mangium* umur enam bulan. *SAGU*, 10(1): 29–34.
- Mgbeahuruike, A.C., Sun, H., Fransson, P., Kasanen, R., Daniel, G., Karlsson, M., and Asiegbu, F.O. 2011. Screening of *Phlebiopsis gigantea* isolates for traits associated with biocontrol of the conifer pathogen *Heterobasidion annosum*. *Biological Control*, 57: 118–129.
- Mohd Farid, A., Lee, S.S., Maziah, Z., Rosli, H., and Norwati, M. 2005. Basal root rot, a new disease of Teak (*Tectona grandis*) in Malaysia caused by *Phellinus noxius*. *Malaysian Journal of Microbiology*, 1(2): 40–45.

- Mohd Farid, A., Lee, S.S., Maziah, Z., Rosli, H., and Norwati, M. 2006. Root rot in tree species other than *Acacia*. In Potter, K., Rimbawanto, A., and Beadle, C., (eds), *Heart rot and root rot in tropical Acacia plantations*. Proceedings of a workshop held in Yogyakarta, Indonesia, 7–9 February 2006, Canberra, *ACIAR Proceedings*, 124: 60-66.
- Mohammed, C.L., Barry, K.M., and Irianto, R.S.B. 2006. Heart rot and root rot in *Acacia mangium*: Identification and assessment. In Potter, K., Rimbawanto, A., and Beadle, C., (eds), *Heart rot and root rot in tropical Acacia plantations*. Proceedings of a workshop held in Yogyakarta, Indonesia, 7–9 February 2006, Canberra, *ACIAR Proceedings*, 124: 26-33.
- Mohammed, C., Beadle, C., Francis, A., Glen, M., Rimbawanto, A., Puspitasari, D., Yuskianti, V., Irianto, R., Hidayati, N., Widyatmoko, A., Gafur, A., Tjahjono, B., Hardiyanto, E., Junarto, Mardai, U., and Indrayadi, H. 2012. Management of fungal root rot in plantation acacias in Indonesia. Final Report for project [FST/2003/048]. http://aciarc.gov.au/files/node/14445/fr2012_06_management_of_fungal_root_rot_in_planta_16237.pdf. (Diakses tanggal 28 Juli 2015).
- Mohammed, C.L., Rimbawanto, A., and Page, D. 2014. Management of Basidiomycete root-and stem-rot diseases in oil palm, rubber and tropical hardwood plantation crops. *Forest Pathology*, 44: 428-446.
- Narayanasamy, P. 2013. *Biological Management of Diseases of Crops, Volume 1: Characteristics of Biological Control Agents*, Springer Dordrecht Heidelberg New York London, ISBN 978-94-007-6380-7 (eBook).
- Nurrashyeda, R., Idris, A.S., Maizatul, S.M., Madihah, A.Z., and Kushairi, A. 2012. *Phlebia* GanoEF3 powder as biological control of *Ganoderma* disease in oil palm. *MPOB Information Series, MPOB TT, 510*. ISSN 1511-7871. June 2012.
- Old, K.M., Lee, S.S., Sharma, J.K., and Zi Qing, Y. 2000. A manual of diseases of tropical *Acacias* in Australia, South-East Asia and India. Center for International Forestry Research, Jakarta, Indonesia, 104p. ISBN 979-8764-44-7.
- Prasad, M. and Naik, S.T. 2002. Management of root rot and heart rot of *Acacia mangium* Willd. *Karnataka Journal of Agricultural Sciences*, 15(2): 321-326.
- Pratt, J.E., Gibbs, J.N., and Webber, J.F. 1999. Registration of *Phlebiopsis gigantea* as a forest biocontrol agent in the UK: recent experience. *Biocontrol Science and Technology*, 9: 113-118
- Puspitasari, D., Rimbawanto, A., dan Hidayati, N. 2009. Karakterisasi morfologi dan verifikasi DNA *Ganoderma philippii* penyebab busuk akar *Acacia mangium*. *Jurnal Pemuliaan Tanaman Hutan*, 3(2): 83-94.
- Puspitasari, D., Yuskianti, V., Rimbawanto, A., Glen, M., and Mohammed, C. 2012. Identification of several *Ganoderma* species causing root rot in *Acacia mangium* plantation in Indonesia. In Mohammed, C., Beadle, C., Roux, J., and Rahayu, S. (eds), *Proceeding of International Conference on The Impacts of Climate Change to Forest Pests and Diseases in The*

- Tropics, held at Yogyakarta, 8-10 October 2012, Faculty of Forestry, Universitas Gadjah Mada, Yogyakarta, Indonesia. *IUFRO Working Party Proceeding*, WP.7.02.07, p.157-161.
- Rahayu, S. 1999. Penyakit tanaman hutan di Indonesia. Gejala, penyebab dan teknik pengendaliannya. Penerbit Kanisius, Yogyakarta. 112p.
- Rakib, M.R.M., Bong, C.F.J., Khairulmazmi, A., and Idris, A.S. 2014. Genetic and morphological diversity of *Ganoderma* species isolated from infected oil palms (*Elaeis guineensis*). *Int. J. Agric. Biol.*, 16: 691-699.
- Sahashi, N., Akiba, M., Ishihara, M., Ota, Y., and Kanzaki, N. 2012. Brown root rot of trees caused by *Phellinus noxius* in the Ryukyu Islands, subtropical areas of Japan. *Forest Pathology*, 42(5): 353-361.
- Sahashi, N. 2013. Brown root rot caused by *Phellinus noxius* in subtropical areas of Japan. International Symposium on Forest Health Management 2013. 18p.
- Sahashi, N., Akiba, M., Ota, Y., Masuya, H., Hattori, T., Mukai, A., Shimada, R., Ono, T., and Sato, T. 2015. Brown root rot caused by *Phellinus noxius* in the Ogasawara (Bonin) islands, southern Japan - current status of the disease and its host plants. *Australasian Plant Dis. Notes*, 10:33, 5p.
- Samils, N., Olson, A., and Stenlid, J. 2008. The capacity in *Heterobasidion annosum* s.l. to resist overgrowth by the biocontrol agent *Phlebiopsis gigantea* is a heritable trait. *Biological Control*, 45: 419-426.
- Sankaran, K.V., Bridge, P.D., and Gokulapalan, C. 2005. *Ganoderma* diseases of perennial crops in India – an Overview. *Mycopathologia*, 159: 143-152.
- Sariah, M., and Zakaria, H. 2000. The use of soil amendments for the control of basal stem rot of oil palm seedlings. In Flood, J., Bridge, P.D., Holderness, M., (eds), *Ganoderma Diseases of Perennial Crops*. CAB International, Wallingford, pp.89-100.
- Sharma, J.K. and Florence, E.J.M. 1997. Fungal pathogens as a potential threat to tropical *Acacias* – Case study of India. In Old, K.M., Lee, S.S., and Sharma, J.K., (eds), *Diseases of Tropical Acacias*. Proceedings of an international workshop held at Subanjeriji (South Sumatra) 28 April – 3 May 1996, CIFOR, Jakarta, Indonesia. ISBN 979-8764-13-7. pp.70-107.
- Sidorov, E. 2005. Efficacy of different concentrations of Rotstop® and Rotstop^S and imperfect cover of Rotstop^S against *Heterobasidion* spp. infections on Norway spruce stumps. *Final Thesis no.66*, Southern Swedish Forest Research Centre, Alnarp August 2005. 19p.
- Stalpers, G.A. 1978. Identification of wood-inhabiting fungi in pure culture. *Studies in Mycology*, 16, Centraalbureau voor Schimmelcultures, Baarn. 248pp. doi. http://www.cbs.knaw.nl/publications/1016/full_text.htm. (Diakses pada bulan Agustus, 2011).
- Susanto, M. 2014. Keragaman genetik sifat kayu *Acacia mangium* untuk produksi pulp dan kertas. Disertasi Program Studi Ilmu Kehutanan, Sekolah Pascasarjana, Universitas Gadjah Mada, Yogyakarta. (Tidak dipublikasikan).
- Thor, M. 2003. Operational stump treatment against *Heterobasidion annosum* in European forestry—Current situation. In LaXamme, G., Berube, J. A.,

- and Bussieres, G., (eds.), *Root and Butt Rots of Forest Trees: Proceedings of the IUFRO Working Party 7.02.01.*, held in Quebec, Canada, 16–22 September 2001, Laurentian Forestry Centre, Quebec, pp.170–175.
- Vasiliauskas, R., Larsson, E., Larsson, K.-H., and Stenlid, J. 2005. Persistence and long-term impact of rotstop biological control agent on mycodiversity in *Picea abies* stumps. *Biological Control*, 32: 295–304.
- Werren, M. 1991. Plantation development of *Acacia mangium* in Sumatra. In Turnbull, J.W., (ed), *Advances in Tropical Acacia Research*. Proceedings of a workshop held in Bangkok, Thailand, 11-15 February 1991, *ACIAR Proceedings*, 35: 107-109.
- Whipps, J.M. 2001. Microbial interactions and biocontrol in the rhizosphere. *Journal of Experimental Botany, Roots Special Issue*, 52: 487-511.
- Widyastuti, S.M. 2006. The biological control of *Ganoderma* root rot by *Trichoderma*. In Potter, K., Rimbawanto, A., and Beadle, C., (eds), *Heart rot and root rot in tropical Acacia plantations*. Proceedings of a workshop held in Yogyakarta, Indonesia, 7–9 February 2006, Canberra, *ACIAR Proceedings*, 124: 67–74.
- Worall, J.J. 2013a. *Armillaria* root disease. http://www.forestpathology.org/dis_arm.html. Last modified 27 May, 2007. (Diakses pada bulan Februari 2013).
- Worall, J.J. 2013b. Fungi. <http://www.forestpathology.org/fungi.html>. Last modified 27 May, 2007. (Diakses pada bulan Februari 2013).
- Wu, J., Peng, S.L., Zhao, H.B., Tang, M.H., Li, F.R., and Chen, B.M. 2011. Selection of species resistant to the wood rot fungus *Phellinus noxius*. *European Journal of Plant Pathology*, 130: 463-467.
- Yuskianti, V., Glen, M., Puspitasari, D., Francis, A., Rimbawanto, A., Indrayadi, H., and Mohammed, C.L. 2014. Species-specific PCR for rapid identification of *Ganoderma philippii* and *Ganoderma mastoporum* from *Acacia mangium* and *Eucalyptus pellita* plantations in Indonesia. *Forest Pathology*, 44: 477-485.