

DAFTAR PUSTAKA

- Adams, C. A. 2004. Nutricines in poultry production: Focus on bioactive feed ingredients. *Nutrition Abstracts and Reviews Seri B*. 74: 1-12.
- Adhyatmika. 2012. Preparasi nanopartikel senyawa pentagamavunon-0 menggunakan matriks polimer rantai sedang dan pengait silang natrium tripolifosfat melalui mekanisme gelasi ionik sebagai kandidat obat anti inflamasi. Tesis. Program Studi Bioteknologi Minat Rekayasa Biomedis. Sekolah Pascasarjana. Universitas Gadjah Mada. Yogyakarta.
- Akbarian, A., A. Golian, H. Kermanshahi, A. Gilani, and S. Moradi. 2012. Influence of turmeric rhizome and black pepper on blood constituents and performance of broiler chickens. *African Journal of Biotechnology*. 11: 8606-8611.
- Ali, B.H., G. Blunden, M.O. Tanira, and A. Nemmar. 2008. Some phytochemical, pharmacological and toxicological properties of ginger (*Zingiber officinale* Roscoe): A review of recent research. *Food and Chemical Toxicology*. 46: 409-420.
- Aliyiannis, N., E. Kalpoutzakis, S. Mitaku, and I. B. Chinou. 2001. Composition and antimicrobial activity of the essential oils of two *Origanum* species. *Journal of Agricultural and Food Chemistry*. 49: 4168-4170.
- Al-Sultan, S.I. 2003. The effect of *Curcuma longa* (turmeric) on overall performance of broiler. *International Journal of Poultry Science*. 2: 351-353.
- Apajalahti, J., A. Kettunen, and H. Graham. 2004. Characteristics of the gastrointestinal microbial communities, with special reference to the chicken. *World's Poultry Science Journal*. 60: 223-232.
- Badan Pusat Statistik. 2015. Populasi ternak 2015. Tersedia pada: <http://bps.go.id/linkTableDinamis/view/id/1034>, diakses pada 16 Juni 2016.
- Bhaisare, D. B., D. Thyagarajanz, R. R. Churchils, and N. Punniamurthy. 2014. Effect of dietary supplementation of herbal seeds on carcass traits of turkey poults. *Veterinary World*. 7: 938-942.
- Bhawana, R. K. Basniwal, H. S. Buttar, V. K. Jain, and N. Jain. 2011. Curcumin nanoparticles: preparation, characterization, and antimicrobial study. *Journal of Agricultural and Food Chemistry*. 59: 2056-2061.
- Bonnet, S., P. A. Geraert, M. Lessire, B. Carre, and S. Guillaumin. 1997. Effect of high ambient temperature on feed digestibility in broilers. *Poultry Science*. 76: 857-863.

- Chatopadhyay, I., K. Biswas, U. Bandyopadhyay, and R. K. Banerjee. 2004. Turmeric and curcumin: biological actions and medicinal applications. *Current Science*. 87: 44-54.
- Choct, M. 2009. Managing gut health through nutrition. *British Poultry Science*. 50: 9-15.
- Choi, I.H., W.Y. Park, and Y.J. Kim. 2010. Effects of dietary garlic powder and alphatocopherol supplementation on performance, serum cholesterol levels, and meat quality of chicken. *Poultry Science*. 89: 1724-1731.
- Conway, P.L. 1994. Function and regulation of the gastrointestinal microbiota of the pig. In: Souffrant, W.B., Hagemeinster, H. (Eds.), *Proceedings of the VI International Symposium on Digestive Physiology in Pigs*. EAAP Publication No 80 Dummerstoff, pp. 231-240.
- Dahiya, J. P., D. C. Wilkie, A. G. Van Kessel, and M. D. Drew. 2005. Potential strategies for controlling necrotic enteritis in broiler chickens in post-antibiotic era. *Animal Feed Science and Technology*. 129: 60-88.
- Delespaul, Q., V. G. De Billerbeck, C. G. Roques, G. Michel, C. Marquier-Vinuales, and J. M. BessiΦre. 2000. The antifungal activity of essential oils as determined by different screening methods. *Journal of Essential Oil Research*. 12: 256-266.
- Dono, N.D. 2005. Suplementasi Fitobiotik jahe merah (*Zingiber officinale* Roscoe) dalam pakan terhadap penampilan, kualitas karkas, profil darah dan organ dalam ayam broiler. M.Sc. Tesis. Sekolah Pascasarjana. Universitas Gadjah Mada. Yogyakarta.
- Dono, N.D. 2012. Nutritional strategic to improve enteric health and growth performance of poultry post antibiotic era. Ph.D. Thesis. University of Glasgow. Glasgow.
- Durrani, F.R., M. Ismail, A. Sultan, S.M. Suhail, N. Chand, and Z. Durrani. 2006. Effect of different levels of feed added turmeric (*Curcuma longa*) on the performance of broiler chicks. *Journal of Agriculture and Biological Science*. 1: 9-11.
- Ejaz, A., D. Wu, P. Kwan, and M. Meydani. 2009. Curcumin inhibits adipogenesis in 3T3-L1 adpocytes and angiogenesis and obesity in C57/BL mice¹⁻³. *The Journal of Nutrition*. 139: 919-925.
- Feddes, J.J.R., E.J. Emmanuel, and M.J. Zuidhoft. 2002. Broiler performance, body weight variance, feed and water intake, and carcass quality at different stocking densities. *Poultry Science*. 81: 774-779.
- Ferrer, C., E. Pedragosa, M. Torras-Liort, J. M. Planas, M. A. Mitchell, M. Moreto. 2006. Dietary lipids modify brush border membrane composition and nutrient transport in chicken small intestine. *Journal Nutrition*. 133: 1147-1153.

- Food and Agriculture Organization. 2005. Endogeneous and Exogeneous Feed toxins. http://fao.or/docrep/article/Agrippa/659_en_10.htm3TopOfPage 2005. Diakses 21 Februari 2014.
- Frankic, T., M. Voljc, J. Salobir, and V. Rezar. 2009. Use of herbs and species and their extracts in animal nutrition. *Acta Agriculturae Slovenica*. 94: 95-102.
- Garriga, C., R. R.Hunter, C. Amat, J. M. Planas, M. A. Mitchell, M. Moreto. 2006. Heat stress increases apical glucose transport in the chicken jejunum. *American Journal Physiol Regulatory, Integrative, and Comparative Physiology*. 290: 195-201.
- Gopi, M., K. Karthik, H. V. Manjunathachar, P. Tamilmahan, M. Kesavan, M. Dashprakash, B. L. Balaraju, and M. R. Purushotman. 2013. Essential oils as a feed additive in poultry nutrition. *Advances in Animal and Veterinary Science*. 2: 1-7.
- Govindarajan, V.S. and W.H. Stahl. 1980. Turmeric - Chemistry, technology, and quality. *Critical Reviews in Food Science and Nutrition*. 12: 199-301.
- Grashorn, M. A. 2010. Use of phytobiotics in broiler nutrition – an alternative to infeed antibiotics? *Journal of Animal and Feed Sciences*. 19: 338-347.
- Hashemi, S.R. and H. Davoodi. 2010. Phytogenics as new class of feed additive in poultry industry. *Journal of Animal and Veterinary Advances*. 9: 2295-2304.
- Hayani, E. 2006. Analisis kandungan kimia rimpang temulawak. *Temu Teknis Nasional Tenaga Fungsional Pertanian*. Pusat Pertanian dan Pengembangan Peternakan. Pp. 309-12.
- Herawati. 2010. The effect of feeding red ginger as phytobiotic on body weight gain, feed conversion and internal organs condition of broiler. *International Journal of Poultry Science*. 9: 963-967.
- Hosseini-Vashan, A. Golian, A. Yghobfar, A. Zarban, N. Afzali, and P. Esmailinasab. 2012. Antioxidant status, Immune system, blood metabolites and carcass characteristic of broiler chickens fed turmeric rhizome powder under heat stress. *African Journal of Biotechnology*. 11: 16188-16125.
- Jin, L.Z., Y.W. Ho, N. Abdullah, and S. Jalaludin. 1997. Probiotics in poultry: modes of action. *World's Poultry Science Journal*. 53: 351-368.
- Kadim, I.T., O. Mahgoub, and R.W. Purchas. 2008. A review of the growth, and carcass and meat quality characteristics of the one-humped camel (*Camelus dromedaries*). *Meat Science*. 80: 555-569.
- Kelly, D. and S. Conway. 2001. Genomics at work: the global gene response to enteric bacteria. *Gut*. 49: 612-613.

- Kim, Y.J., S.K. Jin, and H.S. Yang. 2009. Effect of dietary garlic bulb and husk on the physicochemical properties of chicken meat. *Poultry Science*. 88: 398-405.
- Kokkini, S., R. Karousou, and D. Vokou. 1994. Pattern of geographic variations of *Origanum vulgare* trichomes and essential oil content in Greece. *Biochemical Systematics and Ecology*. 22: 517-528.
- Kraehenbuhl, J.P. and M.R. Neutra. 1992. Molecular and cellular basis of immune protection of mucosal surfaces. *Physiological Reviews*. 72: 853-879.
- Lambert, R. J. W., P. N. Skandamis, P. J. Coote, and G. J. E. Nychas . 2001. A study of the minimum inhibitory concentration and mode of action of oregano essential oil, thymol and carvacrol. *Journal of Applied Microbiology*. 91: 453-462.
- Lara, L. J. and M. H. Rostagno. 2013. Impact of heat stress on poultry production. *Animals*. 3: 356-369.
- Lei, L., L. Hepeng, L. Xianlei, J. Hongchao, L. Hai, A. Sheikahmadi, W. Yufeng, and Z. Zhigang. 2014. Effect of acute heat stress on gene expression of brain-gut neuropeptides in broiler chickens. *Journal Animal Science*. 91: 5194-5201.
- Lesson, S. and J.D. Summer. 2008. *Commercial Poultry Nutrition*. 3rd ed. University Book. Guelph Ontario, Ontario.
- Mahady, G.B., S.L. Pendland, G.S. Yun, Z.Z. Lu, and A. Toia. 2003. Ginger (*Zingiber officinale* Roscoe) and the gingerols inhibit the growth of cag a+ strains of *Helicobacter pylori*. *Anticancer Research*. 25: 3699-702.
- Mahela, C. and M. Moorthy. 2008. Production Performance of Broilers Fed with *Aloe vera* and *Curcuma longa* (Turmeric). *International Journal of Poultry Science*. 7: 852-856.
- Martinez, W.S. 1999. Vertical coordination in the pork and broiler industries: implications for pork and chicken products. Agricultural Economic Report No 777, U.S. Department of Agriculture, Washington D.C.
- McGimpsey, J. A., M. H. Douglas, J. W. Van Klink, D. A. Beauregard, and N. B. Perry. 1994. Seasonal variation in essential oil yield and composition from naturalized *Thymus vulgaris* L. in New Zealand. *Flavour and Fragrance Journal*. 9: 347-352.
- Miles R.D., G.D. Butcher, P.R. Henry, and R.C. Littell. 2006. Effect of antibiotic growth promoters on broiler performance, intestinal growth parameters, and quantitative morphology. *Poultry Science*. 85: 476-485.

- Mokhtari, R., A.R. Yazdani, M. Rezaei, and R. Ghorbani. 2010. The effect of different growth promotores on performance and carcass characteristics of broiler chicken. *Journal of Animal and Veterinary Advance*. 9: 2663-2639.
- Mondal, M.A., T. Yeasmin, R. Karim, M. N. Siddiqui, S.M. Raihanun-Nabi, M.A. Sayed, and M.N.A. Siddiky. 2015. Effect of dietary supplementatio of turmeric (*Curcuma longa*) powder on the growth performance and carcass traits of broiler chicks. *SAARC Journal of Agriculture*, 13:188-199.
- Muharliien. 1995. Pengaruh jenis kelamin, bobot inisial, dan aras protein ransum terhadap performan dan kualitas fisik karkas ayam kampung fase pertumbuhan. Tesis. Pascasarjana Universitas Gadjah Mada. Yogyakarta.
- Navindran, P.N., K.N. Babu, and K. Sivaraman. 2007. *Turmeric: The Genus Curcuma*. CRC Press. Taylor and Francis Group. Boca Raton, Florida.
- North, M.O. and D.D. Bell. 1990. *Commercial Chicken Production Manual*. 4th Edition. Van Nostard Rainhold. New York.
- Oriani, V. B., I. D. Alvim, L. Console, G. Molina, G. M. Pastore, and M. D. Hubinger. 2016. Solid lipid microparticles produced by spray chilling technique to deliver ginger oleoresin: structure and compound retention. *Food Research International*. 80: 41-49.
- Osawa, T., Y. Sugiyama, M. Iayoshi, and S. Kaawakishi. 1995. Antioxidative activity of tetrahydrocurcuminoids. *Bioscience, Biotechnology, and Biochemistry*. 59: 1609-1612.
- Pelicano, E. R. L., P. A. Souza, H. B. A. Souza, D. F. Figueiredo, M.M. Boiago, S. R. Carvalho, and V. F. Bordon. Intestinal mucosa development in broiler chickens fed natural growth promotores. *Revista Brasileira de Ciencia Avicola*. 7: 1516-635.
- Pond, W.G., D.C. Church, and K.R. Pond. 1995. *Basic Animal Nutrition and Feeding*. 4th ed. John Wiley and Sons Inc. Westport, Connecticut.
- Pratama, R. N., O. Sjojfan, and E. Widodo. 2014. Pengujian daya simpan aditif pakan dari campuran acidifier dan fitobiotik terenkapsulasi ditinjau dari jenis pengemasan dan lama simpan. *Jurnal Ternak Tropika*. 15: 51-59.
- Puron, D., R. Santamaria, J. C. Segaura, and J. L. Alamilla. 1995. Broiler performance at different stocking densities. *Journal of Applied Poultry Research*. 4: 55–60.
- Qasem, M. M. A., M. S. Alhaji, A. R. Ger El Nabi, and S. I. Al-Mufarrej. 2015. Effect of tumeric powder as a dietary supplement on performance indicators and immune responses in broiler chickens. *Journal of Animal and Veterinary Advances*. 14: 30-35.

- Rodianawati, I. P. Hastuti, and M. N. Cahyanto. 2015. Nutmeg's (*Myristica fragrans* Houtt) Oleoresin: effect of heating to chemical compositions and antifungal properties. *Procedia Food Science*. 3: 244 –254.
- Roofchae, A., M. Irni, M. A. Ebrahimzadeh, and M. R. Akbari. 2011. Effect of dietary oregano (*Origanum vulgare* L.) essential oil on growth performance, cecal microflora and serum antioxidant activity of broiler chickens. *African Journal of Biotechnology*. 10: 6177-6183.
- Sahin, K., M. Onderci, N. Sahin, M. F. Gursu, F. Khachik, and O. Kucuk. 2006. Effect of lycopene supplementation on antioxidant status, oxidative stress, performance, and carcass characteristics in heat-stressed Japanese quail. *Journal of Thermal Biology*. 31: 307-312.
- Salem, M.L. 2005. Immunomodulatory and therapeutic properties of the *Nigella sativa* L. seed. *International Immunopharmacology*. 5: 1749-1770
- Salgueiro, L. R., R. Vila, F. Tomi, A. C. Figueiredo, J. G. Barroso, S. Ca igueral, J. Casanova, A. da Cunha, and T. Adzet. 1997. Variability of essential oils of *Thymus caespititius* from Portugal. *Phytochemistry*. 45: 307-311.
- Scott, M.L., M.C. Neisheim, and R.J. Young. 1982. Nutrition of the Chicken. 3rd ed., M.L. Scott and Associates, Ithaca, New York.
- Sharma, R.A., A.J. Geescher, and W.P. Stewa. 2005. Curcumin: the story so far. *European Journal of Cancer*. 4: 1955-1968.
- Soeparno, 2005. Ilmu dan Teknologi Daging. Gadjah Mada University Press. Yogyakarta.
- Song, Z., L. Liu, A. Sheikahmadi, H. Jiao, and H. Lin. 2012. Effect of heat stress exposure on gene expression of feed intake regulatory peptides in laying hens. *Journal of Biomedicine and Biotechnology*. 2012:1-8.
- Sun,X., H. Zhang, A. Sheikahmadi, Y. Wang, H. Jiao, H. Lian, Z. Song. 2015. Effects of heat stress on gene expression of nutrient transporters in the jejunum of broiler chickens (*Gallus gallus domesticus*). *International Journal of Biometeorology*. 59: 127-135.
- Suresh, D. and K. Srinivasan. 2007. Studies on the in vitro absorption of spice principles-curcumin, capsaicin and piperine in rat intestines. *Food and Chemical Toxicology*. 45: 1437-1442.
- Thomke, S. and K. Elwinger. 1998. Growth promotants in feeding pigs and poultry. III. Alternatives to antibiotic growth promotants. *Annales de Zootechnie*. 47: 245-271.
- Torok, V.A., R.J. Hughes, K. Ophel-Keller, M. Ali, and R. MacAlpine. 2009. Influence of different litter materials on cecal microbiota colonization in broiler chickens. *Poultry Science*. 88: 2474-2481.

- Vasala, P.A. 2001. Ginger in Handbook of Herbs and Species. CRC Press, Woodhead Publishing Ltd., Cambridge.
- Wang, R. and S. Bourne. 1998. Can 2000 years of herbal medicine history help us solve problems in the year 2000? Biotechnology in the feed industry: Proceedings of the Alltech's 14th Annual Symposium, Kentucky: 273-291.
- Whitehead, C.C. and T. Keller. 2003. An update ascorbic acid in poultry. World's Poultry Science Journal. 59: 161-184.
- Wilson, E. K., F. W. Pierson, P. Y. Hester, R. L. Adams, and W. J. Stadelman. 1980. The effects of high environmental temperature on feed passage time and performance traits of white peking ducks. Poultry Science. 59: 2322-2330.
- Wilson, J., G. Tice, M.L. Brash, and S. St Hilaire. 2005. Manifestations of *Clostridium perfringens* and related bacterial enteritides in broiler chickens. World's Poultry Science Journal. 61: 435-449.
- Windisch, W.M., K. Schedle, C. Plitzner, and A. Kroismayr. 2007. Use of phytogetic products as feed additive for swine and poultry. Journal of Animal Science. 86: E140-148.
- Wolfenson, D., D. Bachrach, M. Maman, Y. Graber, and I. Roznboim. 2001. Evaporative cooling of ventral regions of the skin in heat-stressed laying hens. Poultry Science. 80: 958-964.
- Wuthi-Udomlert, M., W. Girisanapan, O. Luanratana, and W. Caichompoo. 2000. Antifungal activity of *Curcuma longa* grown in Thailand. The Southeast Asian Journal of Tropical Medicine and Public Health. 1: 178-182.
- Yahav, S., A. Collin, D. Shinder, and M. Picard. 2004. Thermal manipulation during broiler chick embryogenesis: effects of timing and temperature. Poultry Science. 83: 1959-1963.
- Yang, Y., P.A. Iji., and M. Choct. 2009. Dietary modulation of gut microflora in broiler chicken: a review of the role of six kinds of alternatives to in-feed antibiotics. World's Poultry Science Journal. 65: 97-144.
- Yarru, L.P., R.S. Settivari, N.K.S. Gowda, E. Antoniou, D.R. Ledoux, and G.E. Rottinghaus. 2009. Effects of turmeric (*Curcuma longa*) on the expression of hepatic genes associated with biotransformation, antioxidant, and immune systems in broiler chicks fed aflatoxin. Poultry Science. 88: 2620-2627.
- Yegani, M. and D.R. Korver. 2008. Factors affecting intestinal health in poultry. Poultry Science. 87: 2052-2063.

Ziad, H.M., A. Dieyah, and M.S.A. Darwish. 2008. Effect of feeding powdered black cumin (*Nigella sativa* L.) on growth performance of 4-8 week-old broiler. *Journal of Animal and Veterinary Advances*. 7: 292-296.

Zubaidah. 1992. Korelasi Bobot Telur, Bobot Tetas, dan Pertumbuhan. *Poultry Indonesia*. No. 145. Jakarta.

Zuprizal, M. Larbier, A. M. Chagneau, and P. A. Geraert. 1993. Influence of ambient temperature on true digestibility of protein and amino acids of repeseed and soybean meals in broilers. *Poultry Science*. 72: 289-295.