

DAFTAR PUSTAKA

- Albayati, T. M., and Doyle, A. M., 2014, SBA-15 Supported Bimetallic Catalysts for Enhancement Isomers Production During n-Heptane Decomposition, *Int. J. Chem. React. Eng.*, 12(1): 345-354.
- Baikousi, M., Daikopoulos, C., Georgiou., Bourlinos, A., Zboril, R., Delogiannakis, Y., and Karakassides, 2013, Novel Ordered Mesoporous Carbon with Innate Functionalities and Superior Heavy Metal Uptake, *J. Phys. Chem. C*, 117, 16961-16971.
- Bateman, J.F., Lamandé, S.R., dan Ramshaw, J.A.M., 1996, *Collagen superfamily* dalam W.D. Comper (Ed.), *Extracellular Matrix. Molecular Components and Interactions*, 2, Harwood Academic Publishers, UK.
- Bhaskar, T., 2004, Recycling of Lubricant Oil into Chemical Feedstock or Fuel Oil Over Supported Iron Oxide Catalyst, *J. Fuel*, 83, 9-15.
- Boser, E. R., 1995, *Lubrication and Lubricants*, *Kirk-Othmer Encyclopedia Chemical Tehnology*, John Wiley and Sons, New York.
- Chandrasekar, G., Son, W. J., and Ahn, W. S., 2009, Synthesis of Mesoporous Material SBA-15 and CMK-3 from Fly Ash and Their Application for CO₂ Adsorption, *J. Porous Mater.*, 16, 545-551.
- Dhipare, M., and Muzeda, E., 2013, Analysis and Characterization of Waste Lubricating Grease Derived Oil, 2nd *International Conference on Agricultural, Environment, and Biological Sciences*, 17-18 Desember 2013, Pattaya.
- Gomez-Guillen, M. C., Turnay, J., Fernandez-Diaz, M. D., Ulmo, N., Lizarbe, M. A., and Montero, P., 2002, Structural and Physical Properties of Gelatin Extracted from Different Marine Species: a Comparative Study, *Food Hydrocoll.*, 16, 25-34.
- Gomez-Guillen, M.C., Gimenez, B., Lopez-Caballero, M.E., and Montero, M.P., 2011, Functional and Bioactive Properties of Collagen and Gelatin from Alternative Sources: A Review, *Food Hydrocoll.*, 25, 1813-1827.
- Gosh, U., Kulkarni, K., Kulkarni, A. D., and Chaudari, P. I., Review-Hydrocracking using Different Catalysts, *Chemical and Process Engineering Research*, 34, 51-55.
- Grilc, M., Likozar, B., Levec, J., 2014., Hydrodeoxygenation and Hydrocracking of Solvolysed Lignocellulosic Biomass by Oxide, Reduced and Sulphide form

of NiMo, Ni, Mo, and Pd Catalysts, *Elsevier: Applied Catalysis B: Environmental*, 275-287.

Hsu, C.H., Lin, H.P., Tang, C.Y., and Lin, C.Y., 2007, Synthesis of mesoporous silica and mesoporous carbon using gelatin as organic template, *Stud. Surf. Sci. Catal.*, 165, 385-388.

Hsu, L. Y. and Liu, C.C., 2011, Evaluation and Selection of Regeneration of Waste Lubricating Oil Technology, *Environ. Monit. Assess* 176, 197–212.

Irwan, 2016, Pirolisis Kayu Pinus (*Pine Merkusii*) Menjadi BIO-OIL Menggunakan Katalis NiMo/NZA, *Skripsi*, Jurusan Teknik Kimia, Fakultas Teknik, Universitas Riau, Riau.

Isabela, 2014, Sintesis Silika Mesopori dengan Cetakan Gelatin Tulang Sapi dan Kapasitas Adsorpsinya terhadap Metilen Biru, *Tesis*, Program studi S2 Kimia Pasca Sarjana Fakultas Matematika dan Ilmu Pengetahuan Alam, Yogyakarta.

Jeon, S. G., Na, J. G., Ko, C. H., Yi, K. B., Rho, N. S., Park, S. B., Preparation and Application of an Oil-Soluble CoMo Bimetallic Catalyst for the Hydrocracking of Oil Sands Bitumen, 2011, *ACS: Energy Fuels*, 25, 4256-4260.

Johnston-Banks, F. A., 1990, *Gelatin*, dalam P. Harris, *Food Gels* (pp. 233-289), Elsevier Applied Science Publishers, London.

Karim, A. A., and Bhat, R., 2009, Fish Gelatin: Properties, Challenges, and Prospects as an Alternative to Mammalian Gelatins, *Food Hydrocoll.*, 23, 563-576.

Khowatimy , A. F., Priastomo, Y., Febriyanti, R., Riyantoko, H., and Trisunaryanti, W., 2014, Study of Waste Lubricant Hydrocracking into Fuel Fraction over The Combination of Y-Zeolite and ZnO Catalyst, *Procedia Environmental Scie.*, 20, 225-234.

Kim, H., Nguyen-Huy, C., Shin, E. W., 2014, Macroporous NiMo/alumina Catalyst for The Hydrocracking of Vacuum Residue, *Reac. Kinet. Mech. Cat.*, 113, 431-443.

Liang, C., Li, Z., Dai, S., 2008, Mesoporous Carbon Materials: Synthesis and Modification, *Angew. Chem. Int. Ed.*, 47, 3696-3717.

Lin, C. Y., Wu, H. S., Liu, W. C., Lim, Y. Z., Huang, W. C., Lin, P. H., Deng, S., Yang, C. M., Tang, Y. C., and Lin, Y. C., 2008, Synthesis of Mesoporous Carbon of

High Surface Area and Porosity by Using Polymer Blends as Template, *J. Solid State Electrochem.*, 12, 895-901.

Lowel, T., and Shields, T., 2004, Characterization of Porous Materials and Powders: Surface Area and Porosity by Using Polymer Blends as Template, *J. Solid State Electrochem.*, 12, 895-901.

Lu, A., Li, W., Schmidt, W., Kiefer, W., and Ferdi, S., 2004, Easy Synthesis of an Ordered Mesoporous Carbon with a Hexagonally Packed Tubular Structure, *Carbon*, 42, 2939–2948.

Lufrano, F., and Staiti, P., 2010, Mesoporous Carbon Materials as Electrodes for Electrochemical Super Capacitors, *Int. J. Electrochem. Sci.*, 5, 903-916.

Masykuroh, M., Trisunaryanti, W., Falah, I. I., and Sutarno, 2016, Preparation and Characterization of Co and Co-Mo Loaded on Mesoporous Silica for Hydrocracking of Waste Lubricant, *Int. J. ChemTech. Res.*, 9 (9), 598-606.

Mayalagan, T., Nassr, A. B., Alaje, T. O., Bron, M., and Scott, K., 2012, Three-Dimensional Cubic Ordered Mesoporous Carbon (CMK-8) as Highly Efficient Stable Pd Electro-Catalyst Support for Formic Acid Oxidation, *J. Power Sources*, 211, 147-153.

Montero, P., and Gomez-Guillen. M. C., 2000, Extracting Conditions for Megrim (*Lepidorhombus Boscii*) Skin Collagen Affect Functional Properties of The Resultant Gelatine, *J. Food Sci.*, 65, 434-438.

Muyonga, J.H., Cole, C.G.B., dan Duodu, K.G., 2004, Fourier Transform Infrared (FTIR) Spectroscopic Study of Acid Soluble Collagen from Skins and Bones of Young and Adult Nile Perch (*Lates niloticus*), *Food. Chem.*, 86, 325-332.

Nurmalasari, Trisunaryanti, W., Sutarno and Falah, I.I., 2016, Mesoporous Silica Impregnated by Ni and NiMo as Catalysts for Hydrocracking of Waste Lubricant, *Int. J. ChemTech. Res.*, 9 (9), 607-614.

Puron, H., Pinilla, J. L., Berruenco, C., Montoya de la Fuente, J. A., Millan, M., 2013, Hydrocracking of Maya Vacuum Residue with NiMo Catalysts Supported on Mesoporous Alumina and Silica-Alumina, *ACS: Energy Fuels*, 27, 3952-3960.

Rad, M. R., Rashidi., M. A., and Vafajoo, L., The Effect of Support in Ni-Mo Catalyzed Hydrocracking of Extra Heavy Oil, *4th International Conference on Nanostructures (ICNS4)*, 12-14 March 2012, Kish Island, I. R. Iran.

- Rayo, P., Ramirez, J., Torres-Mancera, P., Marroquin, G., Maity, S. K., Ancheyta, J., 2012, Hydrodesulfurization and Hydrocracking of Maya Crude with P-modified NiMo/Al₂O₃ Catalysts, *Elsevier: Fuel*, 34-42.
- Rodiansono, Trisunaryanti, W., dan Triyono, 2005, Pembuatan, Karakterisasi dan Uji Aktivitas Katalis NiMo/Z dan NiMo/Z-Nb₂O₅ pada Reaksi Hidrorengkah Fraksi Sampah Plastik menjadi Fraksi Bensin, *J. of Math Nat Sci*, 17 (2).
- Ryoo, R., Joo, S.H., dan Jun, S., 1999b, Synthesis of highly ordered carbon molecular sieves via template-mediated structural transformation, *J. Phys. Chem.*, 37, 1–9.
- Sie, S.T., 1993, Acid-Catalyzed Cracking of Paraffinic Hydrocarbon, 3. Evidence for the Protonated Cyclopropane Mechanism from Hydrocracking/Hydroisomerization Experiments, *Ind. Eng. Chem. Res.*, 32.
- Suhenry, S., Widayati, T. W., Hartarto, H. T., dan Supriyadi, R., 2015, Proses Pembuatan Gelatin dari Kulit Kepala Sapi dengan Proses Hidrolisis Menggunakan Katalis HCL, *Seminar Nasional Teknik Kimia “Kejuangan”*, 18 Maret 2015, Yogyakarta.
- Susanto, H., 2015, Sintesis Silika Mesopori menggunakan Cetakan Gelatin Tulang Sapi dan Impregnasi Cr untuk Katalis Hidrorengkah Pelumas Bekas, *Skripsi*, Departemen Kimia FMIPA UGM, Yogyakarta.
- Swasdika, F., 2015, Sintesis Karbon Mesopori dari Gelatin Tulang Sapi dan Co/Karbon Mesopori sebagai Katalis Hidrorengkah Pelumas Bekas, *Skripsi*, Departemen Kimia FMIPA UGM, Yogyakarta.
- Trisunaryanti, W., and Sudiono, S., 2002, Optimation of time and catalyst/feed ratio in catalytic cracking of waste plastics to gasoline fraction using Cr/natural zeolite catalyst, *Indo. J. Chem.*, 2 (1), 26-34.
- Trisunaryanti, W., Falah, I. I., Triyono, and Susanto, H., 2016, Synthesis of Mesoporous Silica Using Gelatin as a Template and Cr/silica Catalyst For Hydrocracking of Waste Lubricant Oil, *Int. J. ChemTech. Res.*, 9 (8), 388-397.
- Trisunaryanti, W., Lisna, P.S., Kartini, I., Sutarno., Falah, I.I., and Triyono, 2016, Extraction of Gelatin from Bovine Bone and Its Use as Template in Synthesis of Mesoporous Silica, *Asian J. Chem.*, 28(5), 996-2000.
- Trisunaryanti, W., Purwono, S., and Putranto, A., 2008, Catalytic Hydrocracking of Waste Lubricant Oil into Liquid Fuel Fraction using ZnO, Nb₂O₅, Activated Natural Zeolite and Their Modification, *Indo. J. Chem.*, 8 (3), 342 - 347.

- Trisunaryanti, W., Syoufian, A., and Purwono, S., 2013, Characterization and Modification of Indonesian Natural Zeolite for Hydrocracking of Waste Lubricant Oil into Liquid Fuel Fraction, *J. Chem. Chem. Eng.*, 7, 175-180.
- Ulfa, M., Trisunaryanti, W., Falah, I. I., Sutarno, and Kartini, I., 2016, Synthesis of Mesoporous Carbon using Gelatin as A Carbon Source and SBA-15 as A Template for Dibenzotriophene Adsorption, *Int. J. ChemTech. Res.*, 9 (9), 588-597.
- Ulfa, M., Trisunaryanti, W., Falah, I. I., Kartini, I., Sutarno., 2014, Characterization of Gelatines Extracted From Cow Bone for Carbon Synthesis, *International J of Innovation and Appl Studies*, 7, 849-856.
- Vigón V. P., Sevilla, M., and Fuertes, A. B., 2012, Sulfonated Mesoporous Silica Carbon Composites and Their Use as Solid Acid Catalyst, *Appl. Surf. Sci.*, 261, 574-583.
- Wang, Y., Wang, F., Chen, Y., Li, B., Zang, C., Cui, L., Kang, S., and Li, X., 2013, One-step Nanocasting Synthesis of Ordered Mesoporous Carbon with Graphitic Frameworks, *Int. J. Electrochem. Sci.*, 8, 7868-7874.
- Wang, Y., Zhang, C., Kang, S., Li, B., Wang, Y., Wang, L., and Li, X., 2011, Simple Synthesis of Graphitic Ordered Mesoporous Carbon Support Using Natural Seed Fat, *J. Mater. Chem.*, 21, 14420-14423.
- Zhang, T., Leyva, C., Froment, F. G., 2014, Vacuum Gas Oil Hydrocracking on NiMo/USY Zeolite, *Catalysts. Ind. Eng. Chem. Res.*, 54, 858-868.
- Zhang, Z. , Li, G., and Shi, B., 2006, Phsycochemical Properties of Collagen, Gelatin and Collagen Hydrolysate Derived from Bovine Lined Split Wastes, *J. Soc. Leath. Tech. Chem.*, 90:23-28.
- Zhou, H., Wang, J., Zhuang, J., Uu, Q., 2013, A Covalent Route for Efficient Surface Modification of Ordered Mesoporous Carbon as High Performance Microwave Absorbers, *Nanoscale*, 5, 12502-12511.
- Zhou, P., dan Regenstein, J. M., 2005, Effects of alkaline and acid pretreatments on Alaska pollock skin gelatin extraction, *Journal of Food Science*, 706, 392-396.