

DAFTAR PUSTAKA

- Beran, (1994), Statistics for Long –Memory Processes, New York, Chapman&Hall
- Bishop, C.M., (1995), Neural Network for Pattern Recognition. Oxford, Clarendon Press.
- Box, G.E.P., Jenkins, G.M. and Reinsel, G.C., (1994), Time Series Analysis, Forecasting and Control, 3rd edition. Englewood Cliffs, Prentice Hall.
- Brockwell, P.J. and Davis, R.A., (1991), Time Series Theory and Methods, 2nd edition. New York, Springer Verlag.
- Chen, J.F., Wang, W.M. & Huang, C.M., (1995), Analysis of an adaptive time-series autoregressive moving-average (ARMA) model for short-term load forecasting. Electric Power System Research, 34, 187-196.
- Chatfield, C., (2001). Time Series Forecasting. Chapman & Hall, London.
- Eck, D., Schmidhuber, J, (2002), Finding Temporal Structure in Music: Blues Improvisation with LSTM Recurrent Networks. In: Bourlard, H. (ed) Proceedings of the 2002 IEEE Workshop on Neural Networks for Signal Processing XII, pp. 747-756, New York.
- Fahlman, S.E. and Lebiere, C., (1990), The Cascade-Correlation Learning Architecture. In Touretzky, D.S. (ed.), Advances in Neural Information Processing Systems 2, Los Altos, CA: Morgan Kaufmann Publishers, pp. 524-532.
- Fine, T.L. (1999). Feedforward Neural Network Methodology. Springer, New York.
- Funahashi, K., (1989), On the approximate realization of continuous mappings by neural networks. Neural Networks, 2, pp. 183-192.
- Joyeux, (1980), An Introduction to Long Memory Time Series Models and Fractional Differencing, Journal of Time Series Analysis, vol. 1, pp. 15-29.
- Gers F.A., Schmidhuber, J., (2001), LSTM Recurrent Networks Learn Simple Context Free and Context Sensitive Languages. IEEE Transactions on Neural Network 12 (6), 1333-1340.
- Graves, (2012), Supervised Sequence Labelling with Recurrent Neural Networks, , Springerlink.com. SCI 385, pp. 1-3.
- Graves, A., Schmidhuber, J., (2005a), Framewise Phoneme Classification with Bidirectional LSTM Networks. In: Proceedings of the 2005 International Joint Conference on Neural Networks.
- Graves, A., Schmidhuber, J., (2005b), Framewise Phoneme Classification with Bidirectional LSTM Networks and Other Neural Network Architectures. Neural Networks 18 (5-6), 602-610.

- Granger, C.W.J. and Terasvirta, T., (1993), Modeling Nonlinear Economic Relationships. Oxford: Oxford University Press.
- Haykin, H., (1999), Neural Networks: A Comprehensive Foundation, 2nd edition. Prentice-Hall, Oxford.
- Hochreiter, S., Heusel, M., Obermayer, K., (2007), Fast Model-Based Protein Homology Detection without Alignment. Bioinformatics.
- Hochreiter, S., Schmidhuber, J., (1997), Long Short-Term Memory. Neural Computation 9 (8), 1735-1780.
- Hochreiter, S., Bengio, Y., Frasconi, P., Schmidhuber, J., (2001b), Gradient flow in Recurrent Nets: the Difficulty of Learning Long-Term Dependencies. In: Kremer, S.C., Kolen, J.F. (eds) A Field Guide to Dynamical Recurrent Neural Networks, IEEE Press.
- Hosking, J.R.M., (1981), Fractional Differencing, Biometrika, vol.68, hal. 165-176.
- Husen, W., (2001), Forecasting of Maximum Short Term Electricity Consumption by Using Elman-Recurrent Neural Network, Unpublished Final Project, Department of Physics Engineering, Institut Teknologi Sepuluh Nopember, Indonesia.
- Kaashoek, J.F. and Van Dijk, H.K., (2001), Neural Networks as Econometric Tool. Report EI 2001-05, Econometric Institute Erasmus University Rotterdam.
- Kuan, C.M. and White, H., (1994), Artificial Neural Networks: An econometric perspective. Econometric Reviews, 13, 1-91.
- Lawrance dan Balakrishma, N., (2001), Statistical aspects of chaotic maps with negative dependence in communication setting. Journal of the Royal Statistical Society, B 63, 843-853.
- Lee, T.H., White, H. and Granger, C.W.J., (1993), Testing for Neglected Nonlinearity in Time Series Models: A comparison of Neural Network methods and alternative test. Journal of Econometrics, 56, pp. 269-290.
- Minu dan C.Jessy John, (2010), An Application of Wavelet Networks to Nonlinear Nonstationary Time Series Analysis, Journal Nature and Science 8 (8), pp. 27-30.
- Park, K, and Willinger W., (2000), Long-Memory Time Series, John Wiley & Sons, Canada.
- Palma (2007), Time Series Theory and Methods, 2nd edition. New York, Springer Verlag.
- Priestley, M.B., (1991), Non-Linear and Non-Stationary Time Series Analysis, 2nd edition. London: Academic Press.

- Ripley, B.D., (1996), Pattern Recognition and Neural Networks. Cambridge University Press, Cambridge.
- Ristiana, Y., 2008, Autoregressive Neural Network Model (ARNN) for Forecasting Short Term Electricity Consumption at PT. PLN Gresik. Unpublished Final Project, Department of Physics Engineering, Institut Teknologi Sepuluh Nopember, Indonesia.
- Sunaryo dkk., (2011), Double Seasonal Recurrent Neural Networks for Forecasting Short Term Electricity Load Demand in Indonesia. Recurrent Neural Networks for Temporal Data Processing Sony, Journal InTech, India. Pp 1-14.
- Taylor J.W., (2003), Short-term electricity demand forecasting using double seasonal exponential smoothing. Journal of the Operational Research Society, 54, 799-805.
- Taylor, J.W., Menezes, L.M. & McSharpy, P.E., (2006), A comparison of univariate methods for forecasting electricity demand up to a day ahead. International Journal of Forecasting, 22, 1-16.
- Thireou, T., Reczko, M., (2007), Bidirectional Long Short-Term Memory Networks for Predicting the Subcellular Localization of Eukaryotic Proteins. IEEE/ACM Trans. Comput. Biol. Bioinformatics 4(3), 441-446.
- Walid, Subanar, Dedi. R., Suhartono, (2012), *Recurrent Neural Network (RNN) on the Electrical Load in Semarang*, National Seminar Proceedings Mathematics Semarang State University.
- Walid, Subanar, Dedi. R., Suhartono, (2015a), Fractional Integrated Recurrent Neural Network (FIRNN) for Forecasting of Time Series Data with Applications in Electric Load in Java-Bali. Contemporary Engineering Sciences, Vol. 8, 2015, no. 31, 1485 – 1500.
- Walid, Subanar, Dedi. R., Suhartono, (2015b), Identification Model of Long Memory In Use Electricity Charges in Java-Bali, Proceeding of International Conference On Mathematics, Science and Education 2015 (draft). No ISBN: 978-602-73147-0-2, ISSN: 977-2477-3050-1.
- Wei, W.W.S., (1990), Time Series Analysis: Univariate and Multivariate Methods. Addison-Wesley Publishing Co., USA.
- White, H., (1989), Learning in Artificial Neural Networks: A statistical Perspective. Neural Computation, Vol. 1, pp. 425-464.



UNIVERSITAS
GADJAH MADA

RECURRENT NEURAL NETWORK UNTUK PERAMALAN RUNTUN WAKTU DENGAN POLA LONG MEMORY

WALID, S.PD., M.SI., Prof.Drs. Subanar, Ph.D.; Prof.Dr.rer.Nat. Dedi Rosadi, M.Si; Dr. Suhartono, M.Si.

Universitas Gadjah Mada, 2016 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Yu WC., dan Zivot E., (2009), Forecasting the Term Structures of Treasury and Corporate Yields: Dynamic Nelson-Siegel Models Evaluation, Department of Economics, Winona State University.