

DAFTAR PUSTAKA

- Alam, F., Islam, M.A., Gan, S.H., Khalil, M.I., 2014. Honey: A Potential Therapeutic Agent for Managing Diabetic Wounds. Evid. Based Complement. *Alternat. Med.* 2014, 1–16.
- Alexiadou, K., Doupis, J., 2012. Management of Diabetic Foot Ulcers. *Diabetes Ther.* 3. 1–15.
- Aliyu, M., 2012. Acacia Honey Modulates Cell Cycle Progression, Pro-inflammatory Cytokines and Calcium Ions Secretion in PC-3 Cell Lines. *J. Cancer Sci. Ther.* 04. 401–407
- Al-Jadi, A.-M., Kanyan Enchang, F., Mohd Yusoff, K., 2014. The effect of Malaysian honey and its major components on the proliferation of cultured fibroblasts. *Turk. J. Med. Sci.* 44, 733–740.
- Al-Waili, N., Salom, K., Al-Ghamdi, A.A., 2011. Honey for Wound Healing, Ulcers, and Burns; Data Supporting Its Use in Clinical Practice. *Sci. World J.* 11, 766–787.
- American Diabetes Association, 2014. Diagnosis and Classification of Diabetes Mellitus. *Diabetes Care* 37, S81–S90.
- Asharani, P., Hande, M.P., Valiyaveetil, S., 2009. Anti-proliferative activity of silver nanoparticles. *BMC Cell Biol.* 10, 65. 1–14.
- Ayello, E., Baranoski, S., 2011. *Wound Care Essentials*. Lippincott Williams Wilkins US.
- Bainbridge, P., 2013. Wound healing and the role of fibroblasts. *J. Wound Care* 22. 407–412
- Batumalaie, K., Qvist, R., Yusof, K.M., Ismail, I.S., Sekaran, S.D., 2014. The antioxidant effect of the Malaysian Gelam honey on pancreatic hamster cells cultured under hyperglycemic conditions. *Clin. Exp. Med.* 14, 185–195.
- Berlanga-Acosta, J., Schultz, G.S., López-Mola, E., Guillen-Nieto, G., García-Siverio, M., Herrera-Martínez, L., 2013. Glucose Toxic Effects on Granulation Tissue Productive Cells: The Diabetics' Impaired Healing. *BioMed Res. Int.* 2013, 1–15.
- Bernard, F.X., Barrault, C., Juchaux, F., Laurensou, C., Apert, L., 2005. Stimulation of the proliferation of human dermal fibroblasts in vitro by a lipidocolloid dressing. *J. Wound Care* 14, 215–220.

- Boukraâ, L., 2013. *Honey in traditional and modern medicine*. CRC Press.
- Brem, H., Tomic-Canic, M., 2007. Cellular and molecular basis of wound healing in diabetes. *J. Clin. Invest.* 117, 1219–1222.
- Brudzynski, K., 2006. Effect of hydrogen peroxide on antibacterial activities of Canadian honeys. *Can J Microbiol* 52, 1228–1237.
- Chen, Y., Abraham, D.J., Shi-Wen, X., Pearson, J.D., Black, C.M., Lyons, K.M., *et al.*, 2004. CCN2 (connective tissue growth factor) promotes fibroblast adhesion to fibronectin. *Mol. Biol. Cell* 15, 5635–5646.
- Cheta, D., 1998, Animal models of type I (insulin-dependent) diabetes mellitus, *Journal of Pediatric Endocrinology & Metabolism*, 11, 11-19.
- Cho, H., 2004. Modulation of the activity of pro-inflammatory enzymes, COX-2 and iNOS, by chrysin derivatives. *Pharmacol. Res.* 49, 37–43.
- Cicha, I., Goppelt-Struebe, M., 2009. Connective tissue growth factor: Context-dependent functions and mechanisms of regulation. *BioFactors* 35, 200–208.
- Desmouliere, A., Darby, I.A., Laverdet, B., Bonté, F., 2014. Fibroblasts and myofibroblasts in wound healing. *Clin. Cosmet. Investig. Dermatol.* 12, 301-311
- Du Toit, D.F., Page, B.J., 2009. An in vitro evaluation of the cell toxicity of honey and silver dressings. *J. Wound Care* 18. 383–389.
- Dunn, K., Edwards-Jones, V., 2004. The role of Acticoat with nanocrystalline silver in the management of burns. *Burns J. Int. Soc. Burn Inj.* 30 Suppl 1, S1–9.
- Estevinho, L., Pereira, A.P., Moreira, L., Dias, L.G., Pereira, E., 2008. Antioxidant and antimicrobial effects of phenolic compounds extracts of Northeast Portugal honey. *Food Chem. Toxicol.* 46, 3774–3779.
- Eteraf-Oskouei, T., Najafi, M., 2013. Traditional and modern uses of natural honey in human diseases: a review. *Iran. J. Basic Med. Sci.* 16, 731–742.
- Ferrara, N., Davis-Smyth, T., 1997. The biology of vascular endothelial growth factor. *Endocr. Rev.* 18, 4–25.
- Flahr, D., 2010. The effect of nonweight-bearing exercise and protocol adherence on diabetic foot ulcer healing: a pilot study. *Ostomy. Wound Manage.* 56, 40–50.

- Fong, J., Wood, F., 2006. Nanocrystalline silver dressings in wound management: a review. *Int. J. Nanomedicine* 1, 441–449.
- Freshney, R.I., 2010. *Culture of animal cells: a manual of basic technique and specialized applications*, 6th ed. ed. Wiley-Blackwell, Hoboken, N.J.
- Gallagher, K.A., Liu, Z.-J., Xiao, M., Chen, H., Goldstein, L.J., Buerk, D.G., Nedeau, A., Thom, S.R., Velazquez, O.C., 2007. Diabetic impairments in NO-mediated endothelial progenitor cell mobilization and homing are reversed by hyperoxia and SDF-1. *J. Clin. Invest.* 117, 1249–1259.
- Gheldof, N., Engeseth, N.J., 2002. Antioxidant Capacity of Honeys from Various Floral Sources Based on the Determination of Oxygen Radical Absorbance Capacity and Inhibition of in Vitro Lipoprotein Oxidation in Human Serum Samples. *J. Agric. Food Chem.* 50, 3050–3055.
- Günes, Ü.Y., Eser, I., 2007. Effectiveness of a honey dressing for healing pressure ulcers. *J. Wound. Ostomy Continence Nurs.* 34, 184–190.
- Hicklin, D.J., 2004. Role of the Vascular Endothelial Growth Factor Pathway in Tumor Growth and Angiogenesis. *J. Clin. Oncol.* 23, 1011–1027.
- Hiro, M.E., Pierpont, Y.N., Ko, F., Wright, T.E., Robson, M.C., Payne, W.G., 2012. Comparative evaluation of silver-containing antimicrobial dressings on in vitro and in vivo processes of wound healing. *Eplasty* 12, 409–419.
- Hoeben, A., 2004. Vascular Endothelial Growth Factor and Angiogenesis. *Pharmacol. Rev.* 56, 549–580.
- Hoeben, A., Landuyt, B., Highley, M.S., Wildiers, H., Van Oosterom, A.T., De Bruijn, E.A., 2004. Vascular endothelial growth factor and angiogenesis. *Pharmacol. Rev.* 56, 549–580.
- Johnson, K.E., Wilgus, T.A., 2014. Vascular Endothelial Growth Factor and Angiogenesis in the Regulation of Cutaneous Wound Repair. *Adv. Wound Care* 3, 647–661.
- Junker, J.P.E., Kamel, R.A., Caterson, E.J., Eriksson, E., 2013. Clinical Impact Upon Wound Healing and Inflammation in Moist, Wet, and Dry Environments. *Adv. Wound Care* 2, 348–356.
- Junqueira LC, Carneiro J. 2005a. *Basic Histology 11th ed.* USA: The McGraw-Hill Companies Inc

- Kahraman, T., Buyukunal, S.K., Vural, A., Altunatmaz, S.S., 2010. Physico-chemical properties in honey from different regions of Turkey. *Food Chem.* 123, 41–44.
- Karamysheva, A.F., 2008. Mechanisms of angiogenesis. *Biochem. Mosc.* 73, 751–762.
- Kerner, W., Brückel, J., 2014. Definition, Classification and Diagnosis of Diabetes Mellitus. *Exp. Clin. Endocrinol. Diabetes* 122, 384–386.
- Kim, J.H., Kim, W.-K., Sung, Y.K., Kwack, M.H., Song, S.Y., Choi, J.-S., *et al.*, 2014. The molecular mechanism underlying the proliferating and preconditioning effect of vitamin C on adipose-derived stem cells. *Stem Cells Dev.* 23, 1364–1376.
- Klasen, H.J., 2000. Historical review of the use of silver in the treatment of burns. I. Early uses. *Burns J. Int. Soc. Burn Inj.* 26, 117–130.
- Kvanta, A., 1995. Expression and regulation of vascular endothelial growth factor in choroidal fibroblasts. *Curr. Eye Res.* 14, 1015–1020.
- Lamers, M.L., Almeida, M.E.S., Vicente-Manzanares, M., Horwitz, A.F., Santos, M.F., 2011. High Glucose-Mediated Oxidative Stress Impairs Cell Migration. *PLoS ONE* 6, 1–9.
- Leaper, D., 2012. Appropriate use of silver dressings in wounds: international consensus document. *Int. Wound J.* 9, 461–464.
- Leask, A., Abraham, D.J., 2003. The role of connective tissue growth factor, a multifunctional matricellular protein, in fibroblast biology. *Biochem. Cell Biol.* 81, 355–363.
- Lerman, O.Z., Galiano, R.D., Armour, M., Levine, J.P., Gurtner, G.C., 2003. Cellular dysfunction in the diabetic fibroblast: impairment in migration, vascular endothelial growth factor production, and response to hypoxia. *Am. J. Pathol.* 162, 303–312.
- Lipson, K.E., Wong, C., Teng, Y., Spong, S., others, 2012. CTGF is a central mediator of tissue remodeling and fibrosis and its inhibition can reverse the process of fibrosis. *Fibrogenesis Tissue Repair* 5, S24.
- Liu, X., Luo, F., Pan, K., Wu, W., Chen, H., 2007. High glucose upregulates connective tissue growth factor expression in human vascular smooth muscle cells. *BMC Cell Biol.* 8, 11–16.
- Lobmann, R., Schultz, G., Lehnert, H., 2005. Proteases and the diabetic foot syndrome: mechanisms and therapeutic implications. *Diabetes Care* 28, 461–471.

- Majtan, J., Majtanova, L., Bohova, J., and Majtan, V., 2010. Honeydew honey as a potent antibacterial agent in eradication of multi-drug resistant *Stenotrophomonas maltophilia* isolates from cancer patients. *Phytother Res* 25, 584–587.
- Mendes, J.J., Neves, J., 2012. Diabetic foot infections: current diagnosis and treatment. *The Journal of Diabetic Foot Complications*. 4, 26–45
- Mohamed, H., Abu Salma, M., Allenjawi, B., Barakat, N., Gouda, Z., Abdi, S., et al., 2012. Natural honey as an adjunctive alternative in the management of diabetic foot ulcers. *Wound Practice and Research*. 20, 212–216.
- Molan, P.C., 2001. Potential of honey in the treatment of wounds and burns. *Am. J. Clin. Dermatol.* 2, 13–19.
- Munshi, R.M., Bhalerao, S.S., Kalekar, S.A., Patil, T.A., 2014. Exploration of the Angiogenic Potential of Honey. *Br. J. Pharm. Res.* 4, 477–489.
- Nishida, T., Kondo, S., Maeda, A., Kubota, S., Lyons, K.M., Takigawa, M., 2009. CCN family 2/connective tissue growth factor (CCN2/CTGF) regulates the expression of Vegf through Hif-1alpha expression in a chondrocytic cell line, HCS-2/8, under hypoxic condition. *Bone* 44, 24–31.
- Nurul Syazana, M.S., Halim, A.S., Gan, S.H., Shamsuddin, S., 2011. Antiproliferative effect of methanolic extraction of tualang honey on human keloid fibroblasts. *BMC Complement. Altern. Med.* 11, 82. 1–8.
- Pradhan, L., Andersen, N., LoGerfo, F., Veves, A., 2007. Molecular Targets for Promoting Wound Healing in Diabetes. *Recent Pat. Endocr. Metab. Immune Drug Discov.* 1, 1–13.
- Prowse, A.B.J., McQuade, L.R., Bryant, K.J., Marcal, H., Gray, P.P., 2007. Identification of Potential Pluripotency Determinants for Human Embryonic Stem Cells Following Proteomic Analysis of Human and Mouse Fibroblast Conditioned Media. *J. Proteome Res.* 6, 3796–3807.
- Ranzato, E., Martinotti, S., Burlando, B., 2013. Honey exposure stimulates wound repair of human dermal fibroblasts. *Burns Trauma* 1, 32–38.
- Rushon, I., 2007. Understanding the role of proteases and pH in wound healing. *Nurs. Stand.* 21, 68–74.
- Sherlock, O., Dolan, A., Athman, R., Power, A., Gethin, G., Cowman, S., Humphreys, H., 2010. Comparison of the antimicrobial activity of Ulmo honey from Chile and Manuka honey against methicillin-resistant

Staphylococcus aureus, *Escherichia coli* and *Pseudomonas aeruginosa*.
BMC Complement. Altern. Med. 10, 47. 1–5.

Shibata, T., Shibata, S., Shibata, N., Kiyokawa, E., Sasaki, H., Singh, D.P., *et al.*, 2016. Propolis, a Constituent of Honey, Inhibits the Development of Sugar Cataracts and High-Glucose-Induced Reactive Oxygen Species in Rat Lenses. *J. Ophthalmol.* 2016, 2016. 1–6.

Shirwaikar, A., Rajendran, K., Barik, R., 2006. Effect of aqueous bark extract of *Garuga pinnata* Roxb. in streptozotocin-nicotinamide induced type-II diabetes mellitus. *J. Ethnopharmacol.* 107, 285–290.

Shi-Wen, X., Leask, A., Abraham, D., 2008. Regulation and function of connective tissue growth factor/CCN2 in tissue repair, scarring and fibrosis. *Cytokine Growth Factor Rev.* 19, 133–144.

Sibbald, R.G., Orsted, H.L., Coutts, P.M., Keast, D.H., 2007. Best practice recommendations for preparing the wound bed: update 2006. *Adv. Skin Wound Care* 20, 390–405.

Silbernagl S., Lang F., 2012. *Teks & Atlas Berwarna Patofisiologi*. Jakarta: EGC

Singh, N., Armstrong, D.G., Lipsky, B.A., 2005. Preventing foot ulcers in patients with diabetes. *Jama* 293, 217–228.

Silbernagl S., Lang F., 2012. *Teks & Atlas Berwarna Patofisiologi*. Jakarta: EGC

Smith & Nephew Data on File Report [serial online][cited 2016 Sept 18]. Available from: URL: [Http://www.smith-nephew.com/htm](http://www.smith-nephew.com/htm).

Sorg, H., Krueger, C, Vollmar, B., 2007. Intravital insights in skin wound healing using the mouse dorsal skin fold chamber. *J. Ant.* 211, 810–818.

Stallmeyer, B., Pfeilschifter, J., Frank, S., 2001. Systemically and topically supplemented leptin fails to reconstitute a normal angiogenic response during skin repair in diabetic ob/ob mice. *Diabetologia* 44, 471–479.

Storm-Versloot, M.N., Vos, C.G., Ubbink, D.T., Vermeulen, H., 2010. Topical silver for preventing wound infection. *Cochrane Database Syst. Rev.* 3. 1–30.

Stuart Enoch, D.J.L., 2006. Basic science of wound healing. *Surg. Oxf.* 23, 31–37.

Surahio, A.R., Khan, A.A., Farooq, M.U., Fatima, I., 2014. Role of honey in wound dressing in diabetic foot ulcer. *J Ayub Med Coll Abbottabad* 26, 304–316.

- Suriadi., 2004. *Perawatan Luka*. Cetakan ke I. Jakarta. CV Sagung Seto.
- Suyono, S., 2006. *Diabetes Melitus di Indonesia*. Dalam: Sudoyo, Aru W., Setiyohadi, B., Alwi, i., Simadibrata, M., Setiati, S., ed. *Buku Ajar Ilmu Penyakit Dalam, Jilid III, Edisi IV*. Jakarta: Departemen Ilmu Penyakit Dalam Fakultas Kedokteran Universitas Indonesia, 1852-1856.
- Szkudelski, T., 2012. Streptozotocin-nicotinamide-induced diabetes in the rat. Characteristics of the experimental model. *Exp. Biol. Med.* 237, 481–490.
- Thangarajah, H., Yao, D., Chang, E.I., Shi, Y., Jazayeri, L., *et al.*, 2009. The molecular basis for impaired hypoxia-induced VEGF expression in diabetic tissues. *Proc. Natl. Acad. Sci.* 106, 13505–13510.
- Thomas, S., McCubbin, P., 2003. A comparison of the antimicrobial effects of four silver-containing dressings on three organisms. *J. Wound Care* 12, 101–107.
- Thomson, S.E., McLennan, S.V., Hennessy, A., Boughton, P., Bonner, J., Zoellner, H., *et al.*, 2010. A novel primate model of delayed wound healing in diabetes: dysregulation of connective tissue growth factor. *Diabetologia* 53, 572–583.
- Tonks, A.J., Dudley, E., Porter, N.G., Parton, J., Brazier, J., Smith, E.L., Tonks, A., 2007. A 5.8-kDa component of manuka honey stimulates immune cells via TLR4. *J. Leukoc. Biol.* 82, 1147–1155.
- Towler, S., 2011. *Guidelines for use of Nanocrystalline Silver Dressing - Acticoat*. Department of Health, Western Australia.
- Tsang, K.-K., Kwong, E.W.-Y., Woo, K.Y., To, T.S.-S., Chung, J.W.-Y., Wong, T.K.-S., 2015. The Anti-Inflammatory and Antibacterial Action of Nanocrystalline Silver and Manuka Honey on the Molecular Alternation of Diabetic Foot Ulcer: A Comprehensive Literature Review. *Evid. Based Complement. Alternat. Med.* 2015, 1–19.
- Tshukudu, G.M., van der Walt, M., Wessels, Q., 2010. Comparative in vitro study of honey based and silver based wound preparations on cell viability. *Burns* 36, 1036–1041.
- Tur, E., Bolton, L., Constantine, B.E., 1995. Topical hydrogen peroxide treatment of ischemic ulcers in the guinea pig: blood recruitment in multiple skin sites. *J. Am. Acad. Dermatol.* 33, 217–221.

- Twigg, S.M., Cooper, M.E., 2004. The time has come to target connective tissue growth factor in diabetic complications. *Diabetologia* 47, 965–968.
- Urai, T., Mukai, K., Sugama, J., Nakatani, T., 2012. Effectiveness of Indonesian honey on the acceleration of cutaneous wound healing: an experimental study in mice. *Wounds* 24, 110–119.
- Vallianou, N., 2014. Honey and its Anti-Inflammatory, Anti-Bacterial and Anti-Oxidant Properties. *Gen. Med.* 2, 132–137.
- Van den Berg, A.J.J., Van den Worm, E., Quarles van Ufford, H.C., Halkes, S.B.A., Hoekstra, M.J., Beukelman, C.J., 2008. An in vitro examination of the antioxidant and anti-inflammatory properties of buckwheat honey. *J. Wound Care* 17, 172–179.
- Velazquez, O.C., 2007. Angiogenesis & Vasculogenesis: Inducing the growth of new blood vessels and wound healing by stimulation of Bone Marrow Derived Progenitor Cell Mobilization and Homing. *J. Vasc. Surg. Off. Publ. Soc. Vasc. Surg. Int. Soc. Cardiovasc. Surg. North Am.* Chapter 45, A39–A47.
- Velnar, T., Bailey, T., Smrkolj, V., 2009. The wound healing process: an overview of the cellular and molecular mechanisms. *J. Int. Med. Res.* 37, 1528–1542.
- Waspadji S., 2009. *Buku Ajar Penyakit Dalam: Kaki Diabetes*, Jilid III, Edisi 4, Jakarta: FK UI pp. 1961–1962.
- Wong, K.K.Y., Cheung, S.O.F., Huang, L., Niu, J., Tao, C., Ho, C.-M., *et al.*, 2009. Further evidence of the anti-inflammatory effects of silver nanoparticles. *ChemMedChem* 4, 1129–1135.
- Xiao, H., Gu, Z., Wang, G., Zhao, T., 2013. The possible mechanisms underlying the impairment of hif-1 pathway signaling in hyperglycemia and the beneficial effects of certain therapies. *Int. J. Med. Sci.* 10, 1412–1421.
- Xuan, Y.H., Huang, B.B., Tian, H.S., Chi, L.S., Duan, Y.M., Wang, X., *et al.*, 2014. High-Glucose Inhibits Human Fibroblast Cell Migration in Wound Healing via Repression of bFGF-Regulating JNK Phosphorylation. *PLoS ONE* 9, 1–14.
- Yang P., Menter D.G., Cartwright C., Chan D., Dixon S. 2009. Oleandrin mediated inhibition of human tumor cell proliferation: importance of Na,K-ATPase alpha subunit as drug target. *Mol Cancer Ther.* 8, 2319–2328.

Zimmet, P., Alberti, K.G., Shaw, J., 2001. Global and societal implications of the diabetes epidemic. *Nature* 414, 782–787.

Zou, S.-B., Yoon, W.-Y., Han, S.-K., Jeong, S.-H., Cui, Z.-J., Kim, W.-K., 2013. Cytotoxicity of silver dressings on diabetic fibroblasts. *Int. Wound J.* 10, 306–312.