



DAFTAR PUSTAKA

- Agrios, G.N. 2004. Plant Pathology. Fifth Edition. Elsevier Academic Press, California. hlm. 593-599.
- Agrios, G.N. 2005. Plant Pathology. Fifth edition. Academic Press, San Diego.
- Ahuja, S. C, Payak, M. M. 1982. Symptoms and signs of banded leaf and sheath blight in maize. *Phytoparasitica*. 10: 41-49
- Alagesaboopathi C. Biological control of damping-off disease of cotton seedling. *Curr. Sci.* 1994; 66: 865–868.
- Anderson HA, Bracewell JM, Fraser AR, Jones D, Robertson GW, Russell JD. 5-Hydroxymaltol and mycophenolic acid, secondary metabolites from *Penicillium echinulatum*. *Trans. Brit. Mycol. Soc.* 1988; 91: 649–651.
- Anonim, 2015. Badan Pusat Statistik (BPS). Produksi Jagung di Indonesia. Dalam <http://www.bps.go.id>. Diakses pada tanggal 30 November 2016.
- Bailey B. A., Strem M. D., Bae H., Antunez G., Mayolo G. A., Guiltinan M. J. 2005. Gene expression in leaves of *Theobroma cacao* in response to mechanical wounding, ethylene, and or methyl jasmonate. *Plant Sci.* 168: 1247.1258.
- Beardmore J., Ride, J.P. J.W. Granger. 1983. Cellular lignification as a factor in the hypersensitive resistance of wheat to stem, *Physiol. Plant Pathol.* 22 : 209–220.
- Boosalis MG. Effect of soil temperature and green manure amendment of unsterilized soil on parasitism of *Rhizoctonia solani* by *Penicillium vermiculatum* and *Trichoderma sp.* *Phytopathology* 1956; 46: 473–478.
- Carrasco A, Boudet AM, Marigo G. 1978. Enhanced resistance of tomato plants to Fusarium by controlled stimulation of their natural phenolic production. *Physiol Plant Pathol.* 12 : 225–232.
- Chandanie, W.A., Kubota, M., Hyakumachi, M., 2009. Interactions between the arbuscular mycorrhizal fungus *Glomus mosseae* and plant growth-promoting fungi and their significance for enhancing plant growth and suppressing damping-off of cucumber (*Cucumis sativus L.*). *Appl. Soil Ecol.* 41, 336–341.
- Chittor, J.M.; J.E. Leach & F.F. White .1999. Induction of peroxidase during defense against pathogens. p171-188. In: S.K. Datta & S. Muthu-krishnan (Eds.). *Pathogenesis-Related Proteins in Plants*. Science.
- Colla, G., Rouphael, Y., Di Mattia, E., El-Nakhel, C., Cardarelli, M., 2015a. Co-inoculation of *Glomus intraradices* and *Trichoderma atroviride* acts as a biopesticide to promote growth, yield and nutrient uptake of vegetable crops. *J. Sci. Food Agric.* 95, 1706–1715.



- Colla, G., Roushanel, Y., Bonini, P., Cardarelli, M., 2015b. Coating seeds with endophytic fungi enhances growth nutrient uptake, yield and grain quality of winter wheat. *Int. J. Plant Prod.* 9, 171–190.
- Dakora FD. 1996. Diverse functions of isoflavonoids in legumes transcend antimicrobial definitions of phytoalexins. *Physiol Mol Plant Pathol.* 49:1–20.
- De Stefano S, Nicoletti R, Milone A, Zambardino S. 1999. 3-O- Methylfunicone, a fungitoxic metabolite produced by the fungus *Penicillium pinophilum*. *Phytochemistry.* 52: 1399–1401.
- Dorrance, A.E., M.D. Kleinhenz, S.A. McClure, and N.T. Tuttle. 2003. Temperature, moisture, and seed treatment effects on *Rhizoctonia solani* root rot of soybean. *Plant Dis.* 87: 533–538.
- Febrianto, Andika. 2015. Kemampuan jamur tanah sebagai *Plant Growth Promoting Fungi* (PGPF) dan agens pengendalian hayati penyakit layu fusarium pada melon. Skripsi. Fakultas Pertanian. Universitas Gadjah Mada. Yogyakarta.
- Flott B.E., B.M. Moerschbacher, H. Reisener. 1989. Peroxidase isoenzyme patterns of resistant and susceptible wheat leaves following stem rust infection, *New Phytol.* 111 : 413–421.
- Gao, J., Chen, Z., Luo, M., Peng, H., Lin, H. J., Qin, C., Yuan, G. S., Shen, Y. O., Ding, H. P., Zhao, M. J., Pan, G. T., & Zhang, Z. M. (2014). Genome expression profile analysis of the maize sheath in response to inoculation to *R. solani*. *Molecular Biology Reports.* 41 : 2471–2483.
- González-Vera, A. D., Bernardes-de-Assis, J., Zala, M., McDonald, B. A., Correa-Victoria, F., Graterol-Matute, E. J., & Ceresini, P. C. 2010. Divergence between sympatric rice- and maize-infecting populations of *Rhizoctonia solani* AG-1 IA from Latin America. *Phytopathology.* 100 : 172–182.
- Gogoi R., Singh D.V., Sivastava K.D. 2001. Phenols as a biochemical basis of resistance in wheat against Karnal bunt. *Plant Pathology* 50 (4): 470–476.
- Guerrero-Gonzalez M, Rodriguez-Kessler M, Rodriguez-Guerra R, Gonzalez-Chavira M, Simpson J, Sanchez F, Jimenez-Bremont J. 2011. Differential expression of *Phaseolus vulgaris* genes induced during the interaction with *Rhizoctonia solani*. *Plant Cell Rep* 30(8):1465–1473.
- Harman, G. E., Howell, C. R., Viterbo, A., Chet, I. & Lorito, M. 2004. *Trichoderma* species-opportunistic, avirulent plant symbionts. *Nat Rev Microbiol.* 2 : 43 – 56.
- Harman, G.E., 2006. Overview of mechanisms and uses of *Trichoderma* spp. *Phytopathology.* 96 :190-194.
- Hayati. N. 2006. Pertumbuhan dan Hasil Jagung Manis pada Berbagai waktu Aplikasi Limbah Kulit Buah Kakao dan Pupuk Anorganik. *J. Agroland* 13 (3) : 256-259.



Hopkins, W.G. 1999. Introduction to Plant Physiology. 2th edition. Academy Press. New York.

Huang S.W., Wang, L., Wang, Q.Y., Tang, S. Q., Chen, H.Z., Zhu, DF. (2008). Rice sheath blight pathogen impacts the activities of disease resistance-related enzymes in leaves of different rice varieties. Chinese J. Rice Sci. 22: 219222.

Hyakumachi, M. (1994) Plant-growth-promoting fungi from turfgrass rhizosphere with potential for disease suppression. Soil Microorg. 44: 53–68.

Izhar, T., & Chakraborty, M. (2013). Genetic analysis of banded leaf and sheath blight resistance (*Rhizoctonia solani*) in maize. Journal of Pharmacognosy and Phytochemistry. 1 : 1–5.

Iriani, E. and Sumartini. 1995. Control of corn sheath blight (*Rhizoctonia solani*) by cultural practices. p. 521-525. Prosiding Kongres Nasional XII dan Seminar Ilmiah Perhimpunan Fitopatologi Indonesia, Yogyakarta.

Jayaraj, J., Ranganathan B., Ramalingam R., Muthukrishnan, S. Rethinasamy V. (2010). Oxalic acid-induced resistance to *Rhizoctonia solani* in rice is associated with induction of phenolics, peroxidase and pathogenesis-related proteins. J. Plant Interactions 5: 147-157.

Jiang, Y.F., Cheng, W.D., Qin, L.Q., Tan, X.J., Zhou, J.G., Xie, H.X., Chen, L. (2009). Physiological mechanism of exogenous salicylic acid induced resistance to sheath blight of maize (*Zea mays* L.). Guangxi Agri. Sci. 40: 242- 245.

Jogaiah S, Abdelrahman M, Tran LP et al. 2013. Characterization of rhizosphere fungi that mediate resistance in tomato against bacterial wilt disease. J Exp Bot 64:3829–3842.

Jung WJ, Mabood F, Smith DL. 2011. Effects of *Pseudomonas aureofaciens* 63-28 on defense responses in soybean plants infected by *Rhizoctonia solani*. J Microbiol Biotechnol 21(4):379–386.

Kamrin, Michael A. (ed.). 1997. Pesticide Profiles: Toxicity, Environmental Impact, and Fate. Lewis Publishers, Boca Raton, New York, 676 p.

Kavino, M., Harish, S., Kumar, N., Saravanakumar, D and Samiyappan, R. (2008). Induction of systemic resistance in banana (*Musa spp.*) against Banana bunchy top virus (BBTV) by combining chitin with root-colonizing *Pseudomonas fluorescens* strain CHAO. European Journal of Plant Pathology, 120, 353–362.

Kerby, K., S. Somerville. 1989. Enhancement of specific intercellular peroxidase following inoculation of barley with *Erysiphe graminis* f. sp. *hordei*, Physiol. Mol. Plant Pathol. 35 : 323–337.

Kharbanda PD, Dahiya JS. A metabolite of *Penicillium verrucosum* inhibitory to growth of *Leptosphaeria maculans* and *Rhizoctonia solani*. Can. J. Plant Pathol. 1990. 12: 335.



- Kolattukudy P.E., R. Mohan, M.A. Bajar, B.A. Sherf. 1992. Plant peroxidase gene expression and function, Biochem. Soc. Trans. UK 20 (2) : 333–337.
- Leina M.J., T.K. Tan, S.M. Wong. 1996. Resistance of *Hibiscus esculentus* L. and *Vigna sinensis* (L.) Endl. to *Pseudocercospora* and plant peroxidase activity in relation to infection, Ann. Appl. Biol. 129 (2) : 197–206.
- Lu YL, Xu J, Yuan ZM, Hao ZF, Xie CX, Li XH, Shah T, Lan H, Zhang SH, Rong TZ, Xu YB. 2012. Comparative LD mapping using single SNPs and haplotypes identifies QTL for plant height and biomass as secondary traits of drought tolerance in maize. Mol Breeding 30: 407-418.
- Manoranjankar, M and Mishra, D. 1976. Catalase Peroxidase and PPO activities during leaf senescence. Plant Physiol. 57: 315-319.
- Mayer A.M., Staples R.C., 2002. Laccase: new functions for an old enzyme. Phytochemistry 60: 551-565.
- McGhie, T.K., N.P. Masel, D. Maclean, B.J. Croft, G.R. Smith. 1997. Biochemical responses of suspension-cultured sugarcane cells to an elicitor derived from the root pathogen *Pachymetra chaunorhiza*, Aust. J. Plant Physiol. 24 : 143–149.
- Mc.Kee,T and J. Mc. Kee. 1999. Biochemistry : An Introduction.Second ed. Mc.Graw Hill.New York.
- Molina, A., M., D. Hunt and J. A. Ryals. 1998. Impaired fungicide activity in plants blocked in disease resistance signal transduction. Plant Cell. 10 : 1903-1914.
- Mondal, A., Dutta, S., Nandi, S., Das, S. and Chaudhuri, S. (2012). Changes in defence-related enzymes in rice responding to challenges by *Rhizoctonia solani*. Arch. Phytopath. Plant Protec. 45:1840-1851.
- Mukherjee, P.K., Nautiyal, C.S., Mukhopadhyay, A.N., 2008. Molecular mechanisms of biocontrol by *Trichoderma* spp. In: Nautiyal, C.S., Dion, P. (Eds.), Molecular Mechanisms of Plant and Microbe Coexistence, vol. 15. Springer, Heidelberg, pp. 243–262.
- Muslim, A. 2014a. Fusarium Nonpatogen sebagai Agens Hayati Penyakit Rebah Kecambah pada Tanaman Terung. Jurnal Fitopatologi Indonesia. ISSN : 0215-7590. 11 : 23-28.
- Muslim, A. 2014b. Evaluasi Trichoderma dalam Mengendalikan Penyakit Rebah Kecambah Tanaman Cabai. Jurnal Fitopatologi Indonesia. ISSN : 0215-7950. 10 : 73-80.
- Nikraftar F., Taheri P., Falahati Rastegar M., Tarighi S. 2013. Tomato partial resistance to *Rhizoctonia solani* involves antioxidative defense mechanisms. Physiological and Molecular Plant Pathology 81 (1): 74–83.
- Ogoshi, A. 1996. Introduction – the genus Rhizoctonia, pages 1-9 in: *Rhizoctonia* species : Taxonomy, Molecular biology, Ecology, Pathology, and Disease



Control. B. Sneh, S. Jabaji-Hare, S. Neate, & G. Dijst, eds. Kluwer Academic Publisher, Dordrecht.

- Okubara PA, Steber CM, DeMacon VL, Walter NL, Paulitz TC, Kidwell KK (2009) Scarlet-Rz1, an EMS-generated hexaploid wheat with tolerance to the soilborne necrotrophic pathogens *Rhizoctonia solani* AG-8 and *R. oryzae*. *Theor Appl Genet* 119(2):293–303.
- Parmeter JR Jr and Whitney HS. 1970. Taxonomy and nomenclature of the imperfect state. In : Parmeter JR Jr (ed) *Rhizoctonia solani*, Biology and Pathology (pp 7–19) University of California Press, Berkeley.
- Pascual, C.B., A.D. Raymundo, and M. Hyakumachi. 2000. Efficacy of hypovirulent binucleate *Rhizoctonia* sp. to control banded leaf and sheath blight in corn. *J. Gen. Plant Pathol.* 66: 95-102.
- Pieterse, C.M.J., A. Leon-Reyes, S. Van der Ent dan S. C M Van Wees. 2009. Networking by small-molecule hormones in plant immunity. *Nature Chemical Biology*. 5 : 308 – 316.
- Pitt JI. 1979. The genus *Penicillium* and its teleomorphic states *Eupenicillium* and *Talaromyces*. New York, USA: Academic Press,.
- Pitt JI. 2000. A laboratory guide to common *Penicillium* species. 3rd edn. North Ryde, Australia: CSIRO Division of Food Processing.
- Prasad, Rajendra and Lallu (2006). Management of *Alternaria* blight of mustard with combination of chemicals and botanicals. *Ann. Pl. Protec. Sci.* 14 (2) : 400-403.
- Priyatmojo, A. 2006. Tipe mating pada empat isolat *Thanatephorus cucumeris* (anamorf : *Rhizoctonia solani*) anastomosis group (AG) 1-1C. *Jurnal Perlindungan Tanaman Indonesia* 12:112-112.
- Pudjihartati E.; S. Ilyas & Sudarsono. 2006. PELITA PERKEBUNAN, Volume 26, Nomor 2, Edisi Agustus 2010 Aktivitas pembentukan secara cepat spesies oksigen aktif, peroksidase, dan kandungan lignin kacang tanah terinfeksi *Sclerotium rolfsii*. *Hayati*.13 : 166-172.
- Putri,H.A. 2011. Pengaruh Pemberian Beberapa Konsentrasi Pupuk Organik Cair Lengkap (POCL) Bio Sugih Terhadap Pertumbuhan dan Hasil Tanaman Jagung Manis (*Zea mays saccharata* Sturt.). Skripsi. Fakultas Pertanian. Universitas Andalas Padang. 48 hal.
- Radjacommare, R., Venkatesan, S. and Samiyappan, R. (2010). Biological control of phytopathogenic fungi of vanilla through lytic action of *Trichoderma* species and *Pseudomonas fluorescens*. *Archives of Phytopathology and Plant Protection*, 43, 1–17.
- Raghvendra, VB., Lokesh, S., Govindappa, M., Vasanth, KT. (2007). Dravyaas, an organic agent for the management of seed borne fungi of sorghum and its role in the induction of defense enzymes. *Pest. Biochem. Physiol.* 89: 190-197.



- Rameshsundar A, Velazhahan R, Viswanathan R, Padmanaban P, Vidhyasekaran P. 2001. Induction of systemic resistance to *Colletotrichum falcatum* in sugarcane by a synthetic signal molecule, acibenzolar-S-methyl (CGA 245704). *Phytoparasitica* 29:231_242.
- Reimers P.J., J.E. Leach. 1991. Race-specific resistance to *Xanthomonas oryzae* pv. *oryzae* conferred by bacterial blight resistance gene *Xa-10* in rice *Oryza sati_a* involves accumulation of a lignin-like substance in host tissues, *Physiol. Mol. Plant Pathol.* 38 : 39–55.
- Reimers P.J., A. Guo, J.E. Leach. 1992. Increased activity of a cationic peroxidase associated with an incompatible interaction between *Xanthomonas oryzae* pv. *oryzae* and rice (*Oryza sativa*), *Plant Physiol.* 99 : 1044–1050.
- Robb J., D.A. Powell, P.F.S. Street. 1987. Time course of wall-coating secretion in *Verticillium* infected tomatoes, *Physiol. Plant Pathol.* 31 : 217–226.
- Rousseau, A., Benhamou, N., Chet, I., Piche, Y., 1996. Mycoparasitism of the extramatrical phase of *Glomus intraradices* by *Trichoderma harzianum*. *Phytopathology* 86, 434–443.
- Saikia, R.; P. Kumar; D.K. Arora; D.K. Gogoi & R. Azad (2006). *Pseudomonas aeruginosa* inducing rice resistance against *Rhizoctonia solani* Folia: production of salicylic acid and peroxidase. *Microbiol.* 51, 375-380.
- Samson RA, Hoekstra ES, Frisvad JC, Filtenborg O. 2000. Introduction to food- and airborne fungi. 6th edn. Utrecht, the Netherlands: Centraalbureau voor Schimmelcultures.
- Saravanan T, Bhaskaran R, Muthusamy M. 2004. *Pseudomonas fluorescens* induced by enzymological changes in banana roots (CV.Rasthali) against *Fusarium* wilt disease. *Plant Pathol J.* 3:72–80. doi: 10.3923/ppj.2004.72.80
- Saxena SC, 2002. Bio-Intensive Integrated disease management of banded leaf and sheath blight of maize, pp. 380-388. In: Proceed of 8 Asian Regional Maize Workshop: New Technologies for the New Millennium, Bangkok, Thailand.
- Semangun, H., 2000. Penyakit – Penyakit Tanaman Perkebunan di Indonesia. Gadjah Mada University -Press, Yogyakarta, hal 11-30.
- Semangun H. 2004. Penyakit-penyakit Tanaman Pangan di Indonesia. Yogyakarta: UGM Press.
- Sharma RR, Gour HN, Rathore RS (2004) Etiology of banded leaf and sheath blight symptoms on maize. *J Mycol Plant Pathol* 34:56–59.
- Shivanna, M.B., Meera, M.S. and Hyakumachi, M. 1994. Sterile fungi from zoysiagrass rhizosphere as plant growth promoters in spring wheat. *Can. J. Microbiol.* 40: 637–644.



- Shoresh, M., Yedidia, I. & Chet, I. (2005). Involvement of jasmonic acid/ethylene signaling pathway in the systemic resistance induced in cucumber by *Trichoderma asperellum* T203. *Phytopathology*. 95 :76–84.
- Shurtleff, M.C. 1980. Compendium of Corn Diseases. 2 edition. The American Phytopathological Society. 105 pp.
- Siva Prasad, B., Kamala, G., and Sankar Ganesh, P. (2013). Efficacy of *Trichoderma viride* to induce disease resistance and antioxidant responses in legume Vigna Mungo infested by *Fusarium oxysporum* and *Alternaria alternata*. International Journal of Agricultural Science and Research. 3(2), 285-294.
- Stahmann, M, A., B. Clare and W. Woodbury ibid., 1966. 41 : 1505
- Subandi, Syam M, Widjono A. 1988. *Jagung*. Bogor: Pusat Penelitian dan Pengembangan Tanaman Pangan.
- Sudana W, Swastika DKS, Soerachman. 2002. Profitabilitas dan peluang pengembangan jagung di Provinsi Lampung. Jurnal Pengkajian dan Pengembangan Teknologi Pertanian 5: 40-53.
- Suprapto. 1999. Bertanam Jagung. Penebar Swadaya. Jakarta. Hlm 25-30.
- Surekha, C. H, Nrr Neelapu, B. Siva Prasad & P. Sankar Ganesh. 2014. Induction Of Defense Enzymes And Phenolic Content By *Trichoderma Viride* In Vigna Mungo Infested With *Fusarium Oxysporum* And *Alternaria Alternata*. International Journal Of Agricultural Science And Research (Ijasr). ISSN(P):2250-0057; ISSN(E):2321-0087. 4 (4) : 31-40.
- Sweets, L.E. and A. Wrather. 2000. Integrated Pest Management. Corn Diseases. MU Extension, University of Missouri, Columbia. 23 pp.
- Taheri P., Tarighi S. 2010. Riboflavin induces resistance in rice against *Rhizoctonia solani* via jasmonate-mediated priming of phenylpropanoid pathway. *Journal of Plant Physiology* 167 (3): 201–208.
- Tuitert, G., M. Szczech, and G.J. Bollen. 1998. Suppression of *Rhizoctonia solani* in potting mixtures amended with compost made from organic household waste. *Phytopathology* 88: 764-773.
- Van Wees, S. C. M., van der Ent, S. & Pieterse, C. M. J. (2008). Plant immune responses triggered by beneficial microbes. *Curr Opin Plant Biol* : 11, 443–448.
- Velazhahan R, Muthukrishnan S. 2004. Transgenic tobacco plants constitutively overexpressing a rice thaumatin like protein (PR-5) show enhanced resistance to *Alternaria alternata*. *Biol Plant*. 47:347_354.
- Verma, M., Brar, S.K., Tyagi, R.D., Surampalli, R.Y., Valero, J.R., 2007. Antagonistic fungi, *Trichoderma* spp.: panoply of biological control. *Biochem. Eng. J.* 37, 1-20.



- Vidhyasekaran, P. (1997). Fungal pathogenesis in plants and crops: In: Marcel, Dekker, editors. Molecular Biology and Host defense Mechanisms. New York, pp. 67-73.
- Vimla, B. and B.K. Mukherjee, 1987. Genetics of resistance to leaf and sheath blight of maize. *Genetics*, 19: 97-101.
- Vinita Dahima, S.S. Sharma, M.K. Khokhar and K.S. Hooda. 2014. Post-infectational biochemical changes in maize leaves affected by banded leaf and sheath blight disease. *Indian Phytopath.* 67 (4) : 370-373.
- Webster J & Weber RWS. 2007. Introduction to Fungi. Third Edition. New York : Cambridge University Press.
- Whipps JM (2001) Microbial interactions and biocontrol in the rhizosphere. *J Exp Bot* 52:487–511.
- Woo, S.L., Scala, F., Ruocco, M., Lorito, M., 2006. The molecular biology of the interactions between *Trichoderma* spp., phytopathogenic fungi, and plants. *Phytopathology* 96, 181–185.
- Woo, S.L., Lorito, M., 2007. Exploiting the interactions between fungal antagonists, pathogens and the plant for biocontrol. In: Vurro, M., Gressel, J. (Eds.), Novel Biotechnologies for Biocontrol Agent Enhancement and Management. IOS, Springer Press, Amsterdamthe Netherlands, pp. 107–130.
- Young S.A., A. Guo, J.A. Guikema, F.F. White, J.A. 1995. Leach, Rice cationic peroxidase accumulates in xylem vessels during incompatible interactions with *Xanthomonas oryzae* pv. *oryzae*, *Plant Physiol.* 107 :1333–1341.
- Zuo S, Yin Y, Pan C, Chen Z, Zhang Y, Gu S, Zhu L, Pan X. 2013. Fine mapping of qSB-11(LE), the QTL that confers partial resistance to rice sheath blight. *TAG* 126(5):1257–1272.
- Zhang Z, Liu L, Lin H, Yuan G, Zeng X, Shen Y, Zhao M, Zhao Q, Pan G (2012) Identification of genes differentially expressed in maize (*Zea mays* L.) during *Rhizoctonia Solani* Kuhn infection by suppression subtractive hybridization. *Afr J Biotechnology* 11(12):2827–2838.
- Zheng A, Lin R, Zhang D, Qin P, Xu L, Ai P, Ding L, Wang Y, Chen Y, Liu Y, Sun Z, Feng H, Liang X, Fu R, Tang C, Li Q, Zhang J, Xie Z, Deng Q, Li S, Wang S, Zhu J, Wang L, Liu H, Li P. 2013. The evolution and pathogenic mechanisms of the rice sheath blight pathogen. *Nature Commun.* 4:1424.