

DAFTAR PUSTAKA

- Agrios, G.N. 2005. Plant pathology, 5th ed. Elsevier. Academic Press, California.
- Alnopri. 2004. Optimasi prosedur assay aktivitas nitrat reduktase daun manggis. Bengkulu. Jurnal Akta Agrosia 7 (2):62-66.
- Anshar, M. Tohari. Sunarminto & Sulistyarningsih, E. 2011. Pengaruh lengas tanah terhadap pertumbuhan dan hasil tiga varietas lokal bawang merah pada ketinggian tempat berbeda. J. Agroland 18 (1) : 8 – 14.
- Anonim. 2015. Produktivitas bawang merah menurut provinsi, 2010-2014. BPS Provinsi D.I. Yogyakarta.
- Anonim. 2013. Syarat tumbuh tanaman bawang merah. <http://tutorialbudidaya.blogspot.com/2013/09/syarat-tumbuh-tanaman-bawang-merah.html>. (diakses 15 April 2015)
- Ambarwati, E. & Yudono, P. 2003. Keragaan stabilitas hasil bawang merah. Ilmu Pertanian. 10:1-10.
- Al-Omran, A.M. Falatah, A.M. Sheta, A.S & Harbi, A.R.A1. 2004. Clay deposits for water management of sandy soils. Arid Land Research and Management: 17-83.
- Arwiyanto, T. 2003. Pengendalian hayati penyakit layu bakteri tembakau. Jurnal Perlindungan Tanaman Indonesia 3(1): 54-60.
- Bai, Y. Pan, B. Charles, T.C. & Smith, D.L. 2002. Coinoculation dose and root zone temperature for plant growth promoting rhizobacteria on soybean [*Glycine max* (L.) Merr] grown in soilless media. Soil Biol. Biochem. 34:1953-1957.
- Balitsa, 2008. Bawang merah yang dirilis oleh balai penelitian tanaman sayuran. Balai Penelitian Sayuran. No. Publikasi : 028/Br/Pvhp/8/2008.
- Baker, K.F. & Cook, R.J. 1983. Biological control of plant pathogens. W.H. Freeman CO. San Fransisco, page 433.
- BPS, 2015. Direktoral Jendral Hortikultura. Update, Kamis 5 Agustus 2015.
- Copeland, L.O. & Donald, M.C. 1995. Principles of seed science and technology. Third Edition, New York: Chapman & Hall.
- Dannar, N.F. 2012. Intensifikasi usaha tani hortikultura di lahan pasir pantai selatan. Makalah Seminar Umum. Fakultas Pertanian. Universitas Gadjah Mada. Yogyakarta.
- Darmawidah, Dewyani, W. & Purwani, C. 2005. Teknologi pengelolaan bawang merah. Prosiding Seminar Nasional Teknologi Inovatif Pasca Panen Untuk Pengembangan Industri Berbasis pertanian, Bogor.
- Djogo, A. 1980. Penggunaan sekam padi, abu sekam, terak alkali dan gel silika sebagai sumber silika bagi tumbuhan dan produksi tanaman padi (*Oryza Sativa*) var. IR 30 pada tanah podsolik merah kuning baturaja, Sumatra Selatan. Karya Ilmiah. Dep. Ilmu Tanah, Faperta IPB, Bogor. 63 hal.

- Eastburn, D.M. & Butler, E.E. 1991. Effects of soil moisture and temperature on the saprophytic ability of *Trichoderma Harzianum*. The New York Botanical Garden Bronx, NY. Mycologia 83(3) pp 257-263.
- Faisal, 2005. Perlakuan benih menggunakan *matricconditioning* plus inokulasi mikroba untuk meningkatkan efisiensi pemupukan n, pertumbuhan dan hasil tanaman kedelai. Tesis Pascasarjana. IPB. Bogor.
- Fitter, A.H & Hay, R K K. 1992 Fisiologi lingkungan tanaman. UGM Press. Yogyakarta
- Gholami, A. Biari, A. & Nezarat, S. 2008. Effect of seed priming with growth promoting rhizobacteria at different rhizosphere condition on growth parameter of maize. International Meeting On Soil Fertility Land Management and Agroclimatology. Turkey p.851-856.
- Gardner, F.P. R.B. Pearce, & R.L. Mitchell. 2008. Fisiologi tanaman budidaya. Diterjemahkan oleh : Herawati Susilo. Jakarta : UI Press.
- Gardner, F.P., R.B. Pearce & R.L. Mitchell. 1985. Physiology of crop plants. The Iowa State University Press, Ames, 327 p.
- Gusnawaty, H.S. Taufik, M. Triana, L. & Asniah. 2014. Karakterisasi morfologis *Trichoderma* Spp. Indigenus Sulawesi Tenggara. Jurnal Agroteknos. 4 (2) : 87-93.
- Hermosa, R. Viterbo, A. Chet, I. & M, Enrique. 2012. Plant beneficial effects of *Trichoderma* and of its genes. Microbiology (2012). 158:17–25.
- Harman, G.E. 2000. Myths and dogmas of biocontrol. Plant Dis. 84:377-393.
- Harman, G.E. Taylor, A.G. & Stasz, T.E. 1989. Combining effective strains of *Trichoderma harzianum* and solid matrix priming to improve biological seed treatments. Plant Disease Reporter 73: 631-637.
- Harris, D. Tripathi, R.S. & Joshi, A. 2000. On-farm priming to improve crop establishment and yield in direct-seeded rice in IRRI. International Workshop on Dry-seeded Rice Technology. Held in Bangkok. The international Rice Research institute. Manila. The Philippines. 164.
- Hala, Ms. Bassiouny, E.I. M.E. Gobarah. & A.A. Ramadan. 2005. Effect of antioxidants on growth, yield and favism causative agents in seeds of hcia faba I plants.
- Ilyas, S. 1995. Perubahan fisiologis dan biokemis benih dalam proses *seed conditioning*. Keluarga Benih. 6(2):70-75.
- Ilyas, S. 2006. Seed treatments using matricconditioning to improve vegetable seed quality. Bul. Agron. 34: 124-132.
- Ilyas, S. 2005. Invigorasi benih. Makalah Magang Vigor Benih, Bagian Ilmu dan Teknologi Benih. Departemen Agronomi dan Hortikultura, Fakultas Pertanian IPB, Bogor, 6-19.

- Universitas Gadjah Mada, 2016. Diunduh dari <http://eprints.repository.ugm.ac.id/>
- Nyas, S., Sutarnati, G.A.K., Suwarno, F.C. & Sudarsono. 2002. Matriconditioning improved quality and protein level of medium vigor hot pepper seed. *Seed Technol.* 24:65-75.
- ISTA, 1995. International seed testing association. *Understanding Seed Vigour*. P.O. International Seed Testing Association, CH-Switzerland.
- Irawan. B. Kusmoro, J. & Arifin, Z. 2004. *Keanekaragaman dan kekerabatan kultivar bawang merah di jawa barat*. *J. Biotika* 3 (2) : 36-43
- Lanzotti, V. 2006. The analysis of onion and garlic. *Abstract j. Cromatogr* 21 (2); 3-22.
- Lilik, R. Wibowo, B.S. & Irwan, C. 2010. Pemanfaatan agens antagonis dalam pengendalian penyakit tanaman pangan dan hortikultura. <http://www.bbopt.litbang.deptan.go.id> (diakses 23 Januari 2016).
- Mastouri, F. Bjo rkman, T. & Harman, G. E. 2010. Seed treatment with *Trichoderma harzianum* alleviates biotic, abiotic and physiological stresses in germinating seeds and seedlings. *Phytopathology* 100, 1213–1221.
- Merhi, F. Auger, J. Rendu, F. & Bauvois, B. 2008. Allium compounds, dipropyl and dimethyl thiosulfinates as antiproliferative and differntiating agents of human acute myeloid leukemia cell lines. *Abstract Biologics*. 2(4):885-95.
- Monte, E. 2001. Understanding *Trichoderma*: Between biotechnology and microbial ecology. *Int Microbiol.* 4: 1-4.
- Monte, E. & Llobell, A. 2003. *Trichoderma* in organic agriculture. *Proceedings V World Avocado Congress (Actas V Congreso Mundial Del Aguacate)*. Pp. 725-733.
- Moradi, A. Younesi, O. 2009. Effects of osmo- and hydro-priming on seed parameters of grain sorghum (*Sorghum Bicolor* L.). *Australian Journal Of Basic And Applied Sciences*. 3(3): 1696-1700.
- Montero, M. Hermosa, R. Cardoza, R. & Gutierrez, S. 2010. Transgenic expression of the *Trichoderma harzianum* hsp70 gene increases Arabidopsis resistance to heat and other abiotic stresses. *Journal of Plant Physiology*. 167; 659–665
- Mutia, Ak. Purwanto, Y. & Pujantoro, L. 2014. Perubahan kualitas bawang merah (*Allium Ascalonicum* L.) selama penyimpanan pada tingkat kadar air dan suhu yang berbeda. *J. Pascapanen* 11(2): 108 – 115.
- Murphy, SL. & Smucker, A.J.M. 1995 Evaluation of video image analysis and line-intercept methods for measuring root systems of alfalfa and ryegrass. *Agron. J.* 87:865-868.
- Naseby, Dc. Pascual, Ja. & Lynch, Jm. 2000. Effect Of Biocontrol Strains Of *Trichoderma* on plant growth, *pythium ultimum* populations, soil microbial communities and soil enzyme activities. *Journal of Applied Microbiology*. 88:161–169
- Nugrahaeni, N. 2010. Varietas dan teknologi produksi benih kedelai. balai penelitian tanaman kacang-kacangan dan umbi-umbian (BALITKABI). (diakses (23 Januari 2016)).

- Nikus, O. & Mulugeta, F. 2010. A manual for extension agents and seed producers. Agronomist, FAO-CDMDP National Consultant on Seed and horticulture production.
- Kormanik & McGraw. 1982. Quantification of vesicular arbuscular mycorrhiza an plant roots. Methods And Principles Of Mycorrhizal Research. American Phytopathological Society, St. Paul.
- Khan, A. A. H. Miura, J. Prusinski, & S. Ilyas. 1990. Matriconditioning of seeds to improve emergence. Proceedings of The Symposium on Stand Establishment of Horticultural Crops, Minneapolis, Minnesota, USA. p. 19-39.
- Landa, B.B. Navas-Cortes, J.A. & Jimenez-Diaz, R.M. 2004. Integrated management of fusarium wilt of chickpea with sowing date, host resistance and biological control. Phytopathology 94:946-960.
- Latifah, A. Kustatina, & Soesanto, L. 2011. Pemanfaatan beberapa isolat *Trichoderma harzianum* sebagai agensia pengendali penyakit layu fusarium pada bawang merah in planta. Eugenia. 17 :86-95
- Oliver, Y.M. & K.R.J Smethem. 2002. Predicting water balance in a sandy soil: model sensitivity to the variability of measured saturated and near saturated hydraulic properties. Aust Soil Res. 43: 87-96.
- Putrasamedja, S. & Suwandi. 1996. *Bawang merah di indonesia*. Monograf no. 5. BALITSA. Lembang.
- Puranik, R.M. & Srivastava, H.S. 1985. Increase in nitrate reductase activity in bean leaves by light involves a regulator protein. Agric Biol Chem 49 (7) : 2099-2104.
- Prapto, Y. 2000. Menyulap Tanah Pasir Menjadi Lahan Subur. <http://www.sura.merdeka.com/harian/ked08.htm-5k,l>. (diakses 11 Desember 2015).
- Rajiman, 2014. Pengaruh bahan pembenahan tanah di lahan pasir pantai terhadap kulaitas tanah. Prosiding Seminar Nasional Lahan Suboptima. Palembang ISBN : 979-587-529-9.
- Rajiman, 2009. Pengaruh pemupukan npk terhadap hasil bawang merah di lahan pasir pantai. Jurnal Ilmu-ilmu Pertanian : 5 (1):67-77.
- Rismunandar, 1986. Membudidayakan lima jenis bawang. Penerbit Sinar Baru. Bandung
- Rifai, M. Mujim, S. & Aeny, T.N. 1996. Pengaruh lama investasi trichoderma viride terhadap intensitas serangan *Pythium* sp. Pada Kedelai. Jurnal Penelitian Pertama. 7 (8) : 20-25.
- Rodrigues, K.F. 1994. The foliar fungal endophytes of the amazonian palm euterpe oleracea. Mycologia. 86 : 376 – 385.
- Sadjad, S Murniati, E. & Ilyas, S. 1999. Parameters of seed vigor testing from comparative to simulated. Jakarta: Grasindo.

- Shoyani, A. 2004. Kajian efektivitas penggunaan agensia hayati *trichoderma* sp untuk mengendalikan penyakit layu *fusarium* pada tanaman bawang merah diluar musim. ISSN 978-602-14930-2-1.
- Shoresh, M. Harman, G. E. & Mastouri, F. 2010. Induced systemic resistance and plant responses to fungal biocontrol agents. *Annu Rev Phytopathol.* 48 : 21–43.
- Sudantha, I.M. Kesratarta, I, & Sudana. 2011. Uji antagonisme beberapa jenis jamur saprofit terhadap *Fusarium oxysporum* f. sp. *cubense* penyebab penyakit layu pada tanaman pisang serta potensinya sebagai agens pengurai serasah. UNRAM, NTB. *Jurnal Agroteksos* 21 (2): 2-3.
- Sumarni, N., & Hidayat, A. 2005). *Panduan Teknis Budidaya Bawang Merah*. PTT Bawang Merah (No. 3). ISBN : 979-8304-49-7.
- Sutariati, G.A.K. Leomo, S. & Rakian, T.C., 2014. Keragaan pertumbuhan dan hasil bawang merah (*Allium Ascalonicum* L.) pada berbagai ukuran umbi dan teknologi leisa. *AGRIPLUS.* 24 : 14-25.
- Sutarya, R. dan G. Grubben. 1995. *Pedoman bertanam sayuran dataran rendah*. Gadjah Mada University Press. Prosea Indonesia – Balai Penel. Hortikultura Lembang.
- Sutariati, G.A.K. 2009. Conditioning benih dengan rizobakteri untuk meningkatkan mutu fisiologis dan patologis benih cabai pratanam. *Warta-Wiptek* 17(1):7-16.
- Sutariati, GAK. Khaeruni, A. 2013. Due to its high water holding capacity and adhering property, the drying rate of clay is slower therefore microorganisms will always be at an ideal condition for their growth and development. *Agricultural Science Research Journals.* 3(3): 85-92.
- Sutariati, G.A.K. & Khaeruni, A. 2013. Seed biomatriconditioning using rhizobacteria for growth promotion and increase the yield of sorghum (*Sorghum bicolor* L.) moench on marginal soil. *Agricultural Science Research Journals.* 3 (3):85-92.
- Setyono, B. & Suradal. 2010. Kelayakan usaha tani bawang merah di lahan pasir pantai dengan teknologi ameliorasi di kabupaten Bantul provinsi daerah istimewa Yogyakarta. Balai Pengkajian Teknologi Pertanian Yogyakarta.
- Syukur, Abdul. 2005. Pengaruh pemberian bahan organik terhadap sifat-sifat tanah dan pertumbuhan caisin di tanah pasir pantai. *J. Ilmu Tanah dan Lingkungan.* 5(1):30-38.
- Swasono, F.D.H. 2005. Studi tentang karakter fisiologi toleransi terhadap cekaman kekeringan beberapa varietas bawang merah di tanah pasir pantai. Laporan Penelitian Dosen Muda. Dirjen. PendidikanTinggi. *Jurnal AgriSains* 3(4):88-103.
- Tran, N. 2010 Using *Trichoderma* species for biocotrol of plant pathogens in vietnam. *J. ISSAAS.* 16(1):17-21.
- Vargas, W. A., Mandawe, J. C. & Kenerley, C. M. (2009). Plant-derived sucrose is a key element in the symbiotic association between *Trichoderma* virens and maize plants. *Plant Physiol* 151:792–808.