

DAFTAR PUSTAKA

- Abedini, M., Falahi, E., & Roosta, S. (2015). Dairy product consumption and the metabolic syndrome. *Diabetes & Metabolic Syndrome: Clinical Research & Reviews*, 9(1), 34-37.
- Al-Sheraji, S. H., Ismail, A., Manap, M. Y., Mustafa, S., Yusof, R. M., & Hassan, F. A. (2013). Prebiotics as functional foods: A review. *Journal of Functional Foods*, 5(4), 1542-1553.
- Amara, A. A., & Shibl, A. (2015). Role of Probiotics in health improvement, infection control and disease treatment and management. *Saudi Pharmaceutical Journal*, 23(2), 107-114..
- Ble-Castillo, J. L., Aparicio-Trapala, M. A., Juárez-Rojop, I. E., Torres-Lopez, J. E., Mendez, J. D., Aguilar-Mariscal, H., ... & Diaz-Zagoya, J. C. (2012). Differential effects of high-carbohydrate and high-fat diet composition on metabolic control and insulin resistance in normal rats. *International journal of environmental research and public health*, 9(5), 1663-1676.
- Bogsan, C. S. B., Florence, A. C. R., Perina, N., Barbuti, R. C., Navarro-Rodriguez, T., Eisig, J. N., & Oliveira, M. N. (2011). RETRACTED: Probiotics intake and metabolic syndrome: A proposal. *Trends in Food Science & Technology*, 22(8), 457-464.
- Butel, M. J. (2014). Probiotics, gut microbiota and health. *Médecine et maladies infectieuses*, 44(1), 1-8.
- Chandan, R. C., Kilara, A., & Shah, N. P. (Eds.). (2009). *Dairy processing and quality assurance*. John Wiley & Sons.
- Cao, Y., Van De Werfhorst, L. C., Scott, E. A., Raith, M. R., Holden, P. A., & Griffith, J. F. (2013). Bacteroidales terminal restriction fragment length polymorphism (TRFLP) for fecal source differentiation in comparison to and in combination with universal bacteria TRFLP. *water research*, 47(18), 6944-6955.
- Centers for Disease Control and Prevention. (2015). Nutrition, physical activity and obesity: data, trends and maps. *accessed July, 28, 2015*
- Chen, H. L., Fan, Y. H., Chen, M. E., & Chan, Y. (2005). Unhydrolyzed and hydrolyzed konjac glucomannans modulated cecal and fecal microflora in Balb/c mice. *Nutrition*, 21(10), 1059-1064.
- Chen, H. C., Wang, S. Y., & Chen, M. J. (2008). Microbiological study of lactic acid bacteria in kefir grains by culture-dependent and culture-independent methods. *Food microbiology*, 25(3), 492-501.
- Chen, H. L., Tung, Y. T., Tsai, C. L., Lai, C. W., Lai, Z. L., Tsai, H. C., Lin, Y.L., Wang, C.H., & Chen, C. M. (2014). Kefir improves fatty liver syndrome by inhibiting the lipogenesis pathway in leptin-deficient ob/ob knockout mice. *International Journal of Obesity*, 38(9), 1172-1179.
- Claassen, S., du Toit, E., Kaba, M., Moodley, C., Zar, H. J., & Nicol, M. P. (2013). A comparison of the efficiency of five different commercial DNA extraction kits for extraction of DNA from faecal samples. *Journal of microbiological methods*, 94(2), 103-110.

- Ceapa, C., Wopereis, H., Rezaiki, L., Kleerebezem, M., Knol, J., & Oozeer, R. (2013). Influence of fermented milk products, prebiotics and probiotics on microbiota composition and health. *Best Practice & Research Clinical Gastroenterology*, 27(1), 139-155.
- Ceballos, L. S., Morales, E. R., de la Torre Adarve, G., Castro, J. D., Martínez, L. P., & Sampelayo, M. R. S. (2009). Composition of goat and cow milk produced under similar conditions and analyzed by identical methodology. *Journal of Food Composition and Analysis*, 22(4), 322-329.
- Cuskin, F., Lowe, E. C., Temple, M. J., Zhu, Y., Cameron, E. A., Pudlo, N. A., Porter, N.T., Urs, K., Thompson, A.J., Cartmell, A., Rogowski, A., Hamilton, B.S., Chen, R., Tolbert, T.J., Piens, K., Bracke, D., Verweken, W., Hakki, Z., Speciale, G., Munoz-Munoz, J.L., Day, A., Peña, M.J., McLean, R., Suits, M.D., Boraston, A.B., Atherly, T., Ziemer, C.J., Williams, S.J., Davies, G.J., Abbott, D.W., Eric C. Martens, E.C., Gilbert, H.J. (2015). Human gut Bacteroidetes can utilize yeast mannan through a selfish mechanism. *Nature*, 517(7533), 165-169.
- Delzenne, N. M., Neyrinck, A. M., Bäckhed, F., & Cani, P. D. (2011). Targeting gut microbiota in obesity: effects of prebiotics and probiotics. *Nature Reviews Endocrinology*, 7(11), 639-646.
- Den Besten, G., van Eunen, K., Groen, A. K., Venema, K., Reijngoud, D. J., & Bakker, B. M. (2013). The role of short-chain fatty acids in the interplay between diet, gut microbiota, and host energy metabolism. *Journal of lipid research*, 54(9), 2325-2340.
- Dinoto, A., Watumlawar, C. C., & Yopi, Y. (2014). In Vitro Modulation of Human Intestinal Microbiota by Mannoligosaccharides Synthesized from *Amorphophallus muelleri* Glucomannan. *Microbiology Indonesia*, 7(4), 144.
- Ebner, J., Arslan, A. A., Fedorova, M., Hoffmann, R., Küçükçetin, A., & Pischetsrieder, M. (2015). Peptide profiling of bovine kefir reveals 236 unique peptides released from caseins during its production by starter culture or kefir grains. *Journal of proteomics*, 117, 41-57
- Flint, H. J., Scott, K. P., Duncan, S. H., Louis, P., & Forano, E. (2012). Microbial degradation of complex carbohydrates in the gut. *Gut microbes*, 3(4), 289-306.
- Gagnon, N., Talbot, G., Ward, P., Roy, D., Dupuis, M., Farnworth, E., Tompkins, A., Lessard, M. 2007. Evaluation Of Bacterial Diversity In The Gut Of Piglets Supplemented With Probiotics Using Ribosomal Intergenic Spacer Analysis. *Canadian Journal of Animal Science*, 87(2), 207-219.
- Glenn, G. R., & Roberfroid, M. B. (1995). Dietary modulation of the human colonic microbiota: introducing the concept of prebiotics. *J. nutr*, 125, 1401-1412
- Gong, J., & Yang, C. (2012). Advances in the methods for studying gut microbiota and their relevance to the research of dietary fiber functions. *Food Research International*, 48(2), 916-929.

- Harini, M., & Astirin, O. P. (2009). Blood cholesterol levels of hypercholesterolemic rat (*Rattus norvegicus*) after VCO treatment. *Nusantara Bioscience*, *1*(2), 53-58.
- Harmayani, E., Aprilia, V., & Marsono, Y. (2014). Characterization of glucomannan from *Amorphophallus oncophyllus* and its prebiotic activity in vivo. *Carbohydrate polymers*, *112*, 475-479.
- Hui, D. Y., & Howles, P. N. (2002). Carboxyl ester lipase structure-function relationship and physiological role in lipoprotein metabolism and atherosclerosis. *Journal of lipid research*, *43*(12), 2017-2030.
- Hemaiswarya, S., Raja, R., Ravikumar, R., & Carvalho, I. S. (2013). Mechanism of action of probiotics. *Brazilian archives of Biology and technology*, *56*(1), 113-119
- Judiono, Djokomoeljanto, dan Hadisaputro, S. (2011). Effects of oral clear kefir probiotics on glycemic status, lipid peroxidation, antioxidative properties of streptozotocin induced hyperglycemia wistar rats. *Gizi Indonesia*, *34*(1), 1-6.
- Juśkiewicz, J., Semaskaite, A., Zduńczyk, Z., Wróblewska, M., Gružasuskas, R., & Juśkiewicz, M. (2007). Minor effect of the dietary combination of probiotic *Pediococcus acidilactici* with fructooligosaccharides or polysaccharidases on beneficial changes in the cecum of rats. *Nutrition research*, *27*(3), 133-139.
- Kovacs, A., Yacoby, K., & Gophna, U. (2010). A systematic assessment of automated ribosomal intergenic spacer analysis (ARISA) as a tool for estimating bacterial richness. *Research in microbiology*, *161*(3), 192-197.
- Kovatcheva-Datchary, P., & Arora, T. (2013). Nutrition, the gut microbiome and the metabolic syndrome. *Best Practice & Research Clinical Gastroenterology*, *27*(1), 59-72.
- Likotrafiti, E., Valavani, P., Argiriou, A., & Rhoades, J. (2015). In vitro evaluation of potential antimicrobial synbiotics using *Lactobacillus kefir* isolated from kefir grains. *International Dairy Journal*, *45*, 23-30.
- Lopitz-Otsoa, F., Rementeria, A., Elguezabal, N., & Garaizar, J. (2006). Kefir: a symbiotic yeasts-bacteria community with alleged healthy capabilities. *Rev Iberoam Micol*, *23*(2), 67-74.
- Liu, W., Zheng, Y., Kwok, L. Y., Sun, Z., Zhang, J., Guo, Z., ... & Zhang, H. (2015). High-throughput sequencing for the detection of the bacterial and fungal diversity in Mongolian naturally fermented cow's milk in Russia. *BMC microbiology*, *15*(45), 1-12.
- Mizock, B. A. (2015). Probiotics. *Disease-a-Month*, *61*(7), 259-290.
- Moon, Y. J., Baik, S. H., & Cha, Y. S. (2014). Lipid-lowering effects of *Pediococcus acidilactici* M76 isolated from Korean traditional makgeolli in high fat diet-induced obese mice. *Nutrients*, *6*(3), 1016-1028.
- Nakayama, J., Watanabe, K., Jiang, J., Matsuda, K., Chao, S-H., Haryono, P., Laongkham, O., Sarwoko, M.A., Sujaya, I-N., Zhao, L., Chen, K-T., Chen, Y-P., Chiu, H.H., Hidaka, T., Huang, N-X., Kiyohara, C., Kurakawa, T., Sakamoto, N., Sonomoto, K., Tashiro, K., Tsuji, H., Chen, M-J., Leelavatcharamas, V., Liao, C-C., Nitisinprasert, S., Rahayu, E.S., Ren,

- F-Z., Tsai, Y-C., Lee, Y-K. 2015. Diversity in gut bacterial community of school-age children in Asia. *Scientific Report*, 5, 1-11.
- Nalbantoglu, U., Cakar, A., Dogan, H., Abaci, N., Ustek, D., Sayood, K., & Can, H. (2014). Metagenomic analysis of the microbial community in kefir grains. *Food microbiology*, 41, 42-51.
- Papagianni, M., & Anastasiadou, S. (2009). Pediocins: The bacteriocins of *Pediococci*. Sources, production, properties and applications. *Microbial Cell Factories*, 8(1), 1.
- Patel, S., & Goyal, A. (2012). The current trends and future perspectives of prebiotics research: a review. *3 Biotech*, 2(2), 115-125.
- Rajendhran, J., & Gunasekaran, P. (2011). Microbial phylogeny and diversity: small subunit ribosomal RNA sequence analysis and beyond. *Microbiological research*, 166(2), 99-110.
- Rincon-Florez, V. A., Carvalhais, L. C., & Schenk, P. M. (2013). Culture-independent molecular tools for soil and rhizosphere microbiology. *Diversity*, 5(3), 581-612.
- Kementerian Kesehatan Republik Indonesia. (2013). Riset kesehatan dasar 2013. *Jakarta: Badan Litbangkes*.
- Sari, P. M., & Harmayani, I. E. (2014). *Pengaruh Diet Lactobacillus plantarum Mut7 dan Tepung Ubi Jalar Kaya Serat terhadap Keragaman Komunitas Bakteri Digesta Tikus Sprague Dawley* (Doctoral dissertation, Universitas Gadjah Mada).
- Sari, M.P.. (2014). *Pengaruh Diet Lactobacillus plantarum Mut7 dan Tepung Ubi Jalar Kaya Serat Terhadap Keragaman Komunitas Bakteri Digesta Tikus Sprague Dawley*, (Thesis, Universitas Gadjah Mada).
- Satir, G., & Guzel-Seydim, Z. B. (2015). Influence of Kefir fermentation on the bioactive substances of different breed goat milks. *LWT-Food Science and Technology*, 63(2), 852-858.
- St-Onge, M. P., Farnworth, E. R., Savard, T., Chabot, D., Mafu, A., & Jones, P. J. (2002). Kefir consumption does not alter plasma lipid levels or cholesterol fractional synthesis rates relative to milk in hyperlipidemic men: a randomized controlled trial [ISRCTN10820810]. *BMC Complementary and Alternative Medicine*, 2(1), 1.
- Tester, R. F., & Al-Ghazzewi, F. H. (2016). Beneficial health characteristics of native and hydrolysed konjac (*Amorphophallus konjac*) glucomannan. *Journal of the Science of Food and Agriculture*. 96 (10), 3283-3291.
- Tiquia, S. M., & Michel Jr, F. C. (2002). Bacterial diversity in livestock manure composts as characterized by terminal restriction fragment length polymorphisms (T-RFLP) of PCR-amplified 16S rRNA gene sequences. In *Microbiology of composting* (pp. 65-82). Springer Berlin Heidelberg.
- Van Olden, C., Groen, A. K., & Nieuwdorp, M. (2015). Role of intestinal microbiome in lipid and glucose metabolism in diabetes mellitus. *Clinical therapeutics*, 37(6), 1172-1177.
- Veiga, P., Pons, N., Agrawal, A., Oozeer, R., Guyonnet, D., Brazeilles, R., Faurie, JM, Vlieg, J.E.T.V.H., Houghton, L.A., Whorwell, Erlich, S.D., and

- Kennedy, S.P. (2014). Changes of Human Gut Microbiome Induced by a Fermented Milk Product, *Scientific Reports*, 4(6328), 1-9.
- Wang, J., Tang, H., Zhang, C., Zhao, Y., Derrien, M., Rocher, E., Vlieg, J.ET. V-H, Strissel, K., Zhao, L., Obin, M., & Shen, J. (2015). Modulation of gut microbiota during probiotic-mediated attenuation of metabolic syndrome in high fat diet-fed mice. *The ISME journal*, 9(1), 1-15.
- Yassin, A. F., & Busse, H. J. (2009). *Psychrobacter lutiphocae* sp. nov., isolated from the faeces of a seal. *International journal of systematic and evolutionary microbiology*, 59(8), 2049-2053.
- Yeo, S. K., & Liong, M. T. (2010). Effect of prebiotics on viability and growth characteristics of probiotics in soymilk. *Journal of the Science of Food and Agriculture*, 90(2), 267-275.
- Yogiara. (2004). *Analisis Komunitas Bakteri Cairan Kantung Semar (Nepenthes spp.) menggunakan Teknik Terminal Restriction Fragment Length Polimorphism (TRFLP) dan Amplified ribosomal DNA Restriction Analysis (ARDRA)*. (Thesis, Institut Pertanian Bogor).
- Yu, Z., & Mohn, W. W. (2001). Bacterial diversity and community structure in an aerated lagoon revealed by ribosomal intergenic spacer analyses and 16S ribosomal DNA sequencing. *Applied and environmental microbiology*, 67(4), 1565-1574.
- Zalewski, B. M., Chmielewska, A., & Szajewska, H. (2015). The effect of glucomannan on body weight in overweight or obese children and adults: a systematic review of randomized controlled trials. *Nutrition*, 31(3), 437-442.