



## DAFTAR PUSTAKA

- Anonim 1965. The Rice Blast Disease Proceedings of a Symposium at The International Rice Research Institute, July, 1963. The Johns Hopkins Press, Maryland.
- Anonim 2006. Mutations associated with QoI-resistance. <http://www.frac.info/docs/default-source/about-frac/mutations-associated-with-qoi-resistance.pdf>. (diakses 2 Desember 2016).
- Anonim 2012. List of pathogens with field resistance towards QoI fungicide. <http://www.frac.info/docs/default-source/qoi-wg/qoi-quick-references/species-with-qo-resistance-%28updated-2012%29.pdf?sfvrsn=4>. (diakses 31 Maret 2016).
- Anonim 2014a. Pestisida Pertanian dan Kehutanan Terdaftar 2014. Direktorat Jendral Prasarana dan Sarana Pertanian, Jakarta.
- Anonim 2014b. Minutes of the 2014 QoI meeting recommendations for 2015. <http://www.frac.info/docs/default-source/qoi-wg/qoi-meeting-minutes/minutes-of-the-2014-qoi-meeting-recommendations-for-2015-%28may-update%29.pdf?sfvrsn=2>. (diakses 31 Maret 2016).
- Anonim 2015a. The Millennium Development Goals Report 2015. United Nation, New York.
- Anonim 2015b. Sustainable Development. <http://www.un.org/sustainabledevelopment/hunger/>. (diakses 10 September 2015).
- Anonim 2015c. History & Activities. <http://www.ibwf.de/index.php/about-us/history-activities>. (diakses 4 Maret 2016).
- Arase, S., Katano, K., Li, X., Honda, Y. & Nozu, M. 1994. Morphological variation in spores of *Pyricularia oryzae* cavara. *J. Phytopathology*, 142: 253—257.
- Babujee L. & Gnanamanic S. S. 2000. Molecular tools for characterization of rice blast pathogen (*Magnaporthe grisea*) population and molecular marker-assisted breeding for disease resistance. *Current Science*, 78(3): 248-257.
- Bussaban, B., Lumyong, S., Lumyong, P., Seelanan, T., Park, DC., McKenzie, E. H. C. & Hyde, K.D. 2005. Molecular and morphological characterization of Pyricularia and allied genera. *Mycologia*, 97 (5): 1002-1011.
- Consolo, V.F., Cordo, C. A. & Salerno, G. L. 2008. DNA fingerprint and pathotype diversity of *Pyricularia oryzae* populations from Argentina. *Australasian Plant Pathology*, 37: 357-364.
- Couch, B. C. & Kohn, L. M. feriadi. 2002. A multilocus gene genealogy concordant with host preference indicates segregation of a new species, *Magnaporthe oryzae*, from *M. grisea*. *Mycologia*, 94(4): 683–693.



- Deising, H. B., Reimann, S. & Pascholati, S. F. 2008. Mechanisms and significance of fungicide resistance. *Brazilian Journal of Microbiology*, 39: 286-29.
- Dutta, S. K. & Garber, E. D. 1961. The identification of physiological races of a fungal phytopathogen using strains of the slime mold *acrasis rosea*. *Botany*, 47: 990-993.
- Farida, Y. 2009. Metode sidik jari DNA dengan rep-PCR. Prosiding Seminar Nasional Penelitian, Pendidikan dan Penerapan MIPA. Fakultas MIPA, Universitas Negeri Yogyakarta.
- Gashaw, G., Alemu, T. & Tesfaye, K. 2014. Morphological, physiological and biochemical studies on *Pyricularia grisea* isolates causing blast disease on finger millet in Ethiopia. *Journal of Applied Biosciences*, 74:6059– 6071.
- George, M. L. C., Nelson, R. J., Zeigler, R. S., & Leung, H. 1998. Rapid population analysis of *Magnaporthe grisea* by using rep-PCR and endogenous repetitive DNA sequences. *Phytopathology*, 88: 223-229.
- Hai, L. H., Kim, P. V., Du, P. V., Thuy, T. T. T. & Thanh, D. N. 2007. Grain yield and grain-milling quality as affected by rice blast disease (*Pyricularia grisea*), at My Thanh Nam, Cai Lay, Tien Giang. *Omonrice*, 15: 102-107.
- Hamzah, A. 2012. Kebijakan penanggulangan kemiskinan dan kelaparan di Indonesia: Realita dan pembelajaran. *Jurnal Administrasi dan Kebijakan Kesehatan*, 1(1): 1-55.
- Harmon, P. F., Dunkle, L. D., & Latin, R. 2003. A rapid PCR-based method for the detection of *Magnaporthe oryzae* from infected perennial ryegrass. *Plant Disease*, 87:1072-1076.
- Hayashi, N. & Fukuta, Y. 2009. Proposal for a new international system of differentiating races of blast (*Pyricularia oryzae* Cavara) by using LTH monogenic lines in rice (*Oryza sativa* L.). In: Fukuta, Y., Cruz, C. M. V., Kobayashi, N. JIRCAS Working Report 2009, 63: 11-15.
- Hayashi, N., Kobayashi, N., Cruz, C. M. V. & Fukuta, Y. 2009. Protocols for the sampling of diseased specimens and evaluation of blast disease in rice. JIRCAS Working Report 2009, 63: 17-33.
- Javan-Nikkhah, M., McDonald, B. A., Banke, S. & Hedjaroude, G. 2004. Genetic structure of Iranian *Pyricularia grisea* populations based on rep-PCR fingerprinting. *European Journal of Plant Pathology*, 110: 909–919.
- Kato, H. Yamamoto, M. Yamaguchi-Ozaki, T. Kadouchi, H. Iwamoto, Y., Nakayashiki, H., Tosa, Y., Mayama, S. & Mori, N. 2000. Pathogenicity, mating ability, and DNA restriction fragment length polymorphisms of *Pyricularia* populations isolated from gramineae, bambusideae and zingiberaceae plants. *Journal of General Plant Pathology*, 66: 30-47.



- Koutroubas, S. D., Katsantonis, D., Ntanios, D. A. & Lupotto, E. 2009. Blast disease influence on agronomic and quality traits of rice varieties under Mediterranean conditions. *Turkish Journal of Agriculture and Forestry*, 33: 487-494.
- Kumar, M. K. P., Gowda, D. K. S., Moudgal, R. Kumar, N. K., Gowda, K. T. P. & Vishwanath, K. 2013. Impact of Fungicides on Rice Production in India. In: Nita, M. 2013. Showcases of Integrated Plant Disease Management from Around the World. InTech, Rijeka.
- Lestiyani A. 2015. Identifikasi, Patogenisitas, dan Variabilitas Penyebab Penyakit Moler pada Bawang Merah. Tesis. Universitas Gadjah Mada. Yogyakarta.
- Levy M., Romao J., Marchetti M. A. & Hamer J. E. 1991. DNA Fingerprinting with a dispersed repeated sequence resolves pathotype diversity in the rice blast fungus. *The Plant Cell*, 3: 95-102.
- Mackill, A. O. & Bonman, J. M. 1986. New Host of *Pyricularia oryzae*. *Plant Disease*, 70: 125-127.
- McGrath, M. T. 2015. General Guidelines for Managing Fungicide Resistance. <http://vegetablemdonline.ppath.cornell.edu/NewsArticles/FungicideResistance.html>. (diakses 1 Maret 2016).
- Mohanty, S. 2013. Trends in global rice consumption. *Rice Today*, 12 (1): 44-45.
- Motlagh M. R. S., Hbibi F. & Ebadi A. A. 2015. Genetic diversity of *Pyricularia grisea*, the causal agent of rice blast by SRR. *Acta Scientiarum Polonorum Hortorum Cultus*, 14(1): 15-28.
- Muñoz, M. C., Álvarez, I. L. & Aguliar, M. 2007. Resistance of rice cultivars to *Pyricularia oryzae* in Southern Spain. *Spanish Journal of Agriculture Research*, 5(1): 59-66.
- Naik, R. G., Naik, B. G., Naik, T. B. & Naika, R. K. 2012. Fungicidal management of leaf blast disease in rice. *Global Journal of Bio-Sciece & Biotechnology*, 1(1): 18-21.
- Nilsson, R. N., Kristiansson, E., Ryberg, M., Hallenberg, N. & Larsson, K-H. 2008. Intraspecific ITS variability in the kingdom fungi as expressed in the international sequence databases and ITS implications for molecular species identification. *Evolutionary Bioinformatics*, 4: 193–20.
- Onofeghara, F. A., Kapooria, R. G. & Ademokula, D. O. 1973. Studies on *Pyricularia oryzae* Cav. in Sierra Leone: morphological and physiological variability of some isolates. *Annals of Botany*, 37: 193-202.
- Ou, S. H. 1985. Rice Disease. Commonwealth Mycological Institute, Los Baños.
- Prabawa, P. S., Yulianah, I. & Basuki, N. 2015. Uji ketahanan 10 genotip padi merah (*Oryza sativa* L.) terhadap penyakit blas daun (*Pyricularia oryzae* Cav.) ras 173. *Jurnal Produksi Tanaman*, 3(6): 496 – 502.



- Prabhu, A.S., Araújo, L.G., Silva, G.B. & Trindade, M.G. 2007. Virulence and Rep-PCR analysis of *Pyricularia grisea* isolates from two Brazilian upland rice cultivars. *Fitopatologia Brasileira*, 32: 013-020.
- Santoso & Nasution, A. 2012. Pengendalian Penyakit Blas dan Penyakit Cendawan lainnya. Balai Besar Penelitian Tanaman Padi, Jawa Barat.
- Schoch, C. L., Seifert, K. A., Huhndorf, S., Robert, V., Spouge, J. L., Levesque, A. & Chen, W., Fungal Barcoding Consortium. 2012. Nuclear ribosomal internal transcribed spacer (ITS) region as a universal DNA barcode marker for fungi. *Proceedings of the National Academy of Sciences of the United States of America*, 109 (16): 6241-6246.
- Semangun, H. 2006. Pengantar Ilmu Penyakit Tumbuhan. Gadjah Mada University Press, Yogyakarta.
- Semangun, H. 2008. Penyakit-penyakit Tanaman Pangan di Indonesia. Gadjah Mada University Press, Yogyakarta.
- Srivastava, D., Shamim, Md., Kumar, D., Pandey, P., Khan, N. A. & Singh, K. N. 2014. Morphological and molecular characterization of *Pyricularia oryzae* causing blast disease in rice (*Oryza sativa*) from north India. *International Journal of Scientific and Research Publications*, 4(7): 1-9.
- Stammler, G., Itoh, M., Hino, I., Watanabe, A., Kojima, K., Motoyoshi, M., Koch, A. & Haden, E. 2007. Efficacy of orysastrobin against blast and sheath blight in transplanted rice. *Journal of Pesticide Science*, 32 (1): 10-15.
- Sumardiyono, C. 2015. Pengantar Toksikologi Fungisida. Gadjah Mada University Press, Yogyakarta.
- Tasliah, Reflinur & Bustaman, M. 2008. Keragaman genetik isolat cendawan *Pyricularia oryzae* menggunakan primer Pot-2 (Rep-PCR). *Jurnal Agro Biogen*, 4(2): 70-76.
- TeBeest, D. O., Guerber, C. & Ditmore, M. 2007. Rice Blas. <http://www.apsnet.org/edcenter/intropp/lessons/fungi/ascomycetes/Pages/RiceBlast.aspx>. (diakses 21 Januari 2015).
- Vincelli, P. 2002. Q<sub>o</sub>I (Strobilurin) Fungicides: Benefits and Risk. <http://www.apsnet.org/edcenter/advanced/topics/Pages/StrobilurinFungicides.aspx>. (diakses 12 Februari 2016).
- Vincelli, P. & Dixon, E. 2002. Resistance to Q<sub>o</sub>I (Strobilurin-like) Fungicides in isolates of *Pyricularia grisea* from perennial ryegrass. *Plant Disease*, 86:235-240.
- Wibowo, A. 2016. *Pyricularia oryzae* Resistance to Pyraclossrobin Monitoring. Departement of Plant Protection Faculty of Agriculture Universitas Gadjah Mada. Research Report