



DAFTAR PUSTAKA

- Abdi, N., P. Holford, dan McGlasson, W.B. (1997). Effects of harvest maturity on the storage life of Japanese type plums. *Australian Journal of Experimental Agriculture* 37: 391–397.
- Adisa, V.A. (1986). The influence of molds and some storage factors on the ascorbic acid content of orange and pineapple fruits. *Food Chemistry*. 22: 139–146.
- Agblor, S., dan Waterer, D. (2001). Cantaloupe postharvest handling and storage. Saskatoon: University of Saskatchewan Postharvest Specialist Program Bulletin hal :1–2. Dalam : Siddiq, M, Ahmed, J., Lobo, M. G., dan Ozadali, F (eds.) *Tropical and Subtropical Fruits Postharvest Physiology, Processing and Packaging*. Wiley Blackwell. USA.
- Agius, F., Gonzalez-Lamothe, R., Caballero, J. L., Munoz-Blanco, J., Botella, M. A., dan Valpuesta, V. (2003). Engineering increased vitamin C levels in plants by overexpression of a d-galacturonic acid reductase. *Natural Biotechnology* 21:177–81.
- Ahmad, M. S., dan Siddiqui, M. W. (2015). *Postharvest Quality Assurance of Fruits*. Springer International Publishing. Switzerland.
- Almela, L., Sanchez, C., Fernandez-Lopez, J.A., dan Romojaro, F. (2000). Note: Non- destructive appraisal of ripeness in Cantaloupe melons. *Food Science and Technology International* 6 (1) : 47-51.
- Amaro, A. L., Oliveira, A., dan Almeida, D. P. F. (2015). Biologically Active Compounds in Melon. Dalam : Preedy, V. (ed) *Processing and Impact on Active Components in Food*, hal 165–171. Academic Press, San Diego, USA.
- Ames, B. M. (1983). Dietary carcinogens and anticarcinogens: oxygen radicals and degenerative diseases. *Science* 221:1256-1263
- Anonim. (2014). Budidaya melon. Ristek.go.id. <http://www.warintek.ristek.go.id/pertanian/melon.pdf>. [12 Sepetember 2014]
- Araujo, T. A., Barbosa, A. M. J., Viana, L. H., dan Ferreira, V. S. (2011). Electroanalytical determination of TBHQ, a synthetic antioxidant, in soybean biodiesel samples. *Fuel* 90 : 707–712.
- Artés, F., Mínguez, M.I.dan Hornero, D. (2002). Analysing changes in fruit pigments. Dalam: Colour in Food: Improving Quality (ed. D.B. Mac Dougall) hal: 248–282. Woodhead Publishing Limited, Cambridge, UK.
- Asada, K. (1992). Ascorbate peroxidase-a hydrogen peroxide-scavenging enzyme in plants. *Physiology Plantarum* 85: 235-241.



- Ayala-Zavala, J.F., Del-Toro-Sanchez, L., Alvarez-Parrilla, E., dan Gonzalez-Aguilar, G.A. (2008). High relative humidity in-package of fresh-cut fruits and vegetables: advantage or disadvantage considering microbiological problems and antimicrobial delivering systems. *Journal of Food Science* 73 : R41-R47.
- Badejo, A. A., Fujikawa, Y., dan Esaka, M. (2009). Gene expression of ascorbic acid biosynthesis related enzymes of the Smirnoff-Wheeler pathway in acerola (*Malpighia glabra*). *Journal Plant Physiology* 166 :652–60.
- Barnum, D.W. (1977). Spectrophotometric determination of catechol, epinephrine, dopa, dopamine and other aromatic vicdiols. *Analitical Chimica Acta* 89:157–166.
- Barreiro, J., Milano, M., dan Sandoval, A. (1997). Kinetics of colour change of double concentrated tomato paste during thermal treatment. *Journal of Food Engineering* 33(3–4): 359–371.
- Barreiro, M. G., Lidon, F. C. M., dan Pinto, M. (2001). Physicochemical characterization of the postharvest senescence of the winter melon “Tendral”. *Fruits* 56:51–8.
- Barrett, D. M., Beaulieu, J. C., dan Shewfelt, R. (2010). Color, flavor, texture, and nutritional quality of fresh-cut fruits and vegetables: desirable levels, instrumental and sensory measurement, and the effects of processing. *Critical Reviews in Food Science and Nutrition* 50(5): 369–389.
- Beauchamp, C., dan Fridovich, I. (1971). Superoxide dismutase: improved assays and an assay applicable to acrylamide gels. *Analytical Biochemistry* 44 :276–287.
- Bendich, A., Machlin, L. J., Scandurra, O., Burton, G.W., dan Wayner, D.D.M. (1986). The an- tioxidant role of vitamin C. *Advances in Free Radical Biology dan Medicine* 2(2): 419–444.
- Ben-Yehoshua, S. (1987). Transpiration, water stress, and gas exchange. Dalam: J. Weichmann (ed). *Postharvest physiology of vegetables* hal : 113–170. Marcel Dekker, New York.
- Benzie, I.F.F., dan Strain, J.J. (1996). The ferric reducing ability of plasma (FRAP) as a measure of antioxidant power: the FRAP assay. *Analytical Biochemistry* 239 (1): 70–76
- Berker, K. I., Güçlü, K., Tor, I., dan Apak, R. (2007). Comparative evaluation of Fe(III) reducing power-based antioxidant capacity assays in the presence of phenanthroline, batho-phenanthroline, tripyridyltriazine (FRAP), and ferricyanide reagents. *Talanta* 72 :3: 1157–65.
- Biale, J. B. dan Young, R. E. (1981). Respiration and ripening in frtiits - Retrospect and prospect. Dalam : Friend, J. dan Rhodes, M. J. C (ed).



Recent Advances in the Biochemistry of Fruit and Vegetables hal : 1-39.
Academic Press. London.

- Bocco, A., Cuvelier, M.E., Richard, H., dan Berset, C. (1998). Antioxidant activity and phenolic composition of citrus peel and seed extracts. *Journal Agricultural Food Chemistry*. 46: 2123–2129.
- Blokhina, O., Virolainen, E., dan Fagerstedt, K.V. (2003). Antioxidants, oxidative and oxygen deprivation stress: a review. *Analytical Botany* 91: 179–194.
- Brandt, S., Pék, Z., Barna, É., Lugasi, A., dan Helyes, L. (2006). Lycopene content and colour of ripening tomatoes as affected by environmental conditions. *Journal of the Science of Food and Agriculture* 86(4) : 568–572.
- Brewer, M. S. (2011). Natural Antioxidants: Sources, Compounds, Mechanisms of Action, and Potential Applications. *Comprehensive Reviews in Food Science and Food Safety* 10 : 221-247.
- Bulley, S.M., Rassam, M., Hoser, D., Otto, W., Schunemann, N., Wright, M. (2009). Gene expression studies in kiwifruit and gene over-expression in Arabidopsis indicates that GDP-l-galactose guanyltransferase is a major control point of vitamin C biosynthesis. *Journal Experimental Botany* 60 : 765–778.
- Burton, W. G. (1982). *Post-harvest physiology of food crops*. Longman, London.
- Burton, W.G, dan Ingold KU. (1984). β-Carotene: an unusual type of lipid antioxidant. *Science* 224:569 – 573.
- Campana, F., Zervoudis, S., Perdereau, B., Gez, E., Fourquet, A., Badiu, C., Tsakiris, G., dan Koulaloglou, S. (2004) Topical superoxide dismutase reduces post-irradiation breast cancer fibrosis. *Journal of Cellular and Molecular Medicine* 8: 109-116
- Celano, G., Minnocci, A., Sebastiani, L., Auria, M. D., dan Xiloyannis, C. (2009). Changes in the structure of the skin of kiwifruit in relation to water loss. *The Journal of Horticultural Science and Biotechnology* 84 :1:41–46.
- Collins, J. K. (1990). Organoleptic Evaluation of Shrink-wrapped Muskmelon. *Hort Science* 25(11): 1409–1412.
- Coney, K.A., dan Schlimme, D.V. (1988). Relationship of rind gloss and ground spot colour to flesh quality of watermelon fruits during maturation. *Scientia Horticulturae* 32(3/4): 211- 218.
- Chun, O. K., Kim, D., Smith, N., Schroeder, D., Han, J. T., dan Lee, Y. (2005). Daily consumption of phenolics and total antioxidant capacity from fruit and vegetables in the American diet. *Journal of Agricultural and Food Chemistry* 85: 1715–1724.
- Clarkson, J. J., Rothwell, S.D., dan Taylor, G. (2005). End of day harvest extends shelf life. *Horticultural Science* 40: 1431-1435.



- Coney, K. A. dan Schlimme, D. V. (1988). Relationship of rind gloss and ground spot colour to flesh quality of watermelon fruits during maturation. *Scientia Horticulturae* 32(3/4): 211- 218
- Craft, B. D., Kerrihard, A. L., Amarowicz, R., dan Pegg, R. B. (2012). Phenol-Based Antioxidants and the In Vitro Methods Used for Their Assessment. *Comprehensive Reviews in Food Science and Food Safety* 11 (2) : 148–173.
- De Ancos, D., Gonza, E. M., dan Cano, M. P. (2000). Ellagic Acid, Vitamin C, and Total Phenolic Contents and Radical Scavenging Capacity Affected by Freezing and Frozen Storage in Raspberry Fruit. *Journal of Agriculture and Food Chemistry* 48 : 4565–4570.
- De Faria, A. F., Hasegawa, P. N., Chagas, E. A., Pio, R., Purgatto, E. dan Mercadante, A. Z. (2009). Cultivar influence on carotenoid composition of loquats from Brazil. *Journal of Food Composition and Analysis* 22: 196–203.
- Décordé, K., Ventura, E., Lacan, D., Ramos, J., Cristol, J.P., dan Rouanet, J. M. (2010). An SOD rich melon extract Extramel prevents aortic lipids and liver steatosis in diet-induced model of atherosclerosis. *Nutrition, Metabolism, and Cardiovascular Diseases* 20(5): 301–7
- Dewanto, V., Wu, X. Z., Adom, K. K. & Liu, R. H. (2002). Thermal processing enhances the nutritional value of tomatoes by increasing total antioxidant activity. *Journal of Agricultural and Food Chemistry* 50: 3010–3014.
- Diallinas, G., Pateraki, I., Sanmartin, M., Scossa, A., Stilianou, E., dan Panopoulos, N. (1997). Melon ascorbate oxidase: Cloning of a multi gene family, induction during fruit development and expression by wounding. *Plant Molecular Biology* 34: 759–770.
- Díaz-Mula, H. M., Zapata, P. J., Guillén, F., Martínez-Romero, D., Castillo, S., Serrano, M., dan Valero, D. (2009). Changes in hydrophilic and lipophilic antioxidant activity and related bioactive compounds during postharvest storage of yellow and purple plum cultivars. *Postharvest Biology and Technology* 51(3) : 354–363.
- Di Mascio, P., Kaiser, S. dan Sies, H. (1989) Lycopene as the most efficient biological carotenoid singlet oxygen quencher. *Archives of Biochemistry and Biophysics* 274 : 532–538.
- Dudonne, S., Vitrac, S., Coutiere, P., Woillez, M., dan Merillon, J. (2009). Comparative Study of Antioxidant Properties and Total Phenolic Content of 30 Plant Extracts of Industrial Interest Using DPPH, ABTS, FRAP, SOD, and ORAC Assays. *Journal of Agricultural and Food Chemistry* 57: 1768–1774.



- Du, J., Cullen, J. J., dan Buether, G. R. (2012). Ascorbic acid: Chemistry, biology and the treatment of cancer. *Biochimica et Biophysica Acta - Reviews on Cancer* : 443–457.
- El-Agamey, A., Lowe, G. M., Mc Garvey, D. J., Mortensen, A., Phillip, D. M., Truscott, T. G. dan Young, A. J. (2004). Carotenoid radical chemistry and antioxidant/pro-oxidant properties. *Archives of Biochemistry Biophysics* 430: 37–48.
- FAO (Food and Agriculture Organization of the United Nations). (1989). *Prevention of post-harvest food losses fruits, vegetables and root crops a training manual*. Pre-harvest factors in produce marketing: Training series 17/2.
- Fitriyani, R. (2016). *Pelunakan Buah Melon (Cucumic melo L.) Kultivar Hikapel Selama Penyimpanan Dengan Variasi Umur Petik*. Thesis. Universitas Gadjah Mada. Yogyakarta.
- Foyer, C. H., Lopez-Delgado, H., Dat, J. F., dan Scott, I. M. (1997). Hydrogen peroxide and glutathione-associated mechanisms of acclimatory stress tolerance and signaling. *Physiology Plantarum* 100:241–254.
- Foote, C. S., Chang, Y. C. and Denny, R. W. (1970). Chemistry of singlet oxygen X. Carotenoid quenching parallels biological protection. *Journal American Oil Chemistry Society* 92:5216–5218.
- Francis, F. J. (1995). Quality as influenced by color. *Food Quality and Preference* 6(3): 149–155.
- Fraser, P. D., Romer, S., Shipton, C. A., Mills, P. B., Kiano, J. W., Misawa, N., Drake, R. G., Schuch, W., dan Bramley, P. M. (2002). Evaluation of transgenic tomato plants expressing an additional phytoene synthase in a fruit-specific manner. *Proceeding of the National Academy of Science* 99 :1092-1097.
- Fraser, P. D., Truesdale, M. R., Bird, C. R., Schuch, W., dan Bramley, P. M. (1994). Carotenoid biosynthesis during tomato fruit development (evidence for tissue-specific gene expression). *Plant Physiology* 105: 405-413.
- Fukuyama, S., Watanabe, Y., Kondo, N., Nishinomiya, T., Kawamoto, S., dan Isshiki, K. (2009). Efficiency of sodium hypochlorite and calcinated calcium in killing *Escherichia coli* O157:H7, *Salmonella* spp., and *Staphylococcus aureus* attached to freshly shredded cabbage. *Bioscience Biotechnology Biochemistry* 73: 9-14.
- Gil, M. I., Conesa, M. A. dan Artes, F. (2002) Quality changes in fresh cut tomato as affected by modified atmosphere packaging. *Postharvest Biology and Technology* 25: 199–207.



- Giovanelli, G., Lavelli, V., Peri, C., dan Nobili, S. (1999). Variation in antioxidant components of tomato during vine and post-harvest ripening. *Journal of the Science of Food and Agriculture* 79 : 1583–1588.
- Gomez, M. L. P. A., dan Lajolo, F. (2008). Ascorbic acid metabolism in fruits: Activity of enzymes involved in synthesis and degradation during ripening in mango and guava. *Journal of the Science of Food and Agriculture* 88: 756–762.
- Gordon, M. H. (1990). The Mechanism of Antioxidant Action *in vitro*. Dalam : Hudson, B. J. *Food Antioxidants* hal. 1-18. Elsevier. London.
- Hadfield, K. A., Rose, J. K. C., dan Bennett, A. B. (1995). The respiratory climacteric is present in Charentais (*Cucumis melo* cv . Reticulatus F1 Alpha) melons ripened on or off the plant. *Journal of Experimental Botany* 46 (293): 1923–1925.
- Halliwell, B. (1995). Antioxidant characterization. Methodology and mechanism. *Biochemistry and Pharmacology* 49: 1341–1348
- Halliwell, B. (2006). Reactive species and antioxidants. Redox biology is a fundamental theme of aerobic life. *Plant Physiology* 141: 312–322.
- Hartz, T., Cantwell, M., Mickler, J., Mueller, S., Stoddard, S., dan Turini, T. (2008). Cantaloupe production in California.<http://ucanr.org/freepubs/docs/7218.pdf>. [12 Mei 2015]
- Hirschberg, J. (2001) Carotenoid biosynthesis in flowering plants. *Current Opinion in Plant Biology* 4:210–218.
- Hodges, D. M., dan Lester, G. E. (2006). Comparisons between Orange- and Green- fleshed Non-netted and Orange-fleshed Netted Muskmelons : Antioxidant Changes following Different Harvest and Storage Periods. *Journal American Social for Horticultural Science* 131: 110–117
- Howard, L. R., Smith, R. T., dan Wagner, A. B. (1994) Provitamin A and ascorbic acid content of fresh pepper cultivars (*Capsicum annuum*) and processed jalapenos. *Journal of Food Science* 59: 362–365.
- Huang, D., Ou, B., dan Prior, R. L. (2005). The chemistry behind antioxidant capacity assays. *Journal Agriculture and Food Chemistry* 53: 1841–1856.
- Huang, R., Xia, R., Hu, L., Lu, Y., dan Wang, M. (2007). Antioxidant activity and oxygen-scavenging system in orange pulp during fruit ripening and maturation. *Scientia Horticulturae* 113: 166–172
- Ibdah, M., Azualy, Y., Portnoy, V., Wasserman, B., Bar, E., Meir, A., Burger, Y., Hirschberg, J., Schaffer, A. A., Katzir, N., Tadmor, Yaakov, dan Lewingsohn, E. (2006). Functional characterization of CmCCD1, a carotenoid cleavage dioxygenase from melon. *Phytochemistry* 67 : 1579–1589.



- Imai, T., Ban, Y., Terakami, S., Yamamoto, T., dan Moriguchi, T. (2009). l-Ascorbate biosynthesis in peach: cloning of six l-galactose pathway-related genes and their expression during peach fruit development. *Physiologia Plantarum* 136:139–49
- Ilahy, R., Hidder, C., Lenucci, M. S., Tlili, I., dan Dalessandro, G. (2011). Antioxidant activity and bioactive compound changes during fruit ripening of high-lycopene tomato cultivars. *Journal of Food Composition and Analysis* 24(4-5): 588–595
- Ioannidi, E., Kalamaki, M. S., Engineer, C., Pateraki, I., Alexandrou, D., dan Mellidou, I. (2009). Expression profiling of ascorbic acid-related genes during tomato fruit development and ripening and in response to stress conditions. *Journal Experimental Botany* 60: 663–78.
- Ishikawa, T., dan Shigeoka, S. (2008). Recent advances in ascorbate biosynthesis and the physiological significance of ascorbate peroxidase in photosynthesizing organisms. *Bioscience Biotechnology Biochemistry* 72:1143–54.
- Islam, M. S., dan Khan, S. (2001) Seasonal fluctuations of carbohydrate accumulation and metabolism of three tomato (*Lycopersicon esculentum* Mill.) cultivars grown at seven sowing times. *Journal of Horticultural Science and Biotechnology* 76 (6) : 764–770.
- Kader, A. (1999). Fruit maturity ripening and quality relationships. *Acta Horticulture* 485 : 203-208.
- Kalt, W., Forney, C. F., Martin, A., dan Prior, R. L. (1999). Antioxidant Capacity, Vitamin C, Phenolics, and Anthocyanins after Fresh Storage of Small Fruits. *Journal of Agricultural and Food Chemistry* 47(11) : 4638–4644.
- Kays, S.J, dan Paull, R. (2004). Stress in harvested products. Dalam : Kays, S.J., dan Paull, R. E. *Postharvest Biology*, Exon Press. Athens.
- Kerr, H. (2009). Commercial household disinfectant inactivation of *Bacillus cereus* spores on fruit and vegetable surface. Master's Thesis, University of Tennessee . http://trace.Tennessee.edu/utk_gradthes/39. [17 Juli 2015].
- Kevers, C., Falkowski, M., Tabart, J., Defraigne, J-O., Dommes, J., dan Pincemail, J.(2007). Evolution of antioxidant capacity during storage of selected fruits and vegetables. *Journal of Agricultural and Food Chemistry* 55: 8596–8603.
- Knee, M. (2002). *Fruit Quality and its Biological Basis*. Boca Raton, Academic Press. Sheffield.
- Kochhar, S.P., dan Rossel J. B. (1990). Detection, Estimation and Evaluation of Antioxidants in Food Systems. Dalam : Hudson, B. *Food Antioxidants*. Elsevier Science. London.



- Kopsell, D.A. dan Kopsell, D.E. (2006) Accumulation and bioavailability of dietary carotenoids in vegetable crops. *Trends in Plant Science* 11: 499–507
- Krinsky, N. I., dan Johnson, E. J. (2005). Carotenoid actions and their relation to health and disease. *Molecular Aspects of Medicine* 26 : 459–516.
- Lacan, D., dan Baccou, J. C., Physiologie, L. De, dan Li, U. D. M. (1996). Changes in Lipids and Electrolyte Leakage during Nonnetted Muskmelon Ripening. *Journal American Social for Horticultural Science* 121 3: 554–558.
- Laur, Lisa M. dan Tian, L. (2011). Provitamin A and vitamin C contents in selected California-grown cantaloupe and honeydew melons and imported melons. *Journal of Food Composition and Analysis* 24: 194–201.
- Lee, S. K., dan Kader, A. A. (2000). Preharvest and postharvest factors influencing vitamin C content of horticultural crops. *Postharvest Biology and Technology* 20 : 207–220.
- Lehwinson, E., Sitrit, Y., Bar, E., Azulay, Y., Meir, A., Zamir, D., dan Tadmor, Y. (2005). Carotenoid pigmentation affects the volatile composition of tomato and watermelon fruits, as revealed by comparative genetic analyses. *Journal Agriculture and Food Chemistry* 52:3142-3148.
- Lenucci, M.S., Cadinu, D., Taurino, M., Piro, G., dan Dalessandro, G. (2006). Antioxidant composition in cherry and high-pigment tomato cultivars. *Journal of Agricultural and Food Chemistry* 54 :2606–2613.
- Leon, K., Mery, D., Pedreschi, F., dan Leon, J. (2006). Color measurement in L* a* b* units from RGB digital images. *Food Research International* 39 (10): 1084–1091.
- Lers, A., Jiang, W. E. I. B. O., Lomaniec, E., dan Aharoni, N. (1998). Gibberellic Acid and CO₂ Additive Effect in Retarding Postharvest Senescence of Parsley. *Journal of Food Science* 63 (1): 66–68.
- Lestari, R., Ebert, G., dan Huyskens-Keil, S. (2013). Fruit Quality Changes of Salak “Pondoh” Fruits (*Salacca zalacca* (Gaertn.) Voss) during Maturation and Ripening. *Journal of Food Research* 2(1) : 204.
- Lester, G. E. (2008). Antioxidant, Sugar, Mineral, and Phytonutrient Concentrations across Edible Fruit Tissues of Orange-Fleshed Honeydew Melon (*Cucumis melo L.*). *Journal of Agriculture and Food Chemistry* 56: 3694–3698.
- Lester, G. (1990). Lipoxygenase activity of hypodermal and middle mesocarp tissues from netted muskmelon fruit during maturation and storage. *Jounal America Social for Horticultural Science* 115: 612–615.



- Lester, G.E. and Bruton, B.D. (1986). Relationship of netted muskmelon fruit water loss to postharvest storage life. *Jounal America Social for Horticultural Science* 111:727–731.
- Lester, G., Hodges, D. M., Meyer, R. D., dan Munro, K. D. (2004). Pre-extraction preparation (fresh, frozen, freeze-dried, or acetone powdered) and long-term storage of fruit and vegetable tissues: Effects on antioxidant enzyme activity. *Journal of Agriculture and Food Chemistry* 52: 2167–2173.
- Lester, G. E., Lewers, K. S., Medina, M. B., dan Saftner, R. A. (2012). Comparative analysis of strawberry total phenolics via Fast Blue BB vs . Folin – Ciocalteu : Assay interference by ascorbic acid. *Journal of Food Composition and Analysis* 27: 102–107
- Lester, G. dan Stein, E. (1993). Plasma membrane physicochemical changes during maturation and postharvest storage of muskmelon fruit. *Journal American Social for Horticultural Science* 118: 223–227.
- Liu, D., Shi, J., Ibarra, A.C., Kakuda, Y., dan Xue, S. J. (2008). The scavenging capacity and synergistic effects of lycopene, vitamin E, vitamin C, and β-carotene mixtures on the DPPH free radical. *Food Science and Technology* 41: 1344–1349.
- Lopez, A., Pique, M., Boatella, J., Romero, A., Ferran, A., dan Garcia, J. (1997). Influence drying conditions on the hazelnut quality. III. Browning. *Drying Technology* 15(3–4): 989–1002.
- Lowry, O. H., Rosebrough, N. J., Farr, A. L. dan Randall, R. J. (1954). Protein measurement with the Folin phenol reagent. *Journal of Biological Chemistry* 193: 27-52
- Lurie, S. (2003). Antioxidants. Dalam : Hodges, D. M.. *Postharvest Oxidative Stress in Horticultural Crops* (ed), hal 131-144. Haworth Press. New York.
- Lurie, S, L. Sonego, and R. Ben-Arie. (1987). Permeability, microviscosity and chemical changes in the plasma membrane during storage of apple fruit. *Scientia Horticulture* 32:73–83.
- Maffei, M. (2003). Biochemistry, physiology and bioengineering of bioactive compounds from plants used as dietary supplements. Dalam : Maffei, M. (ed.) *Dietary Supplements of Plant Origin* hal 105–70. CRC Press
- Maietti, A., Tedeschi, P., Stagno, C., Bordiga, M., Travaglia, F., Locatelli, M., Arlorio, M., dan Brandolini, V. (2012). Analytical Traceability of Melon (*Cucumis Melo Var Reticulatus*): Proximate Composition, Bioactive Compounds, and Antioxidant Capacity in Relation to Cultivar, Plant Physiology State, and Seasonal Variability. *Journal of Food Science* 77 : C646-C652.
- Markus, F., Daood, H.G., Kapitany, J., dan Biacs, P.A. (1999). Change in the carotenoid and antioxidant content of spice red pepper (paprika) as a



function of ripening and some technological factors. *Journal of Agricultural and Food Chemistry* 47: 100-107

Menon, S. V. dan Rao, T. V. R. (2013). Nutritional quality evaluation of non-netted muskmelon fruit during its development and ripening . *Nutrition ad Food Science* 36 : 398–406.

Mercke, O. J., Lignell, A., Pettersson, A., and Hoglund, P. (2003). Oral bioavailability of the antioxidant astaxanthin in humans is enhanced by incorporation of lipid based formulations. *European Journal of Pharmaceutical Sciences* 19: 299–304.

Mélendez-Martinez, A. J., Fraser P.D. and Bramley, P. M. (2010). Accumulation of health promoting phytochemicals in wild relatives of tomato and their contribution to in vitro antioxidant activity. *Phytochemistry* 71: 1104–1114.

Mullen, Miccolis, V., dan Saltveit, M. E. (1995). Influence of storage period and temperature on the postharvest characteristics of six melon (*Cucumis melo L.*, Inodorus Group) cultivars. *Postharvest Biology and Technology* 5(3): 211–219.

Mishra, K., Ojha, H., dan Chaudhury, N. K. (2012). Estimation of antiradical properties of antioxidants using DPPH Å assay : A critical review and results. *Food Chemistry* 130 (4) : 1036–1043.

Moing, A., Aharoni, A., Biais, B., Rogachev, I., Meir, S., Brodsky, L. (2011). Extensive metabolic cross-talk in melon fruit revealed by spatial and developmental combinatorial metabolomics. *New Phytologist* 190(3): 683–696.

Mondal, K., Sharma, N. S., Malhotra, S. P., Dhawan, K., dan Singh, R. (2004). Antioxidant systems in ripening tomato fruits. *Biologia Plantarum* 48(1): 49–53.

Moser, O., dan Kanellis, A. (1994). Ascorbate oxidase of *Cucumis melo L.* var. reticulatus: purification, characterization and antibody production. *Journal of Experimental Botany* 45(275) : 717-724.

Motarjemi, Y., dan Lelieveld, H. (2014). Food safety management: a practical guide for the food industry, 1st edn. Academic, London.

Moser, O., dan Kanellis, A. K. (1994). Ascorbate oxidase of *Cucumis melo L.* var. reticulatus: purification , characterization and antibody production. *Journal of Experimental Botany* 45(275): 717–724.

Motes, J., Roberts W., Edelson, J., Damicon, J., Duthie, J. (2007). Cantaloupe production. <http://pods.dasnr.okstate.edu/docushare/dsweb/Get/Document-1405/HLA- 6237web.pdf>. [23 Mei 2016]

Müller, L., Fröhlich, K., dan Böhm, V. (2011). Comparative antioxidant activities of carotenoids measured by ferric reducing antioxidant power (FRAP),



ABTS bleaching assay (a TEAC), DPPH assay and peroxy radical scavenging assay. *Food Chemistry* 129: 139–148.

Nakano, Y. Dan Asada, K. (1981). Hydrogen Peroxide is Scavenged by Ascorbate-specific Peroxidase in Spinach Chloroplasts. *Plant and Cell Physiology* 22(5): 867-880

Nawar, W. W. (1996). Lipids. Dalam: Fennema, O.R. (ed) *Food chemistry*, 3rd edn. Marcel Dekker, New York.

Nisar, N., Li, L., Lu, S., Khin, N. C., dan Pogson, B. J. (2015). Carotenoid metabolism in plants. *Molecular Plant* 8(1): 68–82.

Nisha, P., Singhal, R. S., dan Pandit, A. B. (2011). Kinetic modelling of colour degradation in tomato puree (*Lycopersicon esculentum* L.). *Food and Bioprocess Technology* 4 :781–787.

Nunes, M. C. N. (2008). Color atlas of postharvest quality of fruits and vegetables. John Wiley dan Sons, INC. USA.

Ozdemir, H.O., Buzoglu, H.D., Calt, S., Stabholz, A., dan Steinberg, D. (2010). Effect of ethylenediaminetetraacetic acid and sodium hypochlorite irrigation on *Enterococcus faecalis* biofilm colonization in young and old human root canal dentin: in vitro study. *Journal Endodontic* 36:842-846.

Oyaizu, M. (1986). Studies on products of browning reaction: antioxidant activities of products of browning reaction prepared from glucosamine, Japan. *Journal of Nutrition* 44 :307–315.

Palma, T., Marangoni, A. G., dan Stanley D. W. (1995). Environmental stress affect tomato microsomal membrane function differently than natural ripening and senescence. *Postharvest Biology Technology* 6:257-273.

Palozza, P., dan Krinsky, N. I. (1992). Beta-carotene and alpha-tocopherol are synergistic antioxidants. *Archive Biochem Biophys* 297:184–187.

Pantastico, E. B., Chattopadhyay, T. K., dan Subramanyam, H. (1975). *Storage and Com- mercial Storage Operations*, CT, hal 324. AVI, Westport.

Parviainen, M. T. dan Nyssonnen, K. (1992). Ascorbic acid. In: Modern Chromatographic Analysis of Vitamins (eds A.P.D. Leenheer, W.E. Lambert dan H. Nelis), hal 271–300. Marcel Dekker, New York.

Passam, Pérez-López., Chávez-Franco, S. H., Villaseñor-Perea, C., Espinosa-Solares, T., Hernández-Gómez, L. H., dan Lobato-Calleros, C. (2014). Respiration rate and mechanical properties of peach fruit during storage at three maturity stages. *Journal of Food Engineering* 142 : 111–117.

Pathare, P. B., Opara, U. L., dan Al-said, F. A. (2012). Colour Measurement and Analysis in Fresh and Processed Foods : A Review. *Food Bioprocess Technology*



- Pekal, A., dan Pyrzynska, K. (2014). Evaluation of Aluminium Complexation Reaction for Flavonoid Content Assay. *Food Analytical Methods* 7:1776–1782.
- Pereira, A. C., Reis, M. S., dan Saraiva, P. M. (2009). Quality control of food products using image analysis and multivariate statistical tools. *Industrial and Engineering Chemistry Research* 48(2): 988–998.
- Perkins-Veazie, P., dan Collins, J.K.(2004). Flesh quality and lycopene stability of fresh-cut watermelon. *Postharvest Biology Technology* 31 : 159–166.
- Pek, Z., Helyes, L., dan Lugasi, A. (2010). Color changes and antioxidant content of vine and postharvest-ripened tomato fruits. *Hort Science* 45(3):466–468. 2010.
- Perkins-Veazie, P dan Collins, J. K. (2006).Carotenoid Changes of Intact Watermelons after Storage. *Journal of Agricultural and Food Chemistry*. 54 : 5868–5874.
- Prior, R. L. dan Cao, G. (1999). In vivo total antioxidant capacity: comparison of different analytical methods. *Free Radical Biology and Medicine*27: 1173–1181.
- Rabinowich, H.D., Sklan, D., dan Budowski, P. (1982) Photo-oxidative damage in the ripening tomato fruit: Protective role of superoxide dismutase. *Physiologia Plantarum* 54: 369-374.
- Raffo, A., Cherubino, L., Vincenzo, F., Ambrozino, P., Salucci, M., Gennaro, L., Bugianesi, R., Giuffrida, F., dan Quaglia, G. (2002). Nutritional value of cherry toma- toes (*Lycopersicon esculentum* cv. Naomi F1) harvested at different ripening stages. *Journal of Agricultural and Food Chemistry* 50:6550–6556.
- Rice-Evans, C.A., Miller, J.N., dan Paganga, G. (1996). Structure antioxidant activity relationships of flavonoids and phenolic acids. *Free Radical Biology and Medicine* 20 : 933–956.
- Rice-Evans, C.A., dan Miller, N.J. (1996). Antioxidant activities of flavonoids as bioactive components of food. *Biochemical Society Transactions*. 24: 790–795
- Rinaldi, R., Amodio, M. L., dan Colelli, G. (2004). Effects of calcium treatment and modified atmosphere on postharvest life of fresh-cut 'Campsol' melons. *Advances in Horticultural Science* 18 :2: 85-88.
- Rodríguez-Pérez, C., Quirantes-Piné, R., Fernández-Gutiérrez, A., dan Segura-Carretero A. (2013). Comparative characterization of phenolic and other polar compounds in Spanishmelon cultivars by using high-performance liquid chromatography coupled to electrospray ionization quadrupole-time of flight mass spectrometry. *Food Research International* 54: 1519–1527.



- Rogiers, S.Y., Kumar, M.G.N., Knowles, N.R. (1998). Maturation and ripening of fruit of Amelanchier alnifolia Nutt are accompanied by increasing oxidative stress. *Annals of Botany* 81: 203–211.
- Ryall, A.L., dan Lipton, W.J.(1972). *Handling, Transportation, and Storage of Fruits and Vegetables* vol. 1 Vegetables and Melons.: Avi Publishing. West port.USA.
- Sacks, E. J., dan Francis, D. M. (2001). Genetic and environmental variation for tomato flesh color in a population of modern breeding lines. *Journal of the American Society for Horticultural Science* 126(2) : 221–226.
- Sanchez-Moreno, C. (2002). Review: Methods Used to Evaluate the Free Radical Scavenging Activity in Foods and Biological Systems. *Food Science Technology International* 8(3) :121–137.
- Sampaio, C. R. P., Hamerski, F., Ribani, R. H. (2015). Antioxidant phytochemicals of *Byrsonima ligustrifolia* throughout fruit developmental stages. *Journal of Functional Foods* 18 :400–410
- Santas, J., Carbo, R., Gordon, M. , Almajano, M. (2008). Comparison of the antioxidant activity of two Spanish onion varieties. *Food Chemistry* 107 :1210–1216.
- Sargent, S. A. dan Maynard, N. M. (2012). Curcubits. Dalam : Rees,D., Farrell, G., dan Orchard, J. (ed.). (2012). *Crop Post-Harvest: Science and Technology, First Edition*, hal 286-316. Blackwell Publishing.UK.
- Selale, H., Sigva, H. O., Celik, I., Doganlar, S., dan Frary, A. (2012). Water – soluble Antioxidant Potential of Melon Lines Grown in Turkey. *International Journal of Food Properties* 15:145–156.
- Sharma, O. P., dan Bath, T.K. (2009). Analytical Methods DPPH antioxidant assay revisited. *Food Chemistry* 113 :1202–1205.
- Shahidi F. (2015). Antioxidants: principles and applications.Dalam: Shahidi, F (ed.). *Handbook of Antioxidants for Food Preservation First ed.*, hal 1-14. Woodhead Publishing. UK.
- Shalit, M., Katzir, N., Tadmor, Y., Larkov, O., Burger, Y., Shalekhet, F., dan Karchi, Z. (2001). Acetyl-CoA : Alcohol Acetyltransferase Activity and Aroma Formation in Ripening Melon Fruits. *Journal of Agriculture and Food Chemistry* 794–799.
- Shigeoka, S., T. Ishikawa, M. Tamoi, Y. Miyagawa, T. Takeda, Y. Yabuta, and K. Yoshimura. (2002). Regulation and function of ascorbate peroxidase isoenzyme. *Journal Experimental Botany* 53 (372) :1305-1319.



- Siddiq, M., Ahmed, J., Lobo, M. G., dan Ozadali, F. (2012). *Tropical and Subtropical Fruits Postharvest Physiology, Processing and Packaging*. Wiley Blackwell. USA
- Siddiqui, M. W., dan Dhua, R. S. (2010). Eating artificially ripened fruits is harmful. *Current Science* (99): 12 1664–1668.
- Silva, M. M., Santos, M. R., Caroço, G., Rocha, R., Justino, G., dan Mira, L. (2002). Structure-antioxidant activity relationships of flavonoids: a re-examination. *Free Radical Research* 36: 1219–1227.
- Siddiqui, M. W., dan Dhua, R. S. (2010). Eating artificially ripened fruits is harmful. *Current Science* 99 (12) : 1664–1668.
- Simpson, K.L. and C.O. Chichester. (1981). Metabolism and nutritional significance of carotenoids. *Annual Review of Nutrition* 1:351-374.
- Singh, S. P., Singh, Z., dan Swinny, E. E. (2012). Climacteric level during fruit ripening influences lipid peroxidation and enzymatic and non-enzymatic antioxidative systems in Japanese plums (*Prunus salicina* Lindell). *Postharvest Biology and Technology* 65: 22–32.
- Singh, S., Swain, S., Nishac, M., Banu, V. S., Singh, D. R., Roy, S.D. (2015). Changes in lycopene, total carotenoid and anti-radical activity in teasel gourd [*Momordica subangulata* ssp. *renigera* (G. Don) de Wilde] fruit fractions at different stages of maturity. *Industrial Crops and Products* :73 154–163.
- Singhal , M., Paul, A., dan Singh, H. P. (2014). Synthesis and reducing power assay of methyl semicarbazone derivatives. *Journal of Saudi Chemical Society* 18: 121–127.
- Singleton, V. L., Orthofer, R., dan Lamuela-Raventos, R. M.(1999). Analysis of total phenols and other oxidation substrates and antioxidants by means of Folin-Ciocalteu reagent. *Methods in Enzymology* 299: 152–178.
- Schmidt, R. (2004). Deactivation of singlet oxygen by carotenoids: internal conversion of excited encounter complexes. *Journal of Physics and Chemistry* 108:5509–5513.
- Skinner, M. dan Hunter, D. (2013). *Bioactives in Fruit*. Wiley Blackwell. UK
- Smith, J. J., Ververidis, P., dan John, P. (1992). Characterization of the ethylene-forming enzyme partially purified from melon. *Phytochemistry* 31: 1485-94.
- Stahl, W., dan Sies, H. (2003). Antioxidant activity of carotenoids. *Molecular Aspects of Medicine* 24: 345–351
- Taiz, L., dan Zeiger, E. (2002). *Plant Physiology*, Third Edition, Sinauer Associates, Inc.USA



- Terao, J. (1989). Antioxidant activity of β -carotene-related carotenoids in solution. *Lipids* 24: 659–661.
- Thili, I., Hdider, C., Lenucci, M. S., Ilahy, R., Jebari, H., dan Dalessandro, G. (2011). Bioactive compounds and antioxidant activities during fruit ripening of watermelon cultivars. *Journal of Food Composition and Analysis* 24(7): 923–928
- Tovar, B., Garcia, H. S. and Mata, M. (2001). Physiology of pre-cut mango II. Evolution of organic acids. *Food Research International* 34:705-714.
- Thompson, A. K. (2016). *Fruit and Vegetable Storage : Hypobaric, Hyperbaric and Controlled Atmosphere*. Springer Cham Heidelberg. New York
- Tokusoglu, O. (2011). Phenolic and beneficial bioactives in drupe fruits. Dalam: Tokusoglu, O., and Hall, C. *Fruit and Cereal Bioactives* (eds) hal : 83–105. CRC Press.
- Tucker, G.A. (1993). *Introduction*. Dalam :Seymour, G. B., Taylor, J.E., dan Tucker, G.A. (ed): *Biochemistry of Fruit Ripening* hal. 1–51, Chapman dan Hall, London.
- Van den Berg H., Faulks, R., Granado, H. F., Hirschberg, J., Olmedilla, B., Sandmann, G., Southon, S., dan Stahl, W. (2000). The potential for the improvement of carotenoid levels in foods and the likely systemic effects. *Journal Science Food Agricultural* 80:880–912.
- Vazquez-Ochoa, R. I., dan Colinas-Leon, M. T. (1990). Changes in guavas of three maturity stages in response to temperature and relative humidity. *Hort Science* 25(1): 86-87.
- Vicente, A. R., Manganaris, G. A., Sozzi, G. O. dan Crisosto, C. H. (2009). Nutritional quality of fruits and vegetables. Dalam: Florokowski, W.J., Shewfelt, R.L., Brueckner, B. and Prusia, S.E. (ed) *Postharvest Handling: A Systems Approach*. Academic Press, San Diego, CA, hal 57–106.
- Von Elbe, J. H., dan Shwartz, S. J. (1996). Colorants. Dalam : Fennema, O. R. (ed) *Food Chemistry*, 3rd ed. hal 651–722. New York. Marcel Dekker.
- Vouldoukis, I., Lacan, D., Kamate, C., Coste, P., Calenda, A., Mazier, D., dan Dugas, B. (2004). Antioxidant and anti-inflammatory properties of a *Cucumis melo* L C . extract rich in superoxide dismutase activity. *Journal of Ethnopharmacology* 94: 67–75.
- Wache, Y., Bosser-de ratuld, A. L., Lhuguenot, J., dan Belin, J. (2003). Effect of *cis/trans* Isomerism of β -Carotene on the Ratios of Volatile Compounds Produced during Oxidative Degradation. *Journal Agriculture and Food Chemistry* 51:1984-1987.
- Wang, B., Huang, Q., Venkitasamy, C., Chai, H., Gao, H., Cheng, N., Chao, W., Lv, X, dan Pan, Z. (2016). Changes in phenolic compounds and their



antioxidant capacities in jujube (*Ziziphus jujuba* Miller) during three edible maturity stages. *Food Science and Technology* 66 : 56–62.

Wang, S. Y. dan Lin, H. S. (2000). Antioxidant activity in fruits and leaves of blackberry, raspberry, and strawberry varies with cultivar and developmental stage. *Journal of Agricultural and Food Chemistry* 48(2): 140-146

Winston, G.W. (1990). Physicochemical basis of free radical formation in cells: Production and defenses.. Dalam: W. Smallwood [ed.] *Stress Responses in Plants: Adaptation and Acclimation Mechanisms* hal: 57–86. Wiley-Liss Inc., UK

Wojdylo, A. Carbonell-Barrachina, A. A., Legua, P, dan Hernandez, F. (2016). Phenolic composition, ascorbic acid content, and antioxidant capacity of Spanish jujube (*Ziziphus jujube* Mill.) fruits. *Food Chemistry* 201: 307–314.

Yahia, E. M., dan Ornelaz-Paz. (2010). Chemistry, Stability, and Biological Actions of Carotenoid. Dalam Laura A. de la Rosa, Emilio Alvarez-Parrilla dan Gustavo A González-Aguilar. *Fruit and Vegetable Phytochemicals: Chemistry, Nutritional Value, and Stability*, hal 177. Blackwell Publishing. USA.

Young, A. J., dan Lowe, G. M. (2001). Antioxidant and prooxidant properties of carotenoids. *Archives in Biochemistry and Biophysics* 385: 20–27

Yuting, C., Rongliang, Z., Zhongjian, J., dan Yong, J. (1990). Flavonoids as superoxide scavengers and antioxidants. *Free Radical Biology and Medicine* 9: 19-21.

Zhong, Y. dan Shahidi, F. (2015). Methods for the assessment of antioxidant activity in foods. Dalam : Shahidi, F. *Handbook of Antioxidants for Food Preservation* chapter 12 hal 287-333: Wood head Publishing, UK.

Zhou, Y. dan Zheng, R.(1991). Phenolic compounds and an analog as superoxide anion scavengers and antioxidants. *Biochemical Pharmacology* 42(6): 1177-1179.