

## DAFTAR PUSTAKA

- Alege, G. O. & Shaibu, D. O. 2015. Phylogenetic and Systematic Value of Leaf Epidermal Characteristics in Some Members of Nigerian Fabaceae. *International Journal of Applied Sciences and Biotechnonology* (IJASBT). 3 (2): 301-307.
- Ali, M. A & Al-Hemaid, F.M.A. 2011. Taxonomic Significance of Trichomes Micromorphology in Cucurbits. *Saudi Journal of Biological Sciences*. 18: 87-92.
- Anonymous. 1982. *Lima Bean Descriptors*. International Board For Plant Genetic Resources (IBPGR). IBPGR Secretariat. Rome.
- . 2010a. *Lima Beans Domesticated Twice*. Crop Science Society of America (CSSA). Science daily 1 sep. 2010. <http://www.sciencedaily.com/releases/2010/08/100831222310.htm>. Diakses agustus 2016.
- . 2010b. *Phaseolus lunatus* L. International Plant Name Index (IPND). [www.theplantlist.org](http://www.theplantlist.org). Diakses Februari 2016.
- \_\_\_\_\_. 2014. *Pengantar Paleobotani*. (<http://elisa1.ugm.ac.id/files/susandarini/1ySjRED5/Pengantar%20paleobotani.pdf>.) Diakses Juni 2015.
- Arora, R.K. 2014. Diversity in Underutilized Plant Species – An Asia-Pacific Perspective. Bioersivity International, New Delhi, India. p.203
- Abdulrahman, A.A., and Oladele, F.A. 2005. Stomata, Trichomes and Epidermal Cells as Diagnostic Featurea in Six Species of Genus *Ocimum* L. (Lamiaceae). *Nigerian Journal of Botany*. 18:214-223.
- Asante, I.K., Offei, S.K., Addy, R., And Carson, A.G. 2008. Phenotypic and Seed Protein Analysis in 31 Lima Bean (*Phaseolus lunatus*) Accessions in Ghana. *West African Journal of Applied Ecology*. 12.
- Backer, C.A., and van den Brink Jr., R.C.B. 1968. *Flora Of Java (Spermatophytes only)* Vol.I. Published Under The Auspices Of The Ruksherbarium Leyden. Netherlands.
- Banerjee, A., Sinhababu, A., Kar, R.K., Mandal, S. 2004. Micromorphological Studies of Four Fuel Wood Yielding Tropical Leguminous Plants. *Pakistan Journal of Biological Sciences* 7 (1): 100-104.
- Baudoin, J.P. 1989. Sumber Daya Nabati Asia Tenggara1. In: van der Maesen, L.J.G. & Somaatmadja, S. (Editors). Penerjemah Danimihardja, S. Gramedia Pustaka Utama. Jakarta. pp 3, 66-70.
- Baudoin, J.-P, O. Rocha, J. Degreef, A. Maquet and L. Guarino. 2004. Ecogeography, Demography, Diversity and Conservation of *Phaseolus lunatus* L. in the Central Valley of Costa Rica. *Systematic and Ecogeographic Studies on Crop Genepools* 12. International Plant Genetic Resources Institute, Rome, Italy.
- Baudoin, J.P. 2006. *Phaseolus lunatus* L. In: brink, M. & Belay, G. (Editors). Plant Resources of Tropical Africa (PROTA) 1: Cereals and Pulses/Cereals et legumes secs. (CD-Rom). PROTA, Wageningen, Netherlands. ([www.prota4u.org](http://www.prota4u.org)). Diakses September 2015.

- Casson, S. and Gray, J.E. 2008. Influence of Environmental Factors on Stomatal Development. *New Phytologist* 178: 9-23.
- Campbell, N. A., Reece, J. B., Urry, I. A., Cain, M. L., Wasserman, S. A., Minorsky, P. V., Jackson, R. B. 2011. *Biology Ninth Edition*. Pearson Education Inc. America. pp. 860 – 862.
- Davis, P.H & V.H. Heywood. 1973. *Principles of Angiosperm Taxonomy*. Robert E.Krieger Publishing Co. Inc. Huntington. New York. pp. 112 – 121, 335 – 337, 356 – 358.
- De Lima, M.S., J.E.S. Carneivero, P.C.S. Carneivero, C.S. Pereira and R.F. Vieira. 2012. Characterization of genetic variability among common bean genotypes by morphological descriptors. *Crop Breed. Applied Biotechnol.*, 12: 76-84.
- Delgado-Salinas, A., Bibler, R., and Lavin, M. 2006. Phylogeny of The Genus *Phaseolus* (Leguminosae): A Recent Diversification in an Ancient Landscape. *Systematic Botany*. 31(4): 779 – 791.
- Delgado-Salinas. 2014. *Biodiversity and Systematics of Phaseolus L. (Leguminosae)*. ([http://www.ias.csic.es/grainlegumesmagazine/legum\\_perspect\\_2.pdf](http://www.ias.csic.es/grainlegumesmagazine/legum_perspect_2.pdf)). Diakses April 2015.
- Debouck, D.G. 1994. Beans (*Phaseolus* spp.) Neglected Crops 1492 From A Different Perspective. Food and Agriculture Organization Of The United Nations Rome. 26: 54 – 61.
- Diederichsen, A. 2004. Case Studies for The Use of Intraspecific Classification in Managing Germplasm Collections of Cultivated Plants. *Acta Horticulturae*. 634 (634):127-139.
- Duminil, J. and M.D. Michele, 2009. Plant species delimitation: A comparison of morphological and molecular markers. *Plant Biosystems*. 143: 528-542.
- El-Kholy, M.A., Kasem, W.T., Mabrouk, A.S. 2011. Taxonomic Evaluation Using Pollen Grain Sculpture and Seed Coat Characters of 11 Taxa of Genus *Hibiscus* (Malvaceae) in Egypt. *Annals of Agriculture Science*. 56: 9-15.
- El-Sayed, S.M., Tantawy, M.E., Ibrahim, A.G., El-Sheekh, A.A. 2010. Pollen Morphology of Some Species of Subfamily Papilionoideae. *Proceeding of Fifth Scientific Environmental Conference*. Zagazig Univ. 71-86.
- Emadzade, K., Lehnebach, C., Lockhart, P. and Horandl, E. 2010. A Molecular Phylogeny, Morphology and Classification of Genera of Ranunculaceae (Ranunculaceae). *Taxon* 59 (3): 809-828.
- Endress, P. K., Baas, P., and Gregory, M. 2000. Systematic Plant Morphology and Anatomy: 50 Years of Progress. *Taxon*. 49 (3): 401-434.
- Erdtman, G. 1952. *Pollen Morphology and Plant Taxonomy Angiosperms (An Introduction to Palynology I)*. Almqvist & Wiksell, Stockholm. U.S.A.pp. 3 – 21.
- Esau, K. 1953. *Plant Anatomy Second Edition*. Wiley Toppan. California. Pp.158, 167.

- Fahn, A. 1989. *Anatomi Tumbuhan, Edisi Ketiga Terjemahan* oleh Soediarso, A., Koesoemaningrat, M.T., Natasaputra, M., dan Akmal, H. Gadjah Mada University Press. Yogyakarta. hal. 268 – 297.
- Ferguson, I.K. 1985. The Role of Pollen Morphology in Plant Systematics. Royal Botanic Gardens, Kew, Richmond, U.K. *An. Asoc. Palinol. Leng. Esp.* 2: 5-18.
- Food and Agriculture Organization of The United Nations Statistics Division (FAOSTAT). 2013. ([www.faostat3.fao.org](http://www.faostat3.fao.org)). Diakses November 2015.
- Freytag, G.F & Debouck, D.G. 2002. *Taxonomy, Distribution and Ecology of the Genus Phaseolus (Leguminosae-Papilionoideae) in North America, Mexico and Central America*. Sida, Botanical Miscellany. Botanical Research Institute Texas. No. 23.
- Fuentes-Soriano, S., Ramos-Godinez, P., Sanchez-Espindola, E., Delgado-Salinas, A. 1998. *Exine ultrastructure from Phaseolus L. pollen grains (Leguminosae, Phaseolinae)*. <https://www.ipen.br/biblioteca/cd/icem/PDF>. Diakses Juli 2015.
- Futuyma, D. J. 2009. *Natural Selection and Adaptation* (nsce.com>evolution-futuyma-chapt11) Diakses Januari 2016.
- Garcia, E. H., Pena-Valdivia, C.B., Aguirre, J.R.R., and Muruaga, J.S.M. 1997. Morphological and Agronomic Traits of a Wild Population and an Improved Cultivar of Common Bean (*Phaseolus vulgaris* L.). *Annals of Botany* 79: 207-213.
- Garden-Robinson, J., and McNeal, K. 2013. *All about Beans : Nutrition, Health Benefits, Preparation and Use in Menus*. North Dakota State University Fargo, North Dakota. (<https://www.ag.ndsu.edu/pubs/yf/foods/fn1643.pdf>.) Diakses Mei 2015.
- Gepts, P. 2012. Genetic Resources of *Phaseolus* Beans: Their Maintenance, Domestication, Evolution and Utilization. *Current Plant Science and Biotechnology in Agriculture*. Volume 6. Springer science & business media. Pp. 152-155.
- Gepts, P. 2014a. *Beans: Origin and Development*. Department of Plant Sciences/MS1, Section of Crop and Ecosystem Sciences, University of California, Davis, Davis, CA, USA.
- . 2014b. *Domestications of Phaseolus Beans and Their Importance for Conservation and Genetic Improvement* ([http://www.ias.csic.es/grainlegumesmagazine/legum\\_perspect\\_2.pdf](http://www.ias.csic.es/grainlegumesmagazine/legum_perspect_2.pdf)). Diakses April 2015.
- Giurca, D.M. 2009. Morphological and Phenological Differences Between The Two Species of The *Phaseolus* Genus (*Phaseolus vulgaris* and *Phaseolus coccineus*). *Cercetări Agronomice În Moldova*. 62 (2): 39 - 46.
- Gower, J.C. 1971. A General Coefficient of Similarity and Some of Its Properties. *Biometrics*. 27:857-874.

- Goyal, S.C. *Pollen Morphology*. Department of Botany & Plant Physiology. CCS Haryana Agricultural University. <http://hau.ernet.in/cobs/pdf/>. Diakses Mei 2016.
- Haghighi, A.R., Belduz, A.O., Vahed, M.M., Coskuncelebi, K. and Terzioglu, S. 2014. The Applicability of Morphological Characters in Taxonomy of *Artemisia* (Asteraceae). *Agriculture and Forestry*. 60 (2): 103-113.
- Hammer, K. and Morimoto, Y. 2011. *Classifications of Intraspecific Variation in Crop Plants*. Collecting Plant Genetic Diversity. Technical Guidelines.
- Hanum, L. 2001. Tinjauan Taksonomi *Brugmansia* Pers. (Solanaceae) Di Jawa Berdasarkan Morfologi Serbuk Sari. *Tesis*. Universitas Gadjah Mada.
- Heywood, V.H. 1976. *Plant Taxonomy*. Second edition. Edward Arnold (Publishers) Ltd. London. pp 46 – 50.
- Hidalgo, R., Song, L., Gepts, P., & O. F. Fernandez. 1986. *The Cultivated Species of Phaseolus; Study Guide to be Used as a Supplement to The Audiotutorial Unit on The Same Topic*. Centro International De Agricultura Tropical (CIAT). Cali, Colombia.
- Hidayat, E. B. 1995. *Anatomi Tumbuhan Berbiji*. ITB. Bandung. hal 68-69, 73.
- Hillocks, R. J., Madata C.S., Chirwa R., Minja, E. M., Msolla, S. 2006. *Phaseolus* Bean Improvement in Tanzania, 1959–2005. *Euphytica*. 150: 215–231.
- IUCN (International Union for Conservation of Nature). 2004. *Phaseolus rosei* Piper. (<http://dx.doi.org/10.2305/IUCN.UK.2004.RLTS.T45237A10987916.en>). Diakses September 2015.
- Jayanti, E.T. 2011. Variasi Morfologis dan Genetik Kacang Komak (*Lablab purpureus* (L.) Sweet) di Lombok, Nusa Tenggara Barat. *Tesis*. Universitas Gadjah Mada.
- Jimenez, M., Gatica, A., Sanchez, E. and Valdez M. 2012. Ultrastructural Analysis of the Ontogenetic Development of Shoot Induced From Embryonic Axes Of Costa Rican Bean Varieties (*Phaseolus vulgaris* L.) under *in Vitro* Conditions by Scanning Electronic Microscopy. *American Journal of Plant Sciences*. 3: 489 – 494.
- Jones, B.J. and Luchsinger A.E. 1986. *Plant systematics* secon edition. McGraw-Hill Book Company. London. pp 82-84.
- Kapp, R.O. 1969. *How To Know Pollen and Spores*. Wm. C. Brown Company Publisher. Iowa-USA. pp 3-9.
- Koten, B.B., Soetrisno, R. D., Ngadiyono, N., dan Soewignyo, B. 2013. Penampilan Produksi Hijauan Hasil Tumpangsari Arbila (*Phaseolus lunatus*) Berinokulum *Rhizobium* dan Sorgum (*Sorghum bicolor*) pada Jarak Tanam Arbila dan Jumlah Baris Sorgum. *Sains Peternakan*. 11 (1): 26-33.
- Kyeremateng, D.O. 2015. Determination Of Compositional Characteristics, Functional Properties And Cluster Analysis Of Lima Bean Accessions (*Phaseolus Lunatus*). *Tesis*. Kwame Nkrumah University Of Science And Technology Kumasi, Ghana. Department Of Food Science And Technology College Of Science
- Kovach. 2007. Multi-Variate statistical package version 3.1. Kovach Computing Services, Pentraeth, Wales, U.K.

- Li, C., Wu, Y., and Guo Q. 2011. Floral and Pollen Morphology of *Pogostemon cablin* (Lamiaceae) from Different Habitats and Its Taxonomic Significance. *Procedia Engineering*. 18: 295-300.
- Madhujith, T., Naczek, M., Shahidi, F. 2004. Antioxidant Activity of Common Beans (*Phaseolus vulgaris* L.) *J Food Lipids*. 11:220-233.
- Martinez-Castillo, J., Zizumbo-Villarreal, D., Perales-Rivera, H., and Colunga-Garciamarin, P. 2004. Intraspecific diversity and Morpho-Phenological variation in *Phaseolus lunatus* L. from Yucatan Peninsula, Mexico. *Economic Botany* 58 (3) pp. 354-380.
- Metcalf, C.R. and Chalk, L. 1957. *Anatomy of Dicotyledons Leaves, Stem And Wood in Relation to Taxonomy with Notes on Economic Uses. Volume 1*. Oxford University Press. London.
- Mercado-Ruaro, P. & Delgado-Salinas, A. 1998. Karyotypic Studies on Species of *Phaseolus* (Fabaceae: Phaseolinae). *American Journal of Botany*. 85 (1): 1-9.
- Montero-Rojas, M., Ortiz, M., Beaver, J.S., and Siritunga, D. 2013. Genetic, Morphological and Cyanogen Content Evaluation of New Collection of Caribbean Lima Bean (*Phaseolus lunatus* L.) Landraces. *Genetical Resources Crop Evolution*. 60:2241 – 2252.
- Mu'jijah. 2012. Karakter Morfologi, anatomi, ultrastruktur epidermis dan derivatnya, daun beberapa kultivar terung (*Solanum mengolena* L.) dibandingkan dengan *Solanum* spp. di provinsi banten sebagai pendukung klasifikasi. Tesis. Universitas Gadjah Mada. Yogyakarta.
- Mundita, I.W. 2013. *Pemetaan Pangan Lokal di Pulau Sabu-Raijua, Rote-Ndao, Lembata dan Daratan Timor Barat (Kabupaten Kupang dan TTS)*. Perkumpulan Pikul & OXFAM. Kupang – NTT. Pp. 6, 61 – 67.
- Nafi, A., Windrati, W.S., Prasetyo, A., dan Wijayanthi, L. 2007. Kajian Sifat Nutrisional dan Fungsional *Protein Rich Flour* (PRF) Koro-Koroan Studi Lanjutan Pengembangan PRF Sebagai Food Ingredient Baru. *Indonesian Science & Technology Digital Library*. Diakses Mei 2016.
- Nassar, R.M.A., Boghdady, M.S., and Ahmed, Y.M. 2010. Botanical Studies on *Phaseolus Vulgaris* L. II-Anatomy of Vegetative and Reproductive Organs. *Journal of American Science*. 6(12):217 – 229.
- Nienhuis, J., Tivang, J., and Skroch, P. 1995. Genetic Relationships among Cultivars and Landraces of Lima Bean (*Phaseolus lunatus* L.) as Measured by RAPD Markers. *Journal of American Social Horticultural Science*. 120(2):300-306.
- Oja, T & Paal, J. 2007. Multivariate analysis of morphological variation among closely related species *bromus japonicus*, *B. Squarrosus* and *B. Arvensis* (Poaceae) in comparison with isozyme evidences. *Nordic Journal of Botany*. 24 (6): 691-702.
- Onyilagha, J.C. and Islam, S. 2009. Flavonoids and Other Polyphenols of The Cultivated Species of The Genus *Phaseolus*. *Int. J. Agric. Biol*. 11: 231 – 234.

- Oswald, W. W., Doughty, E.D., Ne'eman, G., Ne'eman, R. and Ellison, A.M. 2011. Pollen Morphology and Its Relationship to the Taxonomy of the Genus *Sarracenia* (Sarraceniaceae). *Rhodora* 113: 235-251.
- Poe, M. L., Bates A., Onyilagha, J. 2013. Distribution of Leaf Flavonoid Aglycones and Glucuronides in the Genus *Phaseolus* and Related Genera. *International Journal of Biology*. 5(4): 36 – 43.
- Punt, W., Hoen, P.P., Blackmore S., Nilsson, S. and Le Thomas, A. 2007. Glossary of pollen and spore terminology. *Palaeobotany and Palynology*. 143:1–81.
- Purnomo, Daryono, B.S., and Sentori, M.B. 2015. Variability and Intraspecies Classification of Pumpkin (*Cucurbita moschata* (Duch. ex Lam.) Duch. ex Poir.) Based on Morphological Characters. The 3rd International Conference on Biological Science. *Knowledge life science*.2:286-293
- Purwanti, E. 2014. Pemetaan Keanekaragaman Kacang Koro (*Phaseolus lunatus* L.) di Jawa Timur Berdasarkan Metode Morfometrik Sebagai Upaya Konservasi Keanekaragaman Hayati. *Seminar Nasional XI Pendidikan Biologi FKIP UNS*. 7-058.
- Rezakhanlo, A., and Talebi, S.M. 2010. Trichomes Morphology of *Stachys lavandulifolia* Vahl. (Labiatae) of Iran. *Procedia Social and Behavioral Sciences*. 2: 3755-3763.
- Rohlf, F.J. 1970. Adaptive Hierarchical Clustering Schemes. *Systematic Zoology*. 18:58-82.
- Ross-Ibarra, J., Morrell, P. L., and Gaut, B. S. 2007. Plant Domestication, A Unique Opportunity to Identify The Genetic Basic of Adaptation. *Proceedings of The National Academy of Sciences*. 104 (1): 8641 – 8648.
- Ruzin, S.E. 1999. *Plant Microtechnique and Microscopy*. New York (USA). Oxford University Press. p. 128
- Sagaram, M. and Lombardini, L. 2007. Variation in Leaf Anatomy of Pecan Cultivar from Three Ecogeographic Locations. *J. Amer. Soc. Hort. Sci.* 132 (5): 592 – 596.
- Shaheen, N., Khan, M.A., Yasmin, G., Hayat, M.Q., Ali, S.2009. Taxonomic Implication of Palynological Characters in The Genus *Malva* L., Family Malvaceae from Pakistan. *American-Eurasian J. Agric. & Environ. Sci.* 6 (6): 716 – 722.
- Silva, V. B. da; Gomes, R. L. F.; Lopes, Â. C. de A. ; Dias, C. T. dos S.; Silva, R. N. O. 2015. Genetic diversity and promising crosses indication in lima bean (*Phaseolus lunatus*) accessions. *Semina: Ciências Agrárias, Londrina*, v. 36, n. 2, p. 683-692.
- Simpson, M.G. 2006. *Plant Systematics*. Boston : Elsevier/ Academic Press. Amsterdam.pp 10 – 13, 409, 453 – 461.
- Singh, Gurcharan. 2010. *Plant Systematic and Integrated Approach Third Edition*. Science Publisher. India. Pp. 149, 151 – 153.
- Smartt, J. 1990. *Grain Legumes: Evolution and Genetic Resources*. Cambridge University Press. United Kingdom. Pp. 123-127.

- Smýkal, P., Coyne, C. J., Ambrose, M.J., Maxted, N., Schaefer, H., Blair, M.W., Berger, J., Greene, S.L., Nelson, M.N., Besharat, N., Vymyslický, T., Toker, C., Saxena, R.K., Roorkiwal, M., Pandey, M.K., Jinguo Hu, J., Li, Y.H., Wang, L.X., Guo, Y., Qiu, L.J., Redden, R.J. and Varshney, R.K. 2015. Legume Crops Phylogeny and Genetic Diversity for Science and Breeding. *Critical Reviews in Plant Sciences*. 34:1-3, 43-104.
- Sokal, R.R. and Sneath P. H. A. 1963. Principles of Numerical Taxonomy. W.H Freeman & Company . San Fransisco. pp 7, 37 – 38.
- Stace, C.A. 1989. *Plant Taxonomy and Biosystematics Second Edition*. Routledge, Champman and Hall Inc. New York. pp. 67, 73 – 74, 174.
- Stenglein, S.A., Arambarri, A.M., Vizgarra, O.N., Balatti, P.A. 2004. Micromorphological variability of leaf epidermis in Mesoamerican common bean (*Phaseolus vulgaris*, Leguminosae). *Australian Journal of Botani*. 52 :73-80.
- Suharyanto, E. 1989. Peninjauan Morfologi Serbuksari Anggota Subtribus Glycinae dan Subtribus Phaseolinae Hubungannya dengan Penempatan Genus *Clitoria* dalam Sistem Klasifikasi Tumbuhan. *Tesis*. Universitas Gadjah Mada.
- Susandarini, R., Subandiyah, S., Rugayah, Daryono, B.S., and Nugroho, L.H. 2013. Assessment of Taxonomic Affinity of Indonesian Pumello (*Citrus maxima* (Burm.) Merr.) Based on Morphological Charaters. *American Journal of Agricultural and Biological Science*. 8(3):182-190.
- Talebi, S.M., Sheidai, M., Atri, M., Sharifnia, F., Noormohammadi, Z. 2012. Palynological Study of The Genus *Linum* in Iran (a Taxonomic Review). *Phytologia Balcanica*. 18 (3): 293 – 303.
- Thepsithar, C. and Thongpukdee, A. 2013. Comparative Micro-Morphology, Anatomy and Architecture of Leaf of *Physalis*. *International Science Index, Bioengineering and Life Sciences*. 7 (8): 806-810.
- Tjitrosoepomo, G. 1988. *Taksonomi Tumbuhan (Spermatophyta)*. Gadjah Mada University Press. Yogyakarta. pp 192, 204 – 208.
- Tripathi, S. and Mondal, A.M. 2012. Taxonomic Diversity in Epidermal Cells (Stomata) of Some Selected Anthophyta Under The Order Leguminales (Caesalpiniaceae, Mimosaceae & Fabaceae) Based on Numerical Analysis: A Systematic Approach. *International Journal of Science and Nature*. 3(4): 788 – 798.
- USDA (United States Department of Agriculture). 2013. Plants\_ database. <http://plants.usda.gov/java/ClassificationServlet?source=display&classid=PHASE>. Diakses November 2015.
- Vanhala, T.K., van Rijn, C. P. E., Buntjer, J., Stam, P., Nevo, E., Poorter, H., and van Eeuwijk, F.A. 2004. Environmental, Phenotypic and Genetic Variation of Wild Barley (*Hordeum sponianum*) from Israel. *Euphytica*. 137:297 – 304.
- Woodward, F.I. and Kelly, C.K. 1995. The Influence of CO<sub>2</sub> Concentration on Stomatal Density. *New Phytol*. 131:311-327.
- Yagui, A., Machado-Neto, N. B., and Cardoso, V. J. M. 2003. Grouping of Brazilian Accesses of Lima Beans (*Phaseolus lunatus* L.) According To

SDS-PAGE Patterns and Morphological Characters. *Maringa*. 25 (1): 7-12.