

DAFTAR PUSTAKA

- Adziima, A. F., Risanti, D. D., dan Mawarni, L. J., 2013, Sintesis Natrium Silikat dari Lumpur Lapindo sebagai Inhibitir Korosi, *Jurnal Teknik Pomits*, 2, (2), 384-389.
- Affandi, S., Setyawan, H., Winardi, S., Purwanto, A., and Balqis, R., 2009, A Facile Method for Production of igh-Purity Silika Xerogels From Bagasse Ash, *Adv. Powd. Tech.*, 20, 468-472.
- Ahda, M., Sutarno., dan Kunarti, S, E., 2014, Sintesis Langsung Untuk Modifikasi Permukaan MCM-41 Dengan Alumina Dan Aplikasinya Dalam Adsorpsi Metilen Biru, *Prosiding Seminar Nasional dan Workshop "Perkembangan terkini Sains Farmasi dan Klinik IV*, Padang.
- ALothman, Z.A., 2012, A Review: Fundamental Aspects of Silicate Mesoporous Materials, *Materials*, 5, 2874-2902.
- Azmi, 2005, Syntesis Characterization an Aktiviti of AL-MCM-41 Catalyst for Hidroxy Alkilation of Epoxides, *Thesis*, University Teknologi Malaysia.
- Bagshaw, S.A., Prouzet, E., and Pinnavaia, T.J., 1995, Templating of Mesoporous Molecular Sieves by Nonionic Polyethylene Oxide Surfactants, *Science*, 269, 1242-1244.
- Bartholomew, C. H. and Farrauto, R.J., 2006, *Fundamentals of Industrial Catalytic Processes*, John Wiley and Sons Inc., New Jersey.
- Beck, J.S., Vartuli, J.C., Roth, W.J., Leonowicz, M.E., Kresge, C.T., Scmitt, K.d., Chu, C.T.W, Olson, D.H., and Sheppard, E.W., 1992, Anew Family of Mesoporous Molecular Sieves Prepared with Liquid Crystal Templates, *J. Am. Chem. Soc.*, 114 (27), 10834-10843.
- Chen, J, L., and Alabed, R, S., 1999, Cation Transport and Partitioning during a field test of electroosmosis, *Water. Resour. Res.*, 35 (12), 3841-3851.
- de Almeida, P.F., da Silva Lannes, S.C., Calarge, F.A., de Brito Farias, T.M., and Santana, J.C., 2012, FTIR Characterization of Gelatin from Chicken Feet, *J. Chem. Chem. Eng.*, 6, 1029-1032
- Domb, A. J., Kumar, N., and Ezra, A., *Biodegradable Polymers in Clinical Use and Clinical Development*, John Wiley and Sons Inc., Hoboken.
- Ekaputri, J.J., and Triwulan, 2006, Study on Porong Mud-Based Geopolymer Concrete, *2nd Asian Concrete Federation Conference*, 91-99, Bali.

- Estaca, G. J., Montero, P., Ferna, F., and Go, M. C., 2009, Physical and Chemical Properties of Tuna-Skin and Bovine-Hide Gelatin Films with Added Aqueous Oregano and Rosemary Extracts, *J. Foodhyd.*, 23, 1334–1341.
- Fang, K., Ren, J., and Sun, Y., 2005, Effect Of Nickel Precursor On The Performance Of Ni/MCM-41 Catalyst For n-Dodecane Hydroconversion, *J. Mol. Catal. A: Chem*, 29, 51-58.
- Fedeyko, J.M., Vlachos, D.G., and Lobo, R.F., 2006, Understanding The Dfferences Between Microporous and Mesoporous Synthesis Through The Phase Behavior of Silica, *Micropor. Mesopor. Mater.*, 90, 102-111.
- Gates, B. C., Katzer, J.Z., dan Schuit, G.A., 1995, *Chemistry of Catalytic Proces*, 1st Edition, Mc Graw-Hill Book Company, New York.
- Gaudin, P., Dorge, S., Nouli, H., Patarin, J., Brillhac, J, F., Fiani, E., Vierling, M., dan Moliere, M., 2015, Synthesis of CuO/SBA15 Adsorbents for SO_x Removal Applications, Using Different Impregnations Methods, *C. R. Chimie*, 17-34.
- Hernandez, A., Escobar, J., Pacheco, J.G., de los Reyes, J.A., and Barrera, M.C., 2004, Synthesis and Characterization of Simultaneously-Impregnated Co-Mo-P on Al-MCM-41. Effect of Spport Precrsors, *Rev. Soc. Quim. Mex.* 48, 260-268.
- Hsu, C.H., Lin H.P., Tang, C.Y., and Lin, C.Y., 2007, Synthesis of Mesoporous Silica and Mesoporous Carbon Using Gelatin as Organic Template, *Stud. Surf. Sci. Catal.*, 165, 385-388.
- Ifah, A, A., Trisunaryanti, W., Triyono., dan Dewi, K., 2016, Synthesis of MCM-41-NH₂ Catalyst by Sonochemical Method for Transesterification of Waste Palm Oil, *Int. J. Chemtech. Res.*, 09, 382-387.
- Jalil, A, A., Triwahyono, S., Adam, S,H., Rahim, N, D., Aziz, M,A,A., Hoirun, N,H,H., Razali, N,A,M., Abidin, M,A,Z., dan Mohamadiah, M, K, A., 2010, Adsorption of Metyl Orangen Solution onto Calcined lapindo Volcanic Mud, *J. Haz. Mat*, 7550-762.
- Jamillah, B., and Harvinder, K. G., 2002, Properties of Gelatins from Skins of Fish Black Tilapia (*Oreochromis mossambicus*) and Red Tilapia (*Oreochromis nilotica*), *Food Chem.*, 77, 81-84.
- Karim, A. A., and Bhat, R., 2009, Fish Gelatin: Properties, Challenges, and Prospects as an Alternative to Mammalian Gelatins, *Food Hydrocoll.*, 23, 563-576.

- Kartini, I., Arryanto Y., dan Setianingsih, T., 1998, Sintesis dan Karakterisasi Bahan Aluminosilikat Mesopori, *Prosiding Pertemuan Ilmiah Sains Materi III*, Serpong.
- Khowatimy, F.A., Priastomo, Y., Febriyanti, E., Riyantoko, H., and Trisunaryanti, W., 2014, Study of Waste Lubricant Hydrocrackin into Fuel Fraction over The Combination of Y-Zeolita and ZnO Catalyst, *Proc. Environ. Sci.*, 20, 225-234.
- Kim, J.M., Kwak, J.H., Jun, S., and Ryoo, R., 1995, Ion Exchange and Thermal Stability of MCM-41, *J. Phys. Chem.*, 99 (45), 16742-16747.
- Liou, T.H., and Lin, H.S., 2012, Synthesis and Surface Characterization of Silica Nanoparticels from Industrial Resin Waste Controlled by Optimal Gelation Conditions, *J. Chem. Eng*, 171, 1458-1168.
- Muyonga, J. H., Cole, C. G. B., and Duodu, K. G., 2004, Extraction and Physico-chemical Characterisation of Nile Perch (*Lates niloticus*) Skin and Bone Gelatin, *Food Hydrocoll.*, 18, 581-592.
- Naik, B., and Ghosh, N.N, 2009, A Review on Chemical Methodologies for Preparation of Mesoporous Silica and Alumina Based Materials, *Recent Patents on Nanotechnology*, 3, 213-224
- Pattiasina, P.M., 2014, Pemanfaatan Gelatin Tulang Sapi Sebagai Cetakan Dalam Sintesis Silika Mesopori Menggunakan Metode Hidrotermal Dan Sonokimia Serta Uji Kapasitas Adsorpsinya Terhadap Metilen Biru, *Tesis*, Universitas Gadjah Mada, Yogyakarta.
- Perwitasari, D.S., 2008, Hidrolisis Tulang Sapi Menggunakan HCl untuk Pembuatan Gelatin, *Makalah Seminar Nasional Soebardjo Brotohardjono Pengolahan Sumber Daya Alam Dan Energi Terbarukan*, Surabaya
- Rahmat, N., Abdullah, A.Z., and Mohamed, A.R., 2010, A Review: Mesoporous Santa Barbara Amorphous-15, Types, Synthesis and Its Applications Towards Biorefinery Production, *Am J. Appl. Sci.*, 7(12), 1579-1586.
- Ryoo, R., Joo, S.H. and Jun, S., 1999, Synthesis of highly ordered carbon molecular sieves via template-mediated structural transformation, *J. Phys. Chem. B*, 103, 7743-7746.
- Sahu, R., Jin, B., Sun, J., Jeon, Y., and Wee, C., 2015, A review of Recent Advances in Catalytic Hydrocracking of Heavy Residues. *J. Ind. Eng. Chem.*, 27, 12-24.
- Setyawan, H., and Balgis, R., 2011, Mesoporous Silicas Prepared from Sodium Silicate Using Gelatin Templating, *Asia-Pac. J. Chem. Eng.*, 7, 3.

- Sing, K.S.W., Everett, D.H., Haul, R.A.W., Moscou, L., Pierotti, R. A., Rouquerol, J., Siemieniewska, T., 1985, Reporting Physisorption Data for Gas/Solid Systems with Special Reference to The Determination of Surface Area and Porosity, *Pure. App. Chem.*, Vol. 57, 603—619.
- Tanev, P. T., and Pinnavala, 1995, A Neutral Templating Route to Mesoporous Molecular Sieves, *Science.*, 267, 865-867.
- Trisunaryanti, W., 2015, *Material Katalis dan Karakternya*, UGM Press, Yogyakarta.
- Trisunaryanti, W., Falah, I, I., Triyono., dan Susanto, H., 2016, Synthesis of Mesoporous Silica Using Gelatin as a Template and Cr/Silica Catalyst For Hydrocracking of Waste Lubricant Oil, *Int. J. Chemtech. Res* , 09, 388-397.
- Trisunaryanti, W, Lisna, P, S.,Kartini, I., Sutarno., Falah I, I., dan Triyono, 2016, Extraction of Gelatin from Bovine Bone and its Use as Template in Synthesis of Mesoporous Silica, *Asian. J. Chem.*, 8(5), 996-1000.
- Trisunaryanti, W., Purwono, S., dan Putranto, A., 2008, Hidrorengkah Katalitik Oli Bekas Menjadi Fraksi Bahan Bakar Cair Menggunakan ZnO, Nb₂O₅ Zeolit Alam Aktif dan Modifikasinya, *Indo. J. Chem.*, 8, 342-347.
- Trisunaryanti, W., Shiba, R., Miura, M., Nomura, M., Nishiyama, M., dan Matsukata, M., 1996, Characterization and Modification of Indonesian Natural Zeolites and Their Properties for Hydrocracking of paraffin, *J. Jpn. Pet. Inst.*, Volume 39, hal 20-25.
- Trisunaryanti, W., Syoufian, A., dan Purwono, S., 2013, Characterization and Modification of Indonesia Natural Zeolite for Hydrocracking of Waste Lubricant Oil into Liquid Fuel Fraction, *J. Chem Eng*, 07, 175-180.
- Trisunaryanti, W., Triyono, Rizki, C.N., Saptoadi, H., Alimuddin, Z., Syamsiro, M., dan Yoshikawa,K., 2013, Characteristic of Metal Supported-Zeolite Catalyst for Hydrocracking of Polyethylene Terephthalat, *IOSR-JAC.*, 30(4), 29-34.
- Triyono, Khoiri, H, M., Trisunaryanti, W., dan Dewi, K., 2015, Synthesis of NH₂/MCM-41 Catalyst Using Sillica of Sidoarjo Mud and Their Characterization for Palm Oil Transesterification, *IOSR-JAC*, 8(2), 50-56.
- Ulfa, M., Trisunaryanti, W., Falah, I, I., Kartini, I., dan Sutarno., 2014, Synthesis of Mesoporous Carbon Using Gelatin as Source of Carbon by Hard Template Technique and its Characterizations, *IOSR-JAC*, 04, 01-07.
- Wan, Y., and Zhou, D., 2007, On the Controllable Soft-Templating Approach to Mesoporous Silicates, *Chem. Rev.*, 107 (7), 2821-2860.

- Wang, X., Zhou, G., Zhang, H., Du, S., Xu, Y., and Wang, C., 2011, Immobilization and Catalytic Activity of Lipase on Mesoporous Silica Prepared from Biocompatible Gelatin Organic Template, *J. Non-Cryst. Solids*, 357, 3027-3032.
- Yanagasiwa, T., Shimizu, T., and Kuroda, K., 1990, The Preparation of Alkyltriethylammonium-Kaneinite Complexes and Their Conversion to Microporous Materials, *Bull. Chem. Soc. Jpn.*, 63, 988-992.
- Yang, X., Liao, S., Liang Z., Li, Y., and Du, L., 2011, Gelatin-Assisted Templating Route to Synthesize Sponge-Like Mesoporous Silica with Bimodal Porosity and Lysozyme Adsorption Behaviour, *Micropor. Mesopor. Mater.*, 143, 263-269.
- Zhang, D., and Liu, X., 2013, Synthesis of Polymer-Stabilized Monometallic Cu and Bimetallic Cu / Ag Nanoparticles and Their Surface-Enhanced Raman Scattering Properties, *J. Mol. Struct.*, 1035, 471-475.