

DAFTAR PUSTAKA

- Anonim, 2015, *InfoDatin*, Pusat Data dan Informasi Kementerian Kesehatan RI, Jakarta.
- Castilla, C.M. and Utrilla, J.R., 2001, Carbon Materials as Adsorbents for the Removal of Pollutants from the Aqueous Phase, *MRS Bull.*, 11(22), 890-894.
- Chen, D., Yin, L., Wang, H., and He, P., 2015, Pyrolysis technologies for municipal solid waste: A review, *Waste Manage.*, 37, 116-136.
- Demirbas, A., 2004, Effects of temperature and particle size on bio-char yield from pyrolysis of agricultural residues, *J. Anal. Appl. Pyrolysis*, 72, 243-248.
- Demirbas, A., 2009, Biorefineries: Current activities and future developments, *Energy Convers. Manage.*, 50, 2782-2801.
- Dewi, N.K., Paramita, S., Harisandi, A., Sukaesih, M., dan Setyawati, A., 2015, *Industry Update*, 14, PT Bank Mandiri (Persero), Jakarta.
- Dias, J.M., Ferraz, M.C.M.A., Almeida, M.F., Utrilla, J.R., and Polo, M.S., 2007, Waste materials for activated carbon preparation and its use in aqueous-phase treatment: A review, *J. Environ. Manage.*, 85, 833-846.
- Eriksen, M., Mackay, J., Schluger, N., Gomeshtapeh, F.I., and Drope, J., 2015, *The Tobacco Atlas*, 5th Ed., American Cancer Society Inc., Georgia.
- Ghaedi, M., Nasab, A.G., Khodadoust, S., Rajabi, M., Azizian, S., 2014, Application of activated carbon as adsorbents for efficient removal of methylene blue: Kinetics and equilibrium study, *J. Ind. Eng. Chem.*, 20, 2317-2324.
- Huang, F., Xu, Y., Peng, B., Su, Y., Jiang, F., Hsieh, Y.L., and Wei, Q., 2015, Coaxial Electrospun Cellulose-Core Fluoropolymer-Shell Fibrous Membrane from Recycled Cigarette Filter as Separator for High Performance Lithium-Ion Battery, *ACS Sustainable Chem. Eng.*, 3, 932-940.
- Jindo, K., Mizumoto, H., Sawada, Y., Sanchez-Monedero, M.A., and Sonoki, T., 2014, Physical and chemical characterization of biochars derived from different agricultural residues, *Biogeosci.*, 11, 6613-6621.
- Kadir, A.A. and Mohajerani, A., 2011, Recycling cigarette butts in lightweight fired clay bricks, *Proc. Inst. Civ. Eng. Constr. Mater.*, 1-11.
- Liu, W.J., Jiang, H., and Yu, H.Q., 2015, Development of Biochar-Based Functional Materials: Toward a Sustainable Platform Carbon Material, *Chem. Rev.*, 22(115), 12251-12285.

- Miretzky, P., and Cirelli, A.F., 2010, Cr(VI) and Cr(III) removal from aqueous solution by raw and modified lignocellulosic materials: A review, *J. Hazard. Mater.*, 180, 1-19.
- Moerman, J.W. and Potts, G.E., 2014, Analysis of metals leached from smoked cigarette litter, *Tob Control*, 20(1), 30-35.
- Mohan, D. and Pittman Jr., C.U., 2006, Activated carbons and low cost adsorbents for remediation of tri- and hexavalent chromium from water, *J. Hazard. Mater.*, B137, 762-811.
- Qiu, H., Lv, L., Pan, B.C., Zhang, Q.J., Zhang, W.M., and Zhang, Q.X., 2009, Critical review in adsorption kinetic models, *J. Zhejiang Univ. Sci. A*, 10(5), 716-724.
- Roberts, P.V., Leckie, J.O., and Brunner, P.H., 1978, Pyrolysis for the Production of Activated Carbon from Cellulosic Solid Wastes, *ACS Symp. Ser.*, 76, 392-410.
- Shaaban, A., Se, S.M., Mitan, N.M.M. and Dimin, M.F., 2013, Characterization of biochar derived from rubber wood sawdust through slow pyrolysis on surface porosities and functional groups, *Procedia Eng.*, 68, 365-371.
- Shafeeyan, M.S., Daud, W.M.A.W., Housemand, A., and Shamiri, A., 2010, A review on surface modification of activated carbon for carbon dioxide adsorption, *J. Anal. Appl. Pyrolysis*, 89, 143-151.
- Shen, Y.S., Wang, S.L., Tzou, Y.M., Yan, Y.Y., and Kuan, W.H., 2012, Removal of hexavalent Cr by coconut coir and derived chars - The effect of surface functionality, *Bioresour. Technol.*, 104, 165-172.
- Slaughter, E., Gersberg, R.M., Watanabe, K., Rudolph, J., Stransky, C., and Novotny, T.E., 2014, Toxicity of cigarette butts, and their chemical components, to marine and freshwater fish, *Tob Control*, 20(1), 25-29.
- Tan, X., Liu, Y., Zeng, G., Wang, X., Hu, X., Gu, Y., and Yang, Z., 2015, Application of biochar for the removal of pollutants from aqueous Solutions, *Chemosphere*, 125, 70-85.
- Thomas, B.B., 1958, The Production Of Chemical Cellulose From Wood, *J. Chem. Educ.*, 10(35), 493-498.
- Uner, O., Gecgel, U., and Bayrak, Y., 2016, Adsorption of Methylene Blue by an Efficient Activated Carbon Prepared from *Citrullus lanatus* Rind: Kinetic, Isotherm, Thermodynamic, and Mechanism Analysis, *Water Air Soil Pollut.*, 227-247.
- Yang, G., Wu, L., Xian, Q., Shen, F., Wu, J., and Zhang, Y., 2016, Removal of Congo Red and Methylene Blue from Aqueous Solutions by Vermicompost-Derived Biochars, *PLoS ONE*, 1-18.

- Yang, H., Yan, R., Chen, H., Lee, D.H., and Zheng, C., 2007, Characteristics of hemicellulose, cellulose and lignin pyrolysis, *Fuel*, 86, 1781-1788.
- Zhao, J., Zhang, N., Qu, C., Wu, X., Zhang, J., and Zhang, X., 2010, Cigarette Butts and Their Application in Corrosion Inhibition for N80 Steel at 90 °C in a Hydrochloric Acid Solution, *Ind. Eng. Chem. Res.*, 49, 3986-3991.
- Zhou, L., Liu, Y., Liu, S., Yin, Y., Zeng, G., Tan, X., Hud, X., Hua, X., Jiang, L., Ding, Y., Liu, S., and Huang, X., 2016, Investigation of the adsorption-reduction mechanisms of hexavalent chromium by ramie biochars of different pyrolytic temperatures, *Bioresour. Technol.*, 218, 351-359.