

DAFTAR PUSTAKA

- Agartan, L., Kapusuz, D., Park, J., and Ozturk, A., 2015, Effect of initial water content and calcinations temperature on photocatalytic properties of TiO₂ nanopowders synthesized by the sol-gel process, *J. Ceram. Int.*, 41, 12788-12797.
- Cahyaningrum, D., 2010, Kajian Pengaruh Konsentrasi Urea dalam Sintesis dan Karakterisasi Nitrogen-doped Titanium Dioksida, *Skripsi*, Jurusan Kimia FMIPA UGM, Yogyakarta.
- Catauro, M., Papale, F., Sapio, L., and Naviglio, S., 2016, Biological influence of Ca/P ratio on calcium phosphate coatings by sol-gel processing, *J. Mater. Sci. Eng. C.*, 65, 188-193.
- Choi, J., Park, H. and Hoffman, M.R., 2010, Effect of Single Metal-Ion Doping on the Visible-Light Photoreactivity of TiO₂, *J. Phys. Chem. C.*, 114, 783-792.
- Choi, W., Termin, A., and Hoffman, M.R., 1994, The Role of Metal Ion Dopants in Quantum-sized TiO₂: Correlation between Photoreactivity and Charge Carrier Recombination Dynamics, *J. Phys. Chem.*, 98 (51), 13669-13679.
- Choudhury, B. and Choudhury, A., 2011, Luminescence characteristics of cobalt doped TiO₂ nanoparticles, *Journal of Luminescence*, 132, 178-184.
- Cotton, F.A., Wilkinson, G., Murillo, C.A., and Bochmann, M., 1999, *Advance Inorganic Chemistry, 6th Edition*, John Willey & Sons Inc., Vancouver.
- Fujishima, A., and Honda, K., 1972, Electrochemical Photolysis of water at Semiconductor Electrode, *Nature*, 238, 37-38.
- Grazenaite, E., Pinkas, J., Beganskiene, A., and Kareiva, A., 2016, Sol-gel and sonochemically derived transition metal (Co, Ni, Cu and Zn) chromites as pigments: A comparative study, *J. Ceram. Int.*, 42, 9402-9412.
- Hamadian, M., Reisi-Vanani, A., and Majedi, A., 2010, Sol-Gel Preparation and Characterization of Co/TiO₂ Nanoparticles: Application to the Degradation of Methyl Orange, *J. Iran. Chem. Soc.*, 7, S52-S58.
- Hoffman, M.R., Martin, S.T., Choi, W., and Bahnemann, D.W., 1995, Environmental Applications of Semiconductor Photocatalysis, *Chem. Rev.*, 95, 69-96.
- Huerta, F.L., Cervantes, B., Gonzalez, O., Hernandez-Torres, J., Garcia-Gonzales, L., Vega, R., Herrera-May, A.L., and Soto, E., 2014, Biocompatibility and Surface Properties of TiO₂ Thin Films Deposited by DC Magnetron Sputtering, *J. Mater.*, 7, 4105-4117.

- Jaiswal, R., Bharambe, J., Patel, N., Dashora, A., Kothari, D.C., and Miotello, A., 2015, Copper and Nitrogen co-doped TiO₂ photocatalyst with enhanced optical absorption and catalytic activity, *J. Appl. Catal. B-Environ.*, 168-169, 333-341.
- Kartini, I., 2004, Synthesis and Characterization of Mesostructural Titania for Photoelectrochemical Solar Cells, *PhD Thesis*, University of Queensland, Australia.
- Kirit, S. and Dimple, S., 2012, Characterization of Nanocrystalline cobalt doped TiO₂ sol-gel material, *J. Cryst. Grow.*, 352, 224-228.
- Ma, Y., Zhang, J., Tian, B., Chen, F., and Wang, L., 2010, Synthesis and Characterization of Thermally Stable Sm, N, co-doped TiO₂ with Highly Visible Light Activity, *J. Hazard Mater.*, 182, 386-393.
- Messina, P.V., and Schutz, P.C., 2006, Adsorption of Reactive Dyes on Titanisilica Mesoporous Materials, *J. Colloid Interface Sci.*, 299, 305-320.
- Mutuma, B.K, Shao, G.N., Kim, W.D., and Kim H.T., 2014, Sol-gel synthesis of mesoporous anatase-brookite and anatase-brookite-rutile TiO₂ nanoparticles and their photocatalytic properties, *J. Colloid and Interface Sci.*, 442, 1-7.
- Ryu, S.W., Kim, E.J., Ko, S.K., and Hahn, S.H., 2004, Effect of calcinations on the structural and optical properties of M/TiO₂ thin films by RF magnetron co-sputtering, *J. Mater. Lett.*, 58, 582-587.
- Savio, A.K.D.P., Fletcher, J., Smith, K., Iyer, R., Bao, J.M., and Hernandez, F.C.R. 2015, Environmentally effective photocatalyst CoO-TiO₂ synthesized by thermal precipitation of Co in amorphous TiO₂, *J. Appl. Catal. B-Environ.*, 182, 440-455.
- Tsang, L., Luo, X., Tan, T. T., Li, S., and Yi, J., 2014, Doping concentration dependence of microstructure and magnetic behaviours in Co-doped TiO₂ nanorods, *J. Nanoscale Res. Lett.*, 9, 673.
- Wang, D., Lin, H., and Yen, C. 2006, Influence of metal plasma ion implantation on photo-sensitivity of anatase TiO₂ thin films, *Journal of Thin Solid Film*, 515, 1047-1052.
- Xu, X. H., 2002, Preparation and characterization of Bi-doped TiO₂ photocatalyst, *J. Mater. Sci. Lett.*, 21, 1655-1656.
- Yahaya, M.Z., Abdullah, M.Z., and Mohamad, A.A., 2015, Centrifuge and storage precipitation of TiO₂ nanoparticles by the sol-gel method, *J. Alloy Comp.*, 651, 557-564.

Yano, S., Kurokawa, A., Takeuchi, H., Yanoh, T., Onuma, K., Kondo, T., Miike, K., Miyasaka, T., and Ichiyanagi, Y., 2013, Synthesis and study of magnetic properties of Co-doped anatase TiO₂ nanoparticles, *J. Phys. Confer. Ser.*, 433, 12-19.